

2010 GENUINE PARTS CATALOG



**If it's not Jacobsen,
it's not genuine.**

JACOBSEN
A Textron Company

When Performance Matters.™

SUPPORT THAT MATTERS™

When you purchase a Jacobsen® piece of equipment, our working relationship doesn't end there... it is just beginning. Jacobsen and Jacobsen dealers back each machine with the best service and support network in the business. We invite you to experience the Jacobsen difference today.



Local Dealer Support

A worldwide Jacobsen dealer network is there to help you with everything from expert equipment consulting to parts and service. The dealer's factory-trained technicians make sure your equipment provides peak performance. Their knowledge is continuously enhanced by Jacobsen to assure you of the most up-to-date service techniques and information. Additionally, Jacobsen's regional product support managers are in the field to support you and our local dealers. This is a highly experienced team that is there to facilitate the Jacobsen support system in your area.



Jacobsen Genuine Parts

When it comes to replacement parts, genuine Jacobsen parts provide the best performance and superior results. Only Jacobsen Genuine parts such as Classic XP™ reels and Legendary Bedknives™, GreensCare™ biodegradable hydraulic fluid, MAGKnife™ and DuraTines™ help you create superior turf conditions. More information and downloadable manuals are available at your fingertips 24-hours-a-day at www.jacobsen.com.



State of the Art Parts Distribution Center

When you need a part, you need it quickly. That is why our system is set up for rapid response. Each Jacobsen dealer stocks a comprehensive inventory of genuine Jacobsen parts to keep equipment on the job. If the dealer does not have a part you need in stock, we can drop-ship your order next day directly to you from our distribution center. Our current fill rate is 97%. We support all of our products for a minimum of 10 years. We have 1,000 never out parts that we commit to having in stock at all times and over 45,000 other items to support our customers.



Jacobsen University

Both your local Jacobsen dealer and your technician can hone their skills and increase their productivity at Jacobsen University. It is there so you can have the confidence that your local Jacobsen dealer and technical staff have the tools necessary to keep your operation running smoothly. A balanced mixture of classroom and hands on training in an open learning environment will build confidence and know how.

Call your local dealer for information or a demonstration. Discover all the ways Jacobsen is working to deliver what you need to make your life easier. To find your local authorized Jacobsen dealer, go to www.jacobsen.com and click on dealer locator.

JACOBSEN® GENUINE PARTS

If It's Not Jacobsen, It's Not Genuine

Jacobsen products are unrivaled in quality, innovation and performance. For more than 86 years, people have come to expect the superior conditions that only Jacobsen products can provide.

To achieve these results every day, our products need genuine Jacobsen parts. Jacobsen parts are designed and developed together with each piece of equipment - without them, you won't get the performance you require.

We support our products in the field by keeping service parts available for at least 10 years. And when you buy a Jacobsen product, we also support that piece of equipment with a list of serviceable parts you should keep on site to keep you up and running.

Maintain the Highest Performance

When it comes to replacement parts, genuine Jacobsen parts provide the best performance and superior results. Other companies may attempt to imitate Jacobsen parts, but none meet the standards that we set for ourselves. When it comes to parts for Jacobsen equipment, accept no substitutes.

Protect Your Warranty

Using Jacobsen Genuine Parts ensures that your equipment coverage remains in effect for the full warranty period. Using anything but genuine Jacobsen parts may adversely affect your warranty coverage. Using genuine Jacobsen parts also gives you another level of confidence because genuine Jacobsen parts are protected with a 180-day factory warranty against defects in material and workmanship and covers the replacement cost of the part.

Best Guarantee for Reliability & Service Life

We have a quality control department that is responsible for seeing that each Jacobsen genuine part is developed to achieve maximum results – that's why Jacobsen parts are your best guarantee for operational reliability and long service life.



JACOBSEN
A Textron Company

When Performance Matters.™

JACOBSEN® GENUINE PARTS PROGRAMS



When you purchase a Jacobsen piece of equipment, our working relationship doesn't end there... it's just beginning. Jacobsen, and Jacobsen dealers back each machine with the best service and support network in the business. The following programs are available to all Jacobsen customers in order to support those who own and/or operate Jacobsen equipment.

Parts Availability:

- We have over 45,000 active Genuine Jacobsen parts that we support and sell for all of our equipment. We support every part of your machine, not just the fast movers "will-fit" companies typically provide.

Fill Rate

- For the past few years, our state-of-the-art distribution facility has boasted a 97% fill rate on service parts and continues to do so now. You can be assured that you'll get the parts you need when you need them.

10 year (minimum) Product Support

- We are committed to supporting your equipment by supplying service parts for a minimum of 10 years from the time we stop manufacturing that product. You don't have to worry about how long we'll support you when you decide to buy Jacobsen.

Drop-Ship Program ("Next Day" delivery available)

- If your dealer doesn't have a part in stock and you need it quickly, we can ship that part to you directly ("next day" if needed) from our distribution center.

"Never Out" Program

- We are committed to always having over 1,000 of our most popular parts in stock. This has been a program we've had in place since 2005 as a way to prove our service commitment. If we can't fill your dealer's order for one of these parts within 72 hours, we will ship the part(s) to the location your dealer specifies with freight prepaid. These parts are identified in the new 2009 Genuine Maintenance Parts Catalog with a symbol (▲) next to each part.

Warranty

- Genuine Jacobsen parts are covered with their own 180-day warranty that protects against defects in material and workmanship and covers the replacement cost of the part.
- There is a 2 year equipment warranty on your equipment. Using anything but Genuine Jacobsen parts may adversely affect your warranty coverage.

Other:

Jacobsen University

- Customized and standard training programs are available for you and your Jacobsen dealer throughout the year to ensure you get the most out of your Jacobsen equipment.

Support of GCSAA

- Jacobsen is a firm believer in education and training, which is why we are a proud supporter of education seminars and other areas of GCSAA.



If it's not Jacobsen, it's not genuine.



JACOBSEN
A Textron Company

When Performance Matters.™

CLASSIC XP™ REELS

Proven Design

The Jacobsen® cutting system was designed from the ground up for perfect geometry and superior turf conditions. The inter-play between the frame, reels, bedknives, pull points, rake to blade angles and many other features are the reason why Jacobsen® is number one in quality of cut in the market.



Welded steel frames outperform fastener type designs that loosen and rattle.

Precision Engineering and Tuning

- Jacobsen® Classic XP™ Reels also feature the ultimate standard in precision with tighter tolerances through flatness and run-out (concentricity). The run-out defines the reels' ability to stay true and maintain consistent rotation within its center point.
- Jacobsen holds the tightest and most consistent specification for run-out.


Advanced Relief Technology™

- Jacobsen® Classic XP™ Reels now feature Advanced Relief Technology™ that provides increased durability, reduced wear and extended life.
- The relief angle of 45 degrees and the improved face angle of the blade help to significantly extend the life of the blade and optimize it for less wear and abrasion.
- The Jacobsen grinding process yields the best blade surface and delivers up to three times more spin grinds than generic aftermarket blades.




The Advanced Relief Technology Difference

- ✓ Improved Angles
- ✓ Increased Durability
- ✓ Tighter Tolerance



45° Relief Angle:
Users get up to 3 times more spin grinds with this aggressive new blade design.



15° Face Angle:
Eliminates the need for grinding before installation. This new angle also allows the reel blade to stay sharp significantly longer.

Dark spots on the aftermarket blade indicate overheating during the grinding process. With overheating, the metal is prone to "flake off," resulting in early failure. Advanced Relief Technology™ prevents overheating, which extends blade life.

AFTERMARKET REEL BLADE

JACOBSEN REEL BLADE



Each blade is individually ground for better process control and consistency in quality of cut.


THE CLASSIC XP™ REEL DIFFERENCE

Run-out is a measure of how true the reel is to holding a perfect cylindrical shape (less is better). A reel that is more true out of the box will take less time to setup and last longer because it requires less grinding to bring it into shape.

We measured a random sample of reels from 3 competitors. Here is what we found.

- **Run-out:** The next closest competitor (on average) had 10 times more run-out than the Jacobsen reel. The Jacobsen® reel was the only reel that could hold a variance of less than .001 (inches) – every time!

Non-Jacobsen reels were not only found to have lower average numbers for flatness and run-out, but the amount of variation was much larger than a Jacobsen reel. So while you may get one non-Jacobsen reel among five that are within specification, the remaining reels could be very, very bad.



Replacement Reel Cylinders

Diameter (inches)	Width (inches)	Number of Blades	Part Number	Application
5	18	11 Blade	4170202	Eclipse 118/118F
5	18	11 Blade	5000095	GK518
5	18	8 Blade	4119512	SLF-1880
5	18	11 Blade	4119513	SLF-1880
5	22	11 Blade	5000148	GK522
5	22	9 Blade	2500575	PGM22
5	22	11 Blade	5002605	PGM22
5	22	9 Blade	5001099	GK IV (Left), G-Plex III, E-Plex
5	22	9 Blade	5001100	GK IV (Right), GK V, GK VI
5	22	11 Blade	5001101	Eclipse 122F, GK IV (Left), G-Plex III, E-Plex

Diameter (inches)	Width (inches)	Number of Blades	Part Number	Application
5	22	11 Blade	5001102	GK IV (Right), GK V, GK VI
5	22	11 Blade	4172945	Eclipse 122, E-Walk
5	26	7 Blade	4170203	Eclipse 126
5	26	11 Blade	5000416	GK526
5	26	7 Blade	5003652	GK526
5	22	7 Blade	5003053	G-Plex III, E-Plex, LF-128 (Left), LF-3400 (Left), LF-4675 (Left)
5	22	7 Blade	5003054	GK V, GK VI, LF-128 (Right), LF-3400 (Right), LF-4675 (Right)
7	22	9 Blade	2810471	LF-135, LF-3800, LF-4677
7	22	11 Blade	2810472	LF-135, LF-3800, LF-4677

Diameter

- Reel diameter and blade count determine the maximum length of grass that can be removed at a time. A larger diameter reel can accommodate more grass for a given blade count.
- Smaller diameter reels will have a shorter roller base which improves resistance to scalping at lower heights of cut.
- Reel diameter has no effect on the frequency of clip.
- Typically larger diameter reels have thicker blades which are more resistant to impact damage.

Number of Blades:

- A reel with fewer blades will accommodate more grass for a given reel diameter.
- For any given mower, a higher blade count reel will have a higher the frequency of clip (more cuts are made over a given distance).
- General rule of thumb:
 11 blade reels: greens, collars
 9 blade reels: greens, collars, tees and approaches
 7 blade reels: collars, tees, approaches, fairways



LEGENDARY BEDKNIVES™

At Jacobsen, we are renowned for our quality of cut. In order to help accomplish that, we have a full line of Legendary Bedknives™ that help get the height and quality of cut you are looking for time after time.

There are 6 types of bedknives available to meet your specific need:

- **Heavy Section** – .25" thick. Mostly for Tri Kings, older fairways and some current fairway units.
- **Medium Section** – .204" thick. Typically used for smaller fairway applications.
- **High Profile** – .125" thick. For walking and riding greens mowers. "H" is stamped on each bedknife.
- **Low Profile** – .125" thick. For walking and riding greens mowers. "L" is stamped on each bedknife.
- **Tournament** – .125" thick. For walking and riding greens mowers. Provides second lowest height-of-cut. "T" is stamped on each bedknife.
- **Super Tournament** – .125" thick. For walking and riding greens mowers. Provides lowest height-of-cut. Less aggressive for lowest cutting heights. "XX" is stamped on each bedknife.

The Genuine Difference

Jacobsen Genuine Bedknives

- Look for the stamped  (Jacobsen) on the bedknife to ensure it's Genuine!
- Benefit: continue to achieve the best quality-of-cut you expect over the life of your equipment.

Made of alloy or hardened carbon steel.

- Benefit: provides longer wear, more strength.

Patented austempered heat treating process

- This process provides a tougher part with minimum distortion. All bedknives distort during the heat treat process but, by controlling it, there is less stress during straightening.
- Benefit: provides less distortion and tougher part

100% straight

- Closer tolerances between reel and bedknife
- Benefit: gives you a great cut.

100% quality inspection

- Each one is hand inspected after production.
- Benefit: guarantees quality, fit and function.

Height of Cut Selection Chart (Greens Mowers)

For all greens mowers (except the TC22), the height of cut range is 0.082" to 0.438" (2.1mm to 11.1mm) depending on turf conditions and bedknife installed.

For the TC22, the height-of-cut range is 0.118" to 0.394" (3.0mm to 10.0mm) depending on turf conditions and bedknife installed.

Bedknife	Recommended Height of Cut Range
High Profile	0.156" - 0.438" (4.0mm - 11.1mm)
Low Profile	0.125" - 0.219" (3.2mm - 5.6mm)
Tournament	0.094" - 0.156" (2.4mm - 4.0mm)
Super Tournament	0.082" to 0.109" (2.1mm to 2.8mm)

Use for fixed head mowers

Bedknife material	Hardened Carbon Steel
Available bedknives:	High Profile, Low Profile, Tournament, Super Tournament
Model	Standard Bedknife
GK518, GK522	Super Tournament
GK526	High Profile
PGM 22	Super Tournament
E-Walk	Super Tournament
Eclipse 118, 122	Super Tournament
Eclipse 126	Heavy Section

Use for GKIV, E-Plex, G-Plex, and Eclipse floating heads

Bedknife material	Hardened Carbon Steel
Available bedknives:	High Profile, Low Profile, Tournament, Super Tournament
Model	Standard Bedknife
11 Blade Reel	Super Tournament
9 Blade Reel	Tournament
7 Blade Reel	High Profile

Use for TC22

Bedknife material	Alloy tool steel
Bedknife	Recommended Height of Cut Range
#5	0.276" - 0.394" (7.0mm - 10.0mm)
#3	0.177" - 0.285" (4.5mm - 7.3mm)
#2.5	0.157" - 0.187" (4.0mm - 4.8mm)
#2	0.138" - 0.167" (3.5mm - 4.3mm)
#1.5	0.118" - 0.148" (3.0mm - 3.8mm)
Model	Standard Bedknife
TC 22	# 1.5

Bedknife Application Chart

Part No.	Description	Section Thickness	Models
4118902	18" Medium Section	0.204"	SLF1880
5000098	18" Low Profile	0.125"	Eclipse 118 / 118F, GK518; for tournament applications it can also be used on the SLF-1880
5002888	18" Super Tournament	0.125"	Eclipse 118 / 118F, GK518
503475	19" Low Profile	0.125"	PGM 19
503476	19" Tournament	0.125"	PGM 19
2810984	19" Super Tournament	0.125"	PGM 19
503460	22" Heavy Section	0.250"	GKV, GKVI, LF-128, LF-135, LF-3400, LF-3800, LF-4675, LF-4677
5003150	22" Medium Section	0.204"	G-Plex III, LF-3400, LF-4675
503477	22" High profile	0.125"	Eclipse 122 / 122F; PGM22, GK522, E-Walk, GKIV (+), GKV, GKVI, G-Plex III
503478	22" Low profile	0.125"	Eclipse 122 / 122F; PGM22, GK522, E-Walk, GKIV (+), GKV, GKVI, G-Plex III
503479	22" Tournament	0.125"	Eclipse 122 / 122F; PGM22, GK522, E-Walk, GKIV (+), GKV, GKVI, G-Plex III
5002887	22" Super Tournament	0.125"	Eclipse 122 / 122F; PGM22, GK522, E-Walk, GKIV (+), GKV, GKVI
554284	26" Heavy Section	0.250"	TR3, Tri-King (26")
5000141	26" Heavy Section	0.250"	Eclipse 126
5000414	26" High Profile	0.125"	Eclipse 126, GK526
5000413	26" Low Profile	0.125"	Eclipse 126, GK526
503550	30" Heavy Section	0.250"	Tri-King (30")
4128289	#5	0.183"	TC22
4128288	#3	0.172"	TC22
4127583	#2.5	0.167"	TC22
4128287	#2	0.161"	TC22
4128286	#1.5	0.161"	TC22

THE NEWEST MAGSYSTEM™

ALWAYS SHARP. ANY TIME. ANY TURF. ANY CONDITION.

Introducing the newest MAGSystem™ from Jacobsen – the only product that easily allows you to have the sharpest cut no matter what the condition at hand. When your blade is sharp, you get a superior quality-of-cut. Changing the blade to meet your demands is easy and convenient with the MAGSystem. The newest MAGSystem offers a stronger, more consistent hold on the blade and improved alignment of the MAGKnife™.

“With the MAGSystem, it’s so easy to just pull a knife off and have a new one ready. That translates into better quality-of-cut, which translates into all of the other benefits that go along with a sharp, quality-of-cut. The sharper your mowers, the cleaner the cut, the less invasion from pests. Because it’s easier to change them out, it makes it easier to put a fresh blade on more frequently.”

Mike Rayman, CGCS, Crestwicke CC, Bloomington, IL



ANY TIME.

Whether you’re expecting a storm, planning for a big event, or simply short on time, you can now conveniently change the blade for a sharp cut anytime.

ANY TURF.

Imagine after topdressing, aerating or maintaining grasses like Paspalum, Bermuda or Zoysia, you could change the blade quickly and easily for a clean, sharp cut.

**ANY
CONDITION.**

Whether your team is facing extreme moisture, high heat, challenging grasses or a range of soils, you can now change the blade to meet the conditions of your course and maintain a superior quality-of-cut.



JACOBSEN
A Textron Company

When Performance Matters.™

USING THE NEWEST MAGSYSTEM™ ALSO MEANS:

Proper Reel Setup – Straight-forward visual instructions ensure proper set-up every time.

Easy Reel Maintenance – No screws means significantly reduced maintenance time. When Turf Groomers® are attached, they do not need to be removed for maintenance.

Secondary Use of Bedknives – Easily and quickly install used bedknives for topdressing, post-topdressing, post aerations, cleanup, and other severe conditions.

Enhanced Reel Protection – Damage to the reels is minimized, even if a sprinkler head or other object is hit.

Increased Rust Resistance – New tri-valent coating offers increased resistance against the elements.

Stronger Magnet Hold – Increased number of more powerful magnets provides a consistent hold.

Easy Magnet Maintenance – Holes in the magnet pocket provide easy magnet removal.

Improved Blade Alignment – Newly added dowel pins promise a secure, even alignment of the MAGKnife.



With MAGSystem, removing the magnets is easy.

"What's best about the MAGSystem performance on fairway mowers is that I didn't lose any reels. The MAGKnife did exactly what it was supposed to do. If you have an operator who hits a sprinkler head, the knife is going to come off and you save the reel."

Russell Chartier, Maintenance Manager, Fairview GC, Greenwich, CT

"The MAGKnives are very nice because you can just take them off and have new knives ready to go for the next morning rather than breaking the whole unit down, attaching new knives and then putting everything back."

Mike Mongon, Superintendent, Fairview CC, Greenwich, CT



Using the MAGSystem offers increased reel protection even if an object is hit.



Tri-valent coating gives you superior protection against rust.

Choosing the right knife for the condition every time is simple and convenient with MAGSystem.

JACOBSEN® ROLLERS

Rollers play a critical role in providing consistent, even support for the mower, particularly the cutting unit. That's why Jacobsen® offers a complete selection of rollers to meet the cutting performance and ground following you desire, regardless of the application.

FRONT ROLLERS



Grooved Machined Aluminum

Grooves in the roller allow the cutting unit to sit further down into the turf for a more aggressive cut and improved straight-line tracking.



Grooved Machined Steel

Provides the performance advantages of the grooved aluminum roller, however, the steel is heavier which results in an even more aggressive cut.



Grooved Segmented Machined Aluminum

This grooved machined aluminum system features three segments. These segments can rotate at different speeds, making tight turns on greens easier when doing cleanup passes.



Grooved Assembly Steel Disc

Wide spacing between the discs makes these rollers the most aggressive; recommended for straight-line mowing only.



Solid Tubes

Available in light or heavy versions; both are less aggressive than grooved rollers making them ideal for use on turf under stress. They are better than full-length grooved rollers for tight turns on cleanup passes because solid rollers slide across the turf. The heavier roller is slightly more aggressive. Rollers feature a scraper to prevent debris buildup.

REAR ROLLERS

These rollers help to support the cutting unit and ensure there is a consistent height of cut across the unit. The rear roller also delivers a manicured, striping effect after the cut.

JACOBSEN® ROLLER OPTIONS

FRONT ROLLERS

	Part Number	Model Application (Obsolete models in parenthesis)	Diameter (inches)	Weight (each / lbs)
18" Hollow smooth tube steel roller	4108920	Eclipse 118, GK 518, SLF-1880 (GK418)	2	6
18" Grooved machined aluminum roller	63318	Eclipse 118	2-3/16	6
18" Grooved machined steel roller	68616	Eclipse 118, GK 518, SLF-1880 (GK418)	2-3/16	16
18" Solid tube steel roller with scraper	68626	Eclipse 118, GK 518, SLF-1880 (GK418)	2-3/16	20
18" Grooved steel roller with scraper	67925	SLF-1880	3	18
22" Grooved assembly steel disc roller	68527	Eclipse 122, PGM22, GK522, GKIV, G-Plex III, E-Plex II, LF-3400 (GK 422, Greens Mower, GKVI, LF-128)	2	10
22" Solid tube steel roller with scraper (light)	68530	Eclipse 122, PGM22, GK522, GKIV, G-Plex III, E-Plex II, LF-3400 (GK 422, Greens Mower, GKVI, LF-128)	2	7
22" Solid tube steel roller	1004991	Eclipse 122, PGM22, GK522, GKIV, G-Plex III, E-Plex II, LF-3400 (GK 422, Greens Mower, GKVI, LF-128)	2	18
22" Solid tube steel roller with scraper	68641	Eclipse 122, PGM22, GK522, GKIV, G-Plex III, E-Plex II, LF-3400 (GK 422, Greens Mower, GKVI, LF-128)	2	18
22" Grooved machined steel roller	68613	Eclipse 122, PGM22, GK522, GKIV, G-Plex III, E-Plex II, LF-3400 (GK 422, Greens Mower, GKVI, LF-128)	2-3/16	18
22" Grooved machined aluminum roller	68614	Eclipse 122, PGM22, GK522, GKIV, G-Plex III, E-Plex II, LF-3400 (GK 422, Greens Mower, GKVI, LF-128)	2-3/16	8
22" Grooved segmented machined aluminum roller	68673	Eclipse 122, PGM22, GK522, GKIV, G-Plex III, E-Plex II, LF-3400 (GK 422, Greens Mower, GKVI, LF-128)	2-1/4	8
22" Grooved steel roller	123268	LF-3400, LF-3800, LF-3407, LF-4675, LF-4677 (LF-100, LF-123, LF-128)	3	18
26" Grooved machined aluminum roller	68617	Eclipse 126, GK 526 (GK426)	2-3/16	10
26" Grooved machined steel roller	68628	Eclipse 126, GK 526 (GK426)	2-3/16	24
26" Solid tube steel roller with scraper	68627	Eclipse 126, GK 526 (GK426)	2-3/16	26
26" Grooved steel rollers (set of 3)	67731	Tri-King, TR-3	3	22
30" Grooved steel rollers (set of 3)	67729	Tri-King	3	25

REAR ROLLERS

	Part Number	Model Application (Obsolete models in parenthesis)	Diameter (inches)	Weight (each / lbs)
18" Rear roller assembly	4175221	Eclipse 118F	2	6
15.5" Narrow width, solid tube steel roller	4115860	SLF-1880	2-3/16	16
18" Full-width, solid tube roller with scraper	68674	SLF-1880	2-3/16	20
20" Solid tube roller	5003687	LF-3400, LF-3800, LF-3407, LF-4675, LF-4677 (LF-135)	2-1/2	10
22" Solid tube roller	1004990	Eclipse 122, GKIV, G-Plex III, E-Plex II, LF3400 (GKV, GKVI, LF-100, LF-123, LF-128)	2	12
22" Solid tube steel roller	1000770	LF-3400, LF-3800 (LF-100, LF-123, LF-128)	2	15
22" Solid tube roller	1003728	LF-3400, LF-3800, LF-3407, LF-4675, LF-4677 (LF-135)	2-1/2	10
22" Solid tube roller	1002446	LF-3400, LF-3800, LF-3407, LF-4675, LF-4677, (LF-135)	2-1/2	10
26" Solid tube steel roller	132639	Tri-King (26")	2-1/2	12
30" Solid tube steel roller	132640	Tri-King (30")	2-1/2	13
26" Roller scraper	67909	Tri-King (26"), TR-3	N/A	3
30" Roller scraper	67910	Tri-King (30")	N/A	3

NOTE: When choosing roller options for a walking greens mower, keep in mind that a heavier front roller adds more forward bias; this can help the operator track a straighter line and avoid skip cuts that result from bouncing the roller. A lighter roller can help an experienced operator perform spin turns more easily.




TURF GROOMERS

What is Turf Grooming?

In a nutshell, the reel and grooming cutting system is a proactive, three-dimensional mowing process which provides less thatch, thicker and healthier turf and better playability.



Jacobsen not only launched the first Turf Groomer® but also developed the intersection of the groomer blades with the grooved roller, which maximizes grooming results while reducing the need for more invasive verticutting and aerification.



Undesirable horizontally or diagonally growing grass blades are cut and shaped by the groomer, while the desirable vertically growing blades are left untouched.

Why Choose Jacobsen Groomers?

The Jacobsen Turf Groomer® is available for walking greens mowers, riding greens mowers, and fairway mowers. It also comes in two blade spacings:

- .250" – just right for most greens.
- .500" – use for light grooming; near sand traps (where larger grain sand is used); and for no-clog performance in taller grass (such as fairways).


Advantages vs. Competition

- **Shorter roller base**
 - The Turf Groomer's roller base is shorter than imitation devices, allowing the cutting head to closely follow the ground contours and undulations. This compact design prevents unnecessary scalping of the turf.

Competitive Device

Turf Groomer

Shorter roller base prevents scalping




- **Intersecting Blades and Roller Combination**

- The Turf Groomer blades intersect with the front grooved roller. As the front roller lifts horizontal grass "runners," the groomer blades rotate through the roller slots to cut the grass before it has a chance to lie back.

TURF GROOMER SELECTION CHART

	Machine	Groomer	Description	Spacing / Positioning
Walking Greens Mowers	Eclipse 118 F	067970 	For 18" reel with a 5" diameter.	.25" blade spacing; LH drive
	Eclipse 118	067970 (requires 067965 adapter kit) 	For 18" reel with a 5" diameter.	.25" blade spacing; LH drive
	Eclipse 122 F	067966 	For 22" reel with a 5" diameter.	.25" blade spacing; LH drive
		067968 	For 22" reel with a 5" diameter.	.50" blade spacing; LH drive
	Eclipse 122	067966 (requires 067965 adapter kit) 	For 22" reel with a 5" diameter.	.25" blade spacing; LH drive
		067968 (requires 067965 adapter kit) 	For 22" reel with a 5" diameter.	.50" blade spacing; LH drive
	Eclipse 126	067975 (requires 067965 adapter kit) 	For 26" reel with a 5" diameter.	.50" blade spacing; LH drive
	GK518	068624	For 18" reel with a 5" diameter.	.25" blade spacing; LH drive
	GK522	068605	For 22" reel with a 5" diameter.	.25" blade spacing; LH drive
		067935	For 22" reel with 5" diameter.	.50" blade spacing; LH drive
	PGM22	068579	For 22" reel with a 5" diameter.	.50" blade spacing; LH drive
Riding Greens Mowers	GK IV	067911	For 22" reel with a 5" diameter.	.25" blade spacing; RH drive (use in position A)
		067912	For 22" reel with a 5" diameter.	.25" blade spacing; LH drive (use in position B)
		067913	For 22" reel with a 5" diameter.	.50" blade spacing; RH drive (use in position A)
		067914	For 22" reel with a 5" diameter.	.50" blade spacing; LH drive (use in position B)
	GK VI	067911	For 22" reel with a 5" diameter.	.25" blade spacing; RH drive (use in position A)
		067913	For 22" reel with a 5" diameter.	.50" blade spacing; RH drive (use in position A)
	G-Plex III	067912	For 22" reel with a 5" diameter.	.25" blade spacing; LH drive (use in position B)
		067914	For 22" reel with a 5" diameter.	.50" blade spacing; LH drive (use in position B)
Fairway Mowers	SLF-1880	067926	For 18" reel with a 5" diameter.	.50" blade spacing; RH drive
	LF-3400	067913	For 22" reel with a 5" diameter.	.50" blade spacing; RH drive (use in position A)
		067914	For 22" reel with a 5" diameter.	.50" blade spacing; LH drive (use in position B)
	LF-3407	067954	For 22" reel with a 7" diameter.	.50" blade spacing; RH drive (use in position A)
		067973	For 22" Reel with a 7" diameter	.50" blade spacing; LH drive (use in position B)
	LF-3800	067954	For 22" reel with a 7" diameter.	.50" blade spacing; RH drive (use in position A)
		067973	For 22" Reel with a 7" diameter	.50" blade spacing; LH drive (use in position B)
	LF4675	067913	For 22" reel with a 7" diameter.	.50" blade spacing; RH drive (use in position A)
		067914	For 22" Reel with a 7" diameter	.50" blade spacing; LH drive (use in position B)
	LF4677	067954	For 22" reel with a 7" diameter.	.50" blade spacing; RH drive (use in position A)
		067973	For 22" Reel with a 7" diameter	.50" blade spacing; LH drive (use in position B)

Turf Groomer Positioning (for Riding Greens and Fairway Mowers)



JACOBSEN
A Textron Company

When Performance Matters.™

500-HOUR MAINTENANCE KITS

Save Time and Money by Purchasing 500-Hour Maintenance Kits for Your Jacobsen Equipment.

Maximize the life and performance of your Jacobsen equipment by using Jacobsen Genuine parts. Only Jacobsen Genuine parts deliver the fit, reliability, quality and performance you want, plus they're covered by our 180 day parts warranty.

Kits are now available for GKIV and LF Series Mowers as per the recommended 500-hour change period listed in the Operator's Manual.



The Jacobsen Genuine Kits Offer:

- **Ease of Use** – all the right parts you need in one kit. The kits include: Engine Air Filter, Engine Oil Filter, Engine Fuel Filter, Hydraulic Oil Filter(s), GreensCare oil.
- **The Right Parts** – Jacobsen Genuine Parts will maximize the performance of your machine.
- **The Right Price** – Save money by purchasing the kit versus buying the parts individually!

Stay tuned as more Jacobsen service kits will be available soon.

Model	Kit Part #	Kit Contents
Greens King IV (Diesel)	4199040	(1) 5000913 Engine Air Filter (1) 554011 Engine Oil Filter (1) 550489 Engine Fuel Filter (1) 558022 Hydraulic Oil Filter (1) 5003104 GreensCare 46; 5 gal. pail (5 gal. sump capacity)
Greens King IV (Gas)	4199041	(1) 5000441 Engine Air Filter (1) 5000440 Engine Oil Filter (1) 5000436 Engine Fuel Filter (1) 558022 Hydraulic Oil Filter (1) 5003104 GreensCare 46; 5 gal. pail (5 gal. sump capacity)
SLF-1880	4199042	(1) 5000919 Engine Air Filter (1) 557759 Engine Oil Filter (1) 550489 Engine Fuel Filter (1) 5002892 Hydraulic Oil Filter (2) 5003103 GreensCare 68; 5 gal. pail (8 gal. sump capacity)
LF-3400 LF-3800 LF-4675 LF-4677	4199043	(1) 5000919 Engine Air Filter (1) 557759 Engine Oil Filter (1) 2500809 Engine Fuel Filter (1) 2811255 Hydraulic Oil Filter - charge (1) 557772 Hydraulic Oil Filter - return (3) 5003103 GreensCare 68; 5 gal. pail (14 gal. sump capacity)



JACOBSEN
A Textron Company

When Performance Matters.™



Put an end to the risk of long-term turf problems and environmental contamination!

GreensCare is a biodegradable hydraulic fluid made of renewable seed-oil based product. It was developed in 1997 and has been factory-filled in Jacobsen products since 2002.

Better for your turf

- 96% biodegradable; allows turf to heal faster in the event of a leak or spill
- Contains none of the negatives associated with petroleum oils

Better For Your Equipment

- Extensively tested, specifically designed and approved for Jacobsen equipment
- Enhanced and improved seal compatibility – it won't deteriorate seals or cause other equipment damage that you'll see from inferior products
- Years of field proven performance
- Meets industry standards for all your equipment.

Better For You

- Save time and money – avoid the potential turf damage you may get from other hydraulic fluids


GreensCare is available in 5 gallon pails and 55 gallon drums and ISO Grades 32, 46 and 68 depending on the application. Also, if you are currently using Petroleum oil in your equipment, you can easily convert to GreensCare using the BioFlush oil.



NEW

GREENSCARE™ PLUS – High Performance

GreensCare Turf Recovery*



GREENSCARE™ – Original

	ISO Viscosity Grade Part No.	5 Gallon Pail Part No.	55 Gallon Drum Part No.	For Use With The Following Equipment
GreensCare 32	32	4115977	N/A	GK VI
GreensCare 46	46	5003104	5003105	GK IV, GK V, G-Plex III, AR-250, AR-2500, AR-3, TR-3
NEW! GreensCare 46 PLUS		4219840	N/A	
GreensCare 68	68	5003103	5003102	G-Plex III, SLF-1880, LF-3400, LF-3407, LF-3800, LF-3810 (2 Wheel Drive), LF-4675, LF-4677, Tri-King 1800, Tri-King 1900, AR-5, AR-522, GA-24, GA-30, Groom Master II, TurfCat 600 series, Turf-Truckster
NEW! GreensCare 68 PLUS		4219860	N/A	
GreensCare Bio-Flush	46	4114701	N/A	Flushing Oil. Lower cost alternative to retrofitting equipment containing petroleum over to GreensCare 32, 46, and 68. Can be used for any of the equipment listed above

AERATING TINES

Application Guide

The chart below is a general guideline of when different types of tines can and should be used.

- **Is** recommended for the particular application
- **Generally** recommended for the particular application (but can depend on soil conditions - rocks, hardness)
- **Is not** recommended for the particular application

Tine Type	Core Size	Greens	Tees / Approaches	Fairways	Minimal Disruption	Soil Changing Greens
Solid	Small (1/4")	●	●	●	●	●
	Medium (3/8" - 1/2")	●	●	●	●	●
	Large (5/8" - 3/4")	●	●	●	●	●
Top Eject	Small (1/4")	●	●	●	●	●
	Medium (3/8" - 1/2")	●	●	●	●	●
	Large (5/8" - 3/4")	●	●	●	●	●
Side Eject	Small (1/4")	●	●	●	●	●
	Medium (3/8" - 1/2")	●	●	●	●	●
	Large (5/8" - 7/8")	●	●	●	●	●



Top Eject Tines

- Designed to remove solid cores/material; economical; large range of sizes



Side Eject Tines

- Remove solid cores / material; quickly exits the side of the tine through a slot. The slot helps to avoid plugging in more challenging soils that can occur with top eject tines.



Solid Tines

- Aerate without cleaning up the mess left behind with top eject or side eject tines. Especially popular in the smaller sizes for aerating in summer months to relieve stress on the greens.



Venting Tines

- Venting is designed to slit / puncture the turf more frequently to promote infiltration of water and act as a "vent" for excessive water to escape; it also allows air to be exchanged throughout the root system.




Slicing Blades

- Similar to venting tines; slicing blades leave virtually no surface disturbance. Allows play to be resumed immediately.

The following competitive data was collected over several months of testing at various golf courses and sports fields.

1/4" & 3/8" Solid Tines Competitive Evaluation



- Jacobsen 1/4" DuraTine XL (premium) tines lasted 75% longer than the next closest competitor's premium tines
- Jacobsen 3/8" DuraTine XL (premium) tines lasted 28% longer than the next closest competitor's premium tines

Jacobsen Original, DuraTine™ XL & XLT

More productive, less disruptive

- DuraTines are designed and manufactured to outlast competitive equivalents by up to 75%



Original Hole Quality & Economical

- Conventional / standard duty tines
- Made of 1010 steel
- Made of .036" and .049" wall thickness (for hollow tines)
- Available tines include: Top Eject and Side Eject



NEW DuraTine™ XL Increased Productivity

- Made of 4130 and 4140 hardened steel
- Made of .065" wall thickness (for hollow tines)
- Trivalent coating to prohibit corrosion for improved hole smoothness and appearance
- Available tines include: Side Eject, Top Eject, and Solid
- Longer tip life; stronger than the Original



NEW DuraTine™ XLT Ultimate Toughness

- Made of 4140 hardened steel
- Made of .065" wall thickness (for hollow tines)
- Trivalent coating to prohibit corrosion for improved hole smoothness and appearance
- Shot-blasted
- Available tines include: Side Eject and Top Eject
- The longest tip life; *carbide* tips provide less wear and breakage

TINES SELECTION GUIDE



Tines for: GA24 (Sorted by Core Size)

Hole / Core Size	Type	Duty	Part Number	Wall Thickness	Mount Diameter	Hole / Core Length	Total Length	Application
1/4" (6 mm)	Side Eject	Original	523864	Solid Side Eject	1/2" (13 mm)	2.50" (64 mm)	4.00" (102 mm)	Primarily used for light aeration for soil-based greens and overseeding
		DuraTine XLT	4180561	Solid Side Eject	1/2" (13 mm)	2.50" (64 mm)	4.00" (102 mm)	Primarily used for light aeration for soil-based greens and overseeding with no rocks where tine wear rate is a problem
	Top Eject	Original	517486	.036"	5/8" (16 mm)	2.50" (64 mm)	4.28" (109 mm)	Less penetration (use on hard soils)
		DuraTine XL	4180562	Solid	1/2" (13 mm)	3.13" (79 mm)	5.03" (128 mm)	Primarily used for light aeration on greens without removing cores
		DuraTine XL	4180563	Solid	5/8" (16 mm)	3.09" (78 mm)	5.00" (127 mm)	Primarily used for light aeration on greens without removing cores
3/8" (10 mm)	Top Eject	Original	517487	.049"	5/8" (16 mm)	2.50" (64 mm)	4.28" (109 mm)	Less penetration (use on hard soils)
	Solid	DuraTine XL	4180564	Solid	5/8" (16 mm)	3.25" (83 mm)	5.00" (127 mm)	For drought conditions or areas that won't take water
1/2" (13 mm)	Top Eject	Original	517488	.049"	5/8" (16 mm)	2.50" (64 mm)	4.28" (109 mm)	Light aeration with less penetration. Use on hard soils / sports turf.
		DuraTine XL	4180566	.065"	5/8" (16 mm)	2.50" (64 mm)	4.50" (114 mm)	Medium aeration or soil change with less penetration on greens where tine wear rate is a problem.
		DuraTine XLT	4180567	.065"	5/8" (16 mm)	2.50" (64 mm)	4.50" (114 mm)	Medium aeration or soil change with less penetration on greens in soils with no rocks where tine wear rate is a problem.
5/8" (16 mm)	Top Eject	Original	517489	.049"	3/4" (19 mm)	2.50" (64 mm)	4.28" (109 mm)	Medium aeration or soil change with less penetration in greens or fairways
		DuraTine XL	4180571	.065"	3/4" (19 mm)	2.50" (64 mm)	4.28" (109 mm)	Medium aeration or soil change with less penetration in greens or fairways where tine wear rate is a problem.
		DuraTine XLT	4180572	.065"	3/4" (19 mm)	2.50" (64 mm)	4.28" (109 mm)	Medium aeration or soil change with less penetration in greens or fairways in soils with no rocks where tine wear rate is a problem.
	Solid	DuraTine XL	4180573	Solid	3/4" (19 mm)	3.22" (82 mm)	5.00" (127 mm)	Medium aeration without removing the cores



Tines for: GA30 & GA60 (Sorted by Core Size)


Hole / Core Size	Type	Duty	Part Number	Wall Thickness	Mount Diameter	Hole / Core Length	Total Length	Application
1/4" (6 mm)	Side Eject	Original	523864	Solid Side Eject	1/2" (13 mm)	2.50" (64 mm)	4.00" (102 mm)	Primarily used for light aeration for soil-based greens and overseeding
		DuraTine XLT	4180561	Solid Side Eject	1/2" (13 mm)	2.50" (64 mm)	4.00" (102 mm)	Primarily used for light aeration for soil-based greens and overseeding with no rocks where tine wear rate is a problem
	Top Eject	Original	517486	.036"	5/8" (16 mm)	2.50" (64 mm)	4.28" (108 mm)	Less penetration (use on hard soils)
		DuraTine XL	4180562	Solid	1/2" (13 mm)	3.13" (79 mm)	5.00" (127 mm)	Primarily used for light aeration on greens without removing cores
		DuraTine XL	4180563	Solid	5/8" (16 mm)	3.09" (78 mm)	5.00" (127 mm)	Primarily used for light aeration on greens without removing cores
3/8" (10 mm)	Top Eject	Original	517487	.049"	5/8" (16 mm)	2.50" (64 mm)	4.28" (108 mm)	Less penetration (use on hard soils)
		Original	523421	.036"	3/4" (19 mm)	3.25" (83 mm)	5.00" (127 mm)	Medium aeration or soil change in greens with no rocks
	Solid	DuraTine XL	4180564	Solid	5/8" (16 mm)	3.25" (83 mm)	5.00" (127 mm)	For drought conditions or areas that won't take water
1/2" (13 mm)	Side Eject	DuraTine XLT	4180565	.065"	5/8" (16 mm)	2.50" (64 mm)	4.50" (114 mm)	Medium aeration or soil change with less penetration on greens where tine wear rate or plugging is a problem.
	Top Eject	Original	517488	.049"	5/8" (16 mm)	2.50" (64 mm)	4.28" (108 mm)	Light aeration with less penetration. Use on hard soils / sports turf.
		DuraTine XL	4180566	.065"	5/8" (16 mm)	2.50" (64 mm)	4.50" (114 mm)	Medium aeration or soil change with less penetration on greens where tine wear rate is a problem.
		DuraTine XLT	4180567	.065"	5/8" (16 mm)	2.50" (64 mm)	4.50" (114 mm)	Medium aeration or soil change with less penetration on greens in soils with no rocks where tine wear rate is a problem.
	Top Eject	Original	523472	.036"	3/4" (19 mm)	3.75" (95 mm)	5.53" (140 mm)	Medium aeration or soil change in greens with no rocks
		DuraTine XL	4181740	.065"	3/4" (19 mm)	3.75" (95 mm)	5.53" (140 mm)	Medium aeration or soil change in greens where tine wear rate is a problem.
	Solid	DuraTine XL	4180568	Solid	3/4" (19 mm)	3.75" (95 mm)	5.53" (140 mm)	Medium aeration without removing cores
5/8" (16 mm)	Side Eject	DuraTine XL	4180569	.065"	3/4" (19 mm)	2.72" (69 mm)	4.50" (114 mm)	Medium aeration or soil change with less penetration in greens or fairways where tine wear rate or plugging is a problem.
		DuraTine XLT	4180570	.065"	3/4" (19 mm)	2.72" (69 mm)	4.50" (114 mm)	Medium aeration or soil change with less penetration in greens or fairways in soils with no rocks where tine wear rate or plugging is a problem.
	Top Eject	Original	517489	.049"	3/4" (19 mm)	2.50" (64 mm)	4.28" (108 mm)	Medium aeration or soil change with less penetration in greens or fairways
		DuraTine XL	4180571	.065"	3/4" (19 mm)	2.50" (64 mm)	4.28" (108 mm)	Medium aeration or soil change with less penetration in greens or fairways where tine wear rate is a problem.
		DuraTine XLT	4180572	.065"	3/4" (19 mm)	2.50" (64 mm)	4.28" (108 mm)	Medium aeration or soil change with less penetration in greens or fairways in soils with no rocks where tine wear rate is a problem.
	Top Eject	Original	523028	.049"	3/4" (19 mm)	3.75" (95 mm)	5.53" (140 mm)	Medium aeration or soil change in greens or fairways
		DuraTine XL	4180574	.065"	3/4" (19 mm)	3.75" (95 mm)	5.53" (140 mm)	Medium aeration or soil change in greens or fairways where tine wear rate is a problem.
		DuraTine XLT	4180575	.065"	3/4" (19 mm)	3.75" (95 mm)	5.53" (140 mm)	Medium aeration or soil change in greens or fairways in soils with no rocks where tine wear rate is a problem.
	Solid	DuraTine XL	4180573	Solid	3/4" (19 mm)	3.22" (82 mm)	5.00" (127 mm)	Medium aeration without removing cores.
3/4" (19 mm)	Side Eject	Original	834973	.049"	7/8" (22 mm)	3.75" (95 mm)	5.53" (140 mm)	Intensive aerification or soil change in fairways. Soil must be irrigated and in good condition.
	Top Eject	Original	523273	.049"	7/8" (22 mm)	3.75" (95 mm)	5.53" (140 mm)	Intensive aerification or soil change in greens. Soil must be irrigated and in good condition.
	Solid	DuraTine XL	4180576	Solid	3/4" (19 mm)	3.22" (82 mm)	5.00" (127 mm)	Heavy aeration without removing cores

Jacobsen® Genuine Parts Information Available Online



Visit **www.jacobsen.com**; click on Genuine Parts to find information 24-hours-a-day.

- Download parts manuals free; order hard copy manuals from **www.jacobsenmanuals.com**
- Online parts look up to easily find the parts you need
- Product information (reels, bedknives, tines, rollers, etc.)
- Recommended parts lists by model
- Dealer locator
- And much more...



Ref #	Part #	Description	Qty	Context Note	Return C
1	116275	Lift Yoke Assembly	3		
2	472310	Plug - Pipe 1/4-18	3		
6	422511	Screw, Set	3		
7	340646	Roller	3		



We are constantly updating our site with new information.



JACOBSEN
A Textron Company

When Performance Matters.™

Contents

Greens Mower and PGM 22”	1 - 2
Eclipse 118 & 118F	3
Eclipse 122 & 122F	4
Eclipse 126.....	5
TC22	6
Greens King 500 Series	7 - 8
E-Walk InCommand.....	9
E-Walk	10
Greens King IV and IV Plus	11 - 14
Greens King V and VI	15 - 16
G-Plex III	17 - 18
E-Plex	19
TR 3	20
Tri-King 1800G & 1900D	21 - 22
SLF 1880	23 - 26
LF-100, LF 123 and LF 128	27
LF 128 Cutting Unit.....	28
LF 3400/3800	29
LF 3400/4675 Cutting Unit.....	30 - 31
LF 3400/3800.....	32 - 33
LF 4675/4677.....	34
LF 3800/4677 Cutting Unit	35 - 36
LF-3810	37 - 38
Hydraulic Ranger.....	39
Fairway and Blitzler Mowers	40 - 41
B-40 Plus Blower	42
Sand Scorpion.....	43
Groom Master II	44
Turfcats 400 Series.....	45
Turfcats 500 Series	46
Turfcats 500 Series Decks.....	47
Turfcats 600 Series	48 - 50
HR 4600.....	51
HR 5111	52
R-311	53 - 55
HR 9510	56
HR-6010.....	57 - 59
HR 9016	60 - 62
AR-3.....	63
AR-2500	64
AR-5.....	65
AR-522	66 - 68
GreensAire 24.....	69
GreensAire 30	70
GreensAire 60.....	71 - 73
PerformAire 60/80	74
Turf-Truckster.....	75 - 77
SprayTek	78
Grass Catchers	79
Rollers	80 - 89
Vertical Mowers	90 - 91
Turf Groomer	92
Special Service Tools	93
Reels and Bedknives	94
MAGSystem	95
Cutter Bar & Blades	96
O-Ring Seal Kits.....	97
Paint, Lubricant & Grinding Compound	98
Recommended Hydraulic Fluid By Product.....	99
Common Belts	100 - 102
Jacobsen Filters & Fluids	103 - 108

Greens Mower and PGM 22"




Reels




Part No.	Description
503206	19" – 9 Blade
2810444	19" – 11 Blade
2500575	22" – 9 Blade (PGM only)
▲ 5002605	22" – 11 Blade (PGM only)

Bedknives



Part No.	Description
503475	19" Low Profile
503476	19" Tournament
▲ 503477	22" High Profile
▲ 503478	22" Low Profile
▲ 503479	22" Tournament
▲ 5002887	22" Super Tournament
2810984	19" Super Tournament

Rollers



Part No.	Description
■ 68527	22" Grooved, Assembled Disc
■ 68613	22" Machined, Grooved Steel
■ 68614	22" Machined, Grooved Aluminum
▲ 1004991	22" Solid Front
■ 68641	22" Solid Front w/scrapper
■ 68673	22" Sectional Roller

See Roller Section for service parts breakdown.

■ Order from whole goods

Other Parts

Part No.	Description
▲ 366648	Seal, Grease
3006511	Washer
337677	Seal, Oil
2500020	Spider, Planetary
2500024	Pinion, Idler
202947	Pinion
▲ 304390	Clutch Fingers (Greens Mower)
▲ 3005380	Clutch Fingers (PGM)
357958	Switch, Neutral (Greens Mower)
164056	Brake Band (PGM)
5002841	Headlight Bulb Replacement 12V
106790	Chain Guide, Traction
1004944	Chain Guide, Reel
500671	Eccentric Kit
4139005	Replacement Bulb 12V 27W Halogen
5002962	Light Kit

Filters


For A984 H Engine	Description
590667	Air
590623	Strainer, Fuel Tank Fill Neck
590628	Screen, Fuel Filter

NOTE : Honda® air filter number: 17210-ZE0-505 (obtain from Honda)

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.


Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.



Item	Part No.	Description
▲ 1	3009138	Screw, Bedknife
▲ 2	500534	Bearing, Assembly, Cup & Cone
▲ 3	336962	Seal, Reel
4	329037	Cover Gasket
5	3004611	Throttle Control (Greens Mower)
6	461460	Clevis Pin
▲ 7	2501151	Disc, Clutch Friction (Set of 2)

Item	Part No.	Description
8	441677	Carriage Bolt, 5/16" x 1-3/4"
▲ 9	3008439	Bracket, Roller, L.H. (Front)
▲ 10	3008438	Bracket, Roller, R.H. (Front)
11	443102	Hex Nut 1/4-20
12	352737	Screw, Sq. Hd. Set, 1/4 x 7/8
▲ 13	343616	Stud
▲ 14	3005692	Adjusting Knob

Eclipse 118 & 118F




Reels




Part No.	Description
4170202	18" Reel Assembly Fixed Head & Floating Head

Bedknives



Part No.	Description
5000098	18" Low Profile
5002888	18" Super Tournament

Rollers



Part No.	Description
4108920	18" Smooth Front Roller Assembly
■ 63318	18" Grooved, Machined Aluminum
■ 68616	18" Machined, Grooved Steel
■ 68626	18" Solid Roller with Scraper
4175221	18" Rear Roller Assembly (118F)

See Roller Section for service parts breakdown.
■ Order from whole goods

Other Parts

Part No.	Description
4136324	Hand Throttle Potentiometer
4145428	Switch, Bail Lever Potentiometer
★	Motor Brushless Bi-Directional
4203321	WGM LCD Display
4165020	Switch, Key
4165062	Switch, Rocker
4196420	Generator
4171680	Battery Gauge
4140144	Limit Bracket
4169341	Circuit Breaker 25 AMP
2811071	Belt, 80 Tooth
2811106	Belt, 130 Tooth
5002576	Replacement Bulb
▲ 3009138	Screw, Bedknife Mounting
■ 63320	Light Kit


★ Contact your service Dealer for motor replacement

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.


Part No. 4173620: Reel to Bedknife Adjustment Wrench for 118F and 122F.



MAGKnife™

Part No.	Description
4131369	22" High Profile
4131001	22" Low Profile
4131370	22" High Tournament
4131003	22" Super Tournament


Rollers



Part No.	Description
■ 68530	22" Solid with Scraper
■ 68527	22" Grooved, Assembled Disc
■ 68613	22" Machined, Grooved Steel
■ 68614	22" Machined, Grooved Aluminum
▲ 1004991	Front Roller Assembly
■ 68673	22" Grooved Roller Segmented


See Roller Section for service parts breakdown.
■ Order from whole goods

Reels




Part No.	Description
4172945	22" 11 Blade Fixed Head
▲ 5001101	22" 11 Blade Floating Head

Bedknives



Part No.	Description
▲ 5002887	22" Super Tournament
▲ 503478	22" Low Profile
▲ 503477	22" High Profile
▲ 503479	22" Tournament

MAGSystem



Part No.	Description
4158082	Kit, MAGKnife™
4158083	Kit, MAGKnife™ Floating
4188500	Kit, MAGKnife™ Floating Head Super Tournament

Part No. 4173620: Reel to Bedknife Adjustment Wrench for 118F and 122F.

Other Parts

Part No.	Description
4136324	Hand Throttle Potentiometer
4145428	Switch, Bail Lever Potentiometer
▲ ★	Motor
4163760	ISO Mount
4165020	Switch, Key
4165062	Switch, Rocker
4196420	Generator
4171680	Battery Gauge
4140144	Limit Bracket
4169341	Circuit Breaker 25 AMP
▲ 2811071	Belt, 80 Tooth
2811106	Belt, 130 Tooth
5002576	Replacement Bulb
4203321	WGM LCD Display
▲ 3009138	Screw, Bedknife Mounting
■ 63320	Light Kit


★ Contact your service Dealer for motor replacement

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.

Eclipse 126




Other Parts

Part No.	Description
4136324	Hand Throttle Potentiometer
4145428	Switch, Bail Lever Potentiometer
★	Motor
4203321	WGM LCD Display
4165020	Switch, Key
4165062	Switch, Rocker
4196420	Generator
4171680	Battery Gauge
4140144	Limit Bracket
4169341	Circuit Breaker 25 AMP
▲ 2811071	Belt, 80 Tooth
2811106	Belt, 130 Tooth
5002576	Replacement Bulb
▲ 3009138	Screw, Bedknife Mounting
■ 63320	Light Kit

■ Order from whole goods

★ Contact your service Dealer for motor replacement

Reels




Part No.	Description
4170203	26" Reel Assembly

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.


Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.

Bedknives



Part No.	Description
5000141	26" Heavy Section

Rollers




Part No.	Description
■ 68617	26" Machined Grooved Aluminum
■ 68627	26" Solid Roller with Scraper
■ 68628	26" Machined, Grooved Steel

See Roller Section for service parts breakdown.

■ Order from whole goods




Reels




Part No.	Description
4127515	22" 9 Blade

Bedknives



Part No.	Description
▲ 4128286	#1.5 Super Tournament
4128287	#2.0 Tournament
4127583	#2.5 Standard Low Profile
4128288	#3.0 Standard High Profile
4128289	#5.0 Heavy Section

Rollers



Part No.	Description
4127539	Front Grooved Roller
4127597	Rear Smooth Roller
4127883	Guide Roller Smooth
4131086	Smooth Front Roller (062294)

See Roller Section for service parts breakdown.

Other Parts

Part No.	Description
4127860	Brake Shoe Assembly
4127498	Shaft Assembly, Clutch
▲ 2501151	Disc, Split Clutch
38382	Switch, N.O.
4127337	Switch, OPC
4127052	Magnet
4127125	Cable, Speed Control w/Lever
4125701	Cable, OPC
4125703	Cable, Traction Clutch
4125702	Cable, Brake
4139005	Headlight Bulb Replacement

Filters

NOTE : Honda air filter number:17210-ZE0-505 (obtain from Honda)

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.

Greens King 500 Series




Reels




Part No.	Description
5000095	18" – 11 Blade
▲ 5000148	22" – 11 Blade
5000416	26" – 11 Blade
5003652	26" – 7 Blade

Bedknives



Part No.	Description
5000098	18" Low Profile
▲ 5002888	18" Super Tournament
▲ 503477	22" High Profile
▲ 503478	22" Low Profile
▲ 503479	22" Tournament
▲ 5002887	22" Super Tournament
5000414	26" High Profile
5000413	26" Low Profile
5000141	26" Heavy Section

Rollers



Part No.	Description
■ 68616	18" Machined Grooved Steel
■ 68626	18" Solid Tube
■ 68527	22" Grooved, Assembled Disc
■ 68613	22" Machined Grooved Steel
■ 68614	22" Machined Grooved Aluminum
▲ 1004991	22" Solid Front
■ 68673	22" Sectional Roller
■ 68617	26" Machined Grooved Aluminum
■ 68627	26" Solid w/scrapper
■ 68628	26" Machined Grooved Steel

See Roller Section for service parts breakdown.
■ Order from whole goods

Other Parts

Part No.	Description
164056	Brake Band
▲ 2811071	Belt, 80 Tooth
▲ 5002915	Belt, 90 Tooth
▲ 2811363	Belt, 112 Tooth
363275	On/Off Switch
▲ 2501151	Clutch, Split Disc
366743	Throttle Control
3006858	Throttle Control (T-Handle)
▲ 3009138	Screw, Bedknife Mtg.
4139005	Replacement Bulb
5002962	Light Kit

Filters

NOTE : Honda air filter number:17210-ZE0-505 (obtain from Honda)


Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.

Using Lubriplate on bedknife screws helps to keep screws from rusting, Part Number 5001581.

MAGSystem




Part No.	Description
4158082	Kit, MAGKnife™

MAGKnife™

Part No.	Description
4131369	22" High Profile
4131001	22" Low Profile
4131370	22" High Tournament
4131003	22" Super Tournament

Greens King 500 & 500A Series Cutting Unit




Item	Part No.	Description
▲ 1	366648	Seal
▲ 2	364900	Nut
▲ 3	500534	Cup and Cone
4	366650	Seal
5	2500759	Bushing
▲ 6	366650	Seal
▲ 7	366649	Seal
▲ 8	458461	Snap Ring
9	366652	Bearing
▲ 10	365229	Bearing
11	5002727	Reel Catch
12	3004368	Spring, Retainer
13	3006061	Spring
14	3004369	Spring, Retainer
15	471217	Grease, Zerk

E-Walk InCommand




Rollers



Part No.	Description
■ 68527	22" Grooved, Assembled Disc
■ 68530	Solid Roller w/Scraper
■ 68613	22" Machine Grooved Steel
■ 68614	22" Machine Grooved Aluminum
■ 68673	22" Grooved Roller Segmented
▲ 1004991	Front Roller Assembly


See Roller Section for service parts breakdown.
 ■ Order from whole goods

Reels



Part No.	Description
4172945	22" – 11 Blade

Bedknives




Part No.	Description
▲ 503477	22" High Profile
▲ 503478	22" Low Profile
▲ 5002887	22" Super Tournament
▲ 503479	22" Tournament

Other Parts

Part No.	Description
4136324	Hand Throttle Potentiometer
4145428	Switch
4179180	Motor, Brushless
4128888	Switch, Key
4131618	Key
4130132	Switch, Rocker
2811669	Battery, Monitor
340752	20 Amp Circuit Breaker
4105800	50 Amp Fuse (Main)
4169341	Circuit Breaker 25 Amp
▲ 2811071	Belt, 80 Tooth
2811106	Belt, 130 Tooth
▲ 366648	Seal, Grease

MAGSystem



Part No.	Description
4158082	Kit, MAGKnife

MAGKnife™

Part No.	Description
4131369	22" High Profile
4131001	22" Low Profile
4131370	22" Tournament
4131003	22" Super Tournament


Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.




Reels




Part No.	Description
4172945	22" – 11 Blade

Bedknives



Part No.	Description
▲ 503477	22" High Profile
▲ 503478	22" Low Profile
▲ 5002887	22" Super Tournament
▲ 503479	22" Tournament

Rollers



Part No.	Description
■ 68527	22" Grooved, Assembled Disc
■ 68530	Solid Roller w/Scraper
■ 68613	22" Machined, Grooved Steel
■ 68614	22" Machined, Grooved Aluminum
■ 68673	22" Sectional

See Roller Section for service parts breakdown.
■ Order from whole goods

Other Parts

Part No.	Description
▲ 366648	Seal, Grease
4105800	Fuse, 50 Amp (main)
3004555	Fuse, 3 Amp
▲ 2811106	Belt, 130 Tooth
164056	Brake Band
555846	Diode
4103540	Relay, Run
2811690	Relay, Low Battery
4179180	Motor, Brushless
4121764	Soft Start Time Delay
2811676	Contact, 48V
4140022	Two-Pole Blue Connector
4140021	Single Pole Blue Connector
4140023	Contact for Above Connector
2811071	Belt, 80 Tooth

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. 5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.

MAGSystem



Part No.	Description
4158082	Kit, MAGKnife™

MAGKnife™

Part No.	Description
4131369	22" High Profile
4131001	22" Low Profile
4131370	22" High Tournament
4131003	22" Super Tournament

Greens King IV and IV Plus




Reels



Part No.	Description
5003053	22" L.H. – 7 Blade
5003054	22" L.H. – 7 Blade
▲ 5001099	22" L.H. – 9 Blade
▲ 5001100	22" R.H. – 9 Blade
▲ 5001101	22" L.H. – 11 Blade
▲ 5001102	22" R.H. – 11 Blade


Bedknives



Part No.	Description
▲ 503477	22" High Profile
▲ 503478	22" Low Profile
▲ 503479	22" Tournament
▲ 5002887	22" Super Tournament

See service knives section for additional bedknife options.

Rollers



Part No.	Description
■ 68527	22" Grooved, Assembled Disc
■ 68613	22" Machined, Grooved Steel
■ 68614	22" Machined, Grooved Aluminum
▲ 1004990	22" Solid Rear
▲ 1004991	22" Solid Front
■ 68673	22" Sectional Roller

■ Order from whole goods

See roller section for parts breakdowns.

Other Parts

Part No.	Description
▲ 353844	Tire, 18 x 9.50 x 8
▲ 501150	Brake Shoe Set (one wheel)
▲ 131905	Solenoid
▲ 160040	Steering Cable
163441	Choke Cable Control (Kohler)
1000514	Choke Control Vanguard
131791	Throttle Cable (Kohler)
▲ 2809908	Throttle Cable Vanguard
▲ 131805	Throttle Cable (Diesel)
▲ 162723	Hourmeter
162721	Voltmeter
107917	Ammeter (Diesel)
▲ 4138500	Lift Cylinder, Front (HDM)
4138591	Seal Kit for 4138520
131434	Lift Cylinder, Front (Columbus)
▲ 4138520	Lift Cylinder
▲ 5002569	Swivel Housing
▲ 3004870	Cap, Swivel Housing
▲ 345331	Cap, Swivel Housing
554119	Belt, Fan (Diesel)
▲ 2810043	Grass Shield, Reel
403782	Screw, Plain
▲ 4137139	Seal Kit for 4138500
▲ 4143249	Hydraulic Motor
▲ 4158280	Seal Kit (Use w/4143249)
▲ 503365	Seal Kit (Use w/123285)
▲ 5001066	Load Plate w/Seals (Use w/ 123285)
▲ 3009138	Screw, Bedknife Mounting
5000527	Replacement Bulb

Filters

Gas (Briggs & Stratton)	Diesel	
Part No.	Part No.	Description
▲ 5000440	▲ 554011	Engine Oil Filter
▲ 558022	▲ 558022	Hyd. Oil Filter
▲ 5000441	▲ 5000913	Air Filter
▲ 5000436	▲ 550489	Fuel Filter

▲ Part No. 2811909 - Light, Broom, and Hydraulic Motor Storage Kit


▲ Part No. 2811910 - Light Kit (*Requires Part No. 2811909*)

500 Hour Service Kits

Part No.	Description
4199040	Diesel
4199041	Gas

Use GreensCare™ 46
5003104 - 5 Gallon Pail
5003105 - 55 Gallon Drum

Greens King IV and IV Plus Cutting Unit



**RIDING GREENS
MOWERS**

Item	Part No.	Description
▲ 1	2000068	Shoe, Bedknife
▲ 2	302711	Shim, Bedknife, 0.003 Thick
	302712	Shim, Bedknife, 0.007 Thick
▲ 3	3009138	Screw, 1/4-20 x 1/2" Flat Hd
▲ 4	4143249	Reel Motor (New Style replaces 4137233)**
▲ 5	364901	Gasket*
▲ 6	337370	Coupling, Reel Motor
▲ 7	458013	Retaining Ring*
▲ 8	500534	Cup & Cone, Roller Bearing*
▲ 9	336962	Seal, Oil*
▲ 10	412503	Screw, Bedknife Shoe Adjusting
▲ 11	343616	Stud, Front Roller Adjusting
▲ 12	3005692	Knob, Front Roller Adjusting
▲ 13	163892	Seal Assembly
▲ 14	364900	Nut

Item	Part No.	Description
▲ 15	3008438	Front Roller Bracket, R.H.
▲ 16	3008439	Front Roller Bracket, L.H.
▲ 17	443102	Nut, 1/4-20
▲ 18	352737	Set Screw, 1/4-20 x 7/8" Sq Hd
▲ 19	441674	Carriage Bolt, 5/16-18 x 1-3/4"
▲ 20	557775	Cover, Shaft

* Included in Cutting Unit Repair Kit 5000593.

** Seal Kit for 4143249 is broken down into two kits, 503365 Seal Kit and 5001066 Load Kit. When using New Style Reel Motor 4143249, use Seal Kit ▲4158280 (2 bolt flange).

Greens King IV and IV Plus


Maintenance and Lubrication Charts



WARNING

Before you clean, adjust, or repair this equipment, disengage all drives, lower implements to the ground, engage parking brake, stop engine and remove key from ignition switch to prevent injuries.

1. Always clean the grease fitting before and after lubricating.
2. Lubricate with grease that meets or exceeds NLGI Grade 2 LB specifications. Apply grease with a manual grease gun and fill slowly until grease begins to seep out. Do not use compressed air guns.
3. Periodically apply a small amount of lithium based grease to the seat runners.
4. For smooth operation of all levers, pivot points and other friction points that are not shown on the lubrication chart apply several drops of SAE 30 oil every 40 hours or as required.
5. Grease roller fittings (F) every 100 hours and coat cam surfaces and pins of swivel housing (J) every 50 hours.



- A. Mower Swivel Housings
- B. Lift Arms
- C. Cam Lift Shafts
- D. Treadle
- E. Steering Shaft
- F. Rollers

- G. Rear Wheel Bearings (See Chart)
- H. Hydraulic Oil Tank (See Chart)
- J. Swivel Arm Assembly
- K. Rear Wheel Bearing
- L. Reel Bearing Cavities

Maintenance and Lubrication Charts

Recommended Service and Lubrication Intervals

	Every 8-10 Hours	Every 50 Hours	Every 100 Hours	Every 250 Hours	Every 400 Hours	Every 500 Hours	Every 1000 Hours	Yearly	Notes
Air Filter (Diesel)	I		AR					R	
Air Filter (Gas)	I	C	R					R	
Battery Charge			I						
Belts	I-A*		I-A			R			
Brake		I-A*		A					
Cooling System (Diesel)	I-C-A							R	
Electrical System		I*		I					
Engine Oil (Diesel)	I	R*	R****						
Engine Oil (Gas)	I-R*	R							
Engine Oil Filter		R*	R						
Fuel System		I							
Fuel Filter						R			
Grease Fittings - All	L	L	L			L			
Hydraulic Hoses and Tubes	I***			I					
Hydraulic Oil	I-A			R**				R**	
Hydraulic Oil Filter	I	R*		R					
Muffler and Exhaust	I			I					
Radiator Screens	I-C/AR								
Tires		I-A							

A - Add or Adjust C - Clean I - Inspect L - Lubricate R - Replace AR - As Required

* Indicates initial service for new machines.

** Every 250 Hours or yearly, whichever comes first.

*** Inspect visible hoses and tubes for leaks or oil marks.

**** Replace every 75 hours

See Jacobsen Filters and Fluids Section for specific part number information

Greens King V and VI




Reels



Part No.	Description
▲ 5003054	22" – 7 Blade
▲ 5001100	22" – 9 Blade
▲ 5001102	22" – 11 Blade


Bedknives



Part No.	Description
▲ 503477	22" High Profile
▲ 503478	22" Low Profile
▲ 503479	22" Tournament
▲ 503460	22" Standard (For 7 blade reel only)
▲ 5002887	22" Super Tournament

See service knives section for additional bedknife option

Rollers



Part No.	Description
■ 68527	22" Grooved, Assembled Roller
■ 68613	22" Machined, Grooved Steel
■ 68614	22" Machined, Grooved Aluminum
■ 68673	22" Sectional Roller
▲ 1004990	22" Solid Rear
▲ 1004991	22" Solid Front
▲ 1000770	22" Solid

See Roller Section for service parts breakdown.

■ Order from whole goods

Other Parts

Part No.	Description
▲ 131905	Solenoid (Gas)
▲ 338289	Solenoid (Diesel)
1000373	Choke Cable (Gas)
▲ 1001014	Throttle Cable (Diesel)
1000374	Throttle Cable (Gas)
▲ 162723	Hourmeter
162721	Voltmeter
162720	Temperature Gauge, Water (GK VI)
▲ 1004316	Ignition Switch (GK V)
▲ 2810269	Ignition Switch (GK VI)
▲ 5002569	Swivel Housing
▲ 503660	Brake Pad Kit
▲ 3009565	Belt, Pump Drive (Diesel)
▲ 5001951	Belt, Fan (Diesel)
▲ 336481	Belt, Drive (Gas)
▲ 1002226	Zerk Bolt, 7/16 - 20"
▲ 1002224	Zerk Bolt, 3/8 - 24"
▲ 2810043	Grass Shield
403782	Screw, Plain
5002651	Seal Kit (use on Reel Motor 1004929 & 2822505)
▲ 5003688	Kit, Front Cover
5000527	Headlight Bulb

Filters/Oil


Gas	Diesel	Description
▲ 5000440	▲ 554011	Engine Oil Filter
▲ 5003104	▲ 5003104	Hydraulic Oil - GK-V (Greens Care 46)
▲ 5000441	▲ 5000913	Air
—	▲ 550489	Element
—	554596	Fuel, Pre-Filter
▲ 4115977	▲ 4115977	Hydraulic Oil GK-VI (Greens Care 32)

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. ▲5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

Use a flat file or a small rotary grinder to maintain a face grind of 1/32 - 1/16" in width.

Greens King V and VI Cutting Unit



Item	Part No.	Description
▲ 1	2000068	Bedknife Backing
▲ 2	315298	Bolt, 7/16 x 3/4"
▲ 3	3009138	Screw, Flat Head (1/4-20 x 1/2)
▲ 4	163892	Seal
▲ 5	364900	Nut, Reel
▲ 6	500534	Bearing, Cup & Cone*
▲ 7	336962	Seal, Grease*
▲ 8	458013	Snap Ring*
▲ 9	337370	Coupler
▲ 10	3004870	Cap, Swivel Housing
▲ 11	3005435	Pin, Lock
▲ 12	3005692	Knob, Adjusting
▲ 13	343616	Stud
▲ 14	3008438	Right Roller Bracket
▲ 15	3008439	Left Roller Bracket
▲ 16	352737	Screw, 1/4-20 x 7/8" Sq. Hd

Item	Part No.	Description
▲ 17	443102	Nut, 1/4-20 Hex
▲ 18	441674	Bolt, 5/16-18 x 1-3/4" Carr.
▲ 19	2822505	Motor (Not Shown)
▲ 20	5002651	Seal Kit (Not Shown)

* Included in Cutting Unit Repair Kit ▲5000593.

(364901 Reel Motor Gasket Not Illustrated)

G-Plex III

RIDING GREENS
MOWERS




Reels



Part No.	Description
▲ 5003053	Reel 7 Blade
▲ 5001099	Reel 9 Blade
▲ 5001101	Reel 11 Blade


Bedknives



Part No.	Description
365230	Blade (1/4" spacing)
365230	Blade (1/2" spacing)
2000068	Bedknife Backing
▲ 5003150	Bedknife, Fairway 7 Blade
▲ 503477	Bedknife, High Profile 9 & 11 Blade
▲ 503478	Bedknife, Low Profile 9 & 11 Blade
▲ 503479	Bedknife, Tournament 9 & 11 Blade
335449	Blade
352221	Spacer, Blade

See Service Knives Section for additional bedknife options

Rollers



Part No.	Description
3008438	Roller Bracket
3008439	Roller Bracket
▲ 1004990	Roller
▲ 1004991	Roller
■ 68613	Gooved Roller - Steel "Sales Item"
■ 68614	Grooved Roller - Aluminum "Sales Item"
5002815	Roller, grooved (steel)
3000394	Roller, grooved (aluminum)
5002814	Roller, smooth
390899	Tube, roller, 1/4" spacing
390900	Tube, roller, 1/2" spacing

■ Order from whole goods

Other Parts

Part No.	Description
833851	Seal
836621	Seal
845279	Seal, O-ring 1.49 ID x 0.07
845280	Seal, O-ring 1.99 ID x 0.07
163892	Seal
▲ 3001656	Seal
305115	Seal
1003467	Seal
338763	Seal
▲ 500534	Taper Bearing
▲ 1004756	Bearing Housing
1000480	Bearing Housing
5000625	Bearing
▲ 303558	Bearing
1004756	Housing, Bearing
▲ 503378	Bearing, ball, cup and cone
365229	Bearing, ball
241808	Housing, bearing
▲ 241807	Housing, bearing
365330	Bearing, ball
002036070	Bearing, ball
002036057	Bearing, ball
839063	Bearing, ball


Filters

Diesel	Description
Part No.	Description
▲ 5000913	Element - Air Filter
893182	Air Filter Assembly
4148877	In-Line Fuel Filter
▲ 5001182	In-Line Fuel Filter
550553	Filter Assembly, Fuel
834702	Filter, Hydraulic
547818	Head, Hydraulic Filter

G-Plex III (DN/DP Series)

Part No.	Description
826000	20A Fuse
833038	30A Fuse
008289260	Switch, Pre-Heat
008289120	Switch, Ignition
▲ 158135-01	Switch, Seat
894521	Switch, Normally Open (Backlap)
840002	Timer, Shut Down
839406	Timer, Pre-Heat
008244630	70 Amp Relay
008244680	Relay, Raise, Lower, Starter
4133067	Module, Lift/Lower
843816	Diode Pack
008245151	Diode White
008245135	Diode Black
38383	Switch, Park Brake
843401	Fuel Cap & Gauge
▲ 837295	Switch, Ignition

G-Plex III Cutting Head




Item	Part No.	Description
▲ 1	1004756	Bearing Housing
▲ 2	336962	Seal, Grease
3	445795	Locknut, 15/16-18 Spiralock
▲ 4	458013	Snapring
▲ 5	3009138	Screw, 1/4-20 x 1/2" Flat Head
▲ 6	315298	Bolt, 7/16 x 3/4"
7	446136	Lockwasher 5/16"
8	443106	Nut, 5/16-18 Hex
9	453009	Flat Washer, 5/16

Item	Part No.	Description
▲ 10	364900	Nut, Reel
11	453011	Flat Washer, 3/8
12	64123-69	Screw, 5/16-18 x 1-1/2" Hex Head
13	446142	Lockwasher, 3/8 Heavy
14	304745	Washer
15	365246	Bolt, Shoulder
16	400294	Screw, 3/8-16 x 1-1/4"
17	412503	Screw, 3/8-16 x 1-1/4"
18	400184	Screw, 5/16-18 x 3/4" Hex Head

Use GreensCare™ 46
5003104 - 5 Gallon Pail
5003105 - 55 Gallon Drum




Bedknives



Part No.	Description
2000068	Bedknife Backing
▲ 5003150	Bedknife, Fairway 7 Blade
▲ 503477	Bedknife, High Profile 9 & 11 Blade
▲ 503478	Bedknife, Low Profile 9 & 11 Blade
▲ 503479	Bedknife, Tournament 9 & 11 Blade

See Service Knives Section for additional bedknife options

Reels




Part No.	Description
▲ 5003053	Reel 7 Blade
▲ 5001099	Reel 9 Blade
▲ 5001101	Reel 11 Blade

E-PLEX - Model 898852

Part No.	Description
▲ 500534	Bearing
800813	Screw, Bedknife
503478	Bedknife, Standard
839063	Bearing
839064	Seal
839065	Seal, Oil
2702185	Seal, Oil
839373	Spring, Torsion
840769	Solenoid
892677	Switch
893055	Repair Kit, Reel Drive Motor
839060	Gasket & Fasteners Kit

Rollers



Part No.	Description
3008438	Roller Bracket
3008439	Roller Bracket
▲ 1004990	Roller
▲ 1004991	Roller
■ 68613	Grooved Roller - Steel "Sales Item"
■ 68614	Grooved Roller - Aluminum "Sales Item"
5002815	Roller, grooved (steel)
3000394	Roller, grooved (aluminum)
5002814	Roller, smooth
390899	Tube, roller, 1/4" spacing
390900	Tube, roller, 1/2" spacing


■ Order from whole goods

E-PLEX II

Part No.	Description
839780	Steering Cable
893419	Switch, N.O.
897180	Throttle, Electric
893378	Switch, Reel Light
839502	Switch, Headlight
839502	Switch, Speed/Reel Drive
841538	Bulb, 48V (Indicator Light)
845000	Brush Kit, Motor
841379	Solenoid
892868	Charger, 48V




Reels




Part No.	Description
2500712	26" - L.H., 5 Blade
2500713	26" - R.H., 5 Blade
5002087	26" 7 Blade LH CTR
5002088	26" 7 Blade RH
2500714	26" - L.H., 10 Blade
2500715	26" - R.H., 10 Blade

Bedknives



Part No.	Description
▲ 554284	26" Heavy Section

Rollers



Part No.	Description
▲ 132639	26" Solid
123266	26" Grooved
3004043	26" Scraper - Front
2811226	26" Scraper - Rear

Other Parts

Part No.	Description
4132751	Throttle Cable
008233370	Fusible Link, 40 Amp
4130771	Tire
4133915	Coolant Tank Hose to Radiator
4133916	Coolant Tank Hose to Radiator
▲ 1004290	Joystick
4135850	Switch, park Brake
4135851	Switch, PTO
4135852	Switch, Weight Transfer
4132119	Radiator Hose - Lower
4132109	Radiator Hose - Upper
3003474	Grip - Pedal
3003475	Grip - Pedal

Filters

Part No.	Description
008089620	Filter-Hyd. 9.6 micron
▲ 557759	Engine Oil Filter
▲ 5001182	In-Line Fuel Filter
2500809	Fuel Filter
4136009	Filter Canister

Tri-King 1800G & 1900D




Reels



Part No.	Description
2500712	26" – L.H., 5 Blade
2500713	26" – R.H., 5 Blade
5002087	26" – L.H., 7 Blade
5002088	26" – R.H., 7 Blade
2500714	26" – L.H., 10 Blade
2500715	26" – R.H., 10 Blade
503359	30" – L.H., 5 Blade
503360	30" – R.H., 5 Blade
5002089	30" – L.H., 7 Blade
5002090	30" – R.H., 7 Blade
503361	30" – L.H., 10 Blade
503362	30" – R.H., 10 Blade


(Tri-Kings require two L.H. and one R.H. reel per unit)

Bedknives



Part No.	Description
▲ 554284	26" Standard
▲ 503550	30" Standard

Rollers



Part No.	Description
▲ 132639	26" Solid
123266	26" Grooved Nylon
▲ 132640	30" Solid
123265	30" Grooved Nylon

See Roller Section for service parts breakdown.

Electrical & Other Parts

Part No.	Description
162723	Hour Meter
5003250	Throttle Assembly (Gas) Kit
5003249	Throttle Assembly (Diesel) Kit
3002627	Brake Cable LH
3002628	Brake Cable RH
▲ 162723	Hourmeter
162720	Water Temp. Gauge
162721	Voltmeter
▲ 366751	Indicator Light, Yellow
164194	Indicator Light, Engine Oil
5000527	Head Light Bulb
▲ 5002503	Ignition Switch
▲ 4140149	Switch, Proximity
3001780	Switch, PTO
361406	Switch, Light
1001010	Switch, Backlap
▲ 554390	Switch, Seat
▲ 363961	Switch, Glow Plug
▲ 3001079	Switch, Reel Limit
▲ 3001307	Relays
▲ 3000359	Circuit Breaker, 50 Amp
▲ 338601	Circuit Breaker, 10 Amp
▲ 338289	Fuel Solenoid (Diesel)
▲ 131905	Start Solenoid (Gas)
5001348	Tire, Front
366790	Tire, Rear
▲ 503660	Disc Brake Pad, Cam Side
▲ 503660	Disc Brake Pad, Carrier Side
▲ 3001950	Belt, Pump
1002692	Muffler (Gas)

Filters


	1900D	1800G	Description
▲	5002644	5000440	Engine Oil
▲	549597	549597	Charge Filter
▲	549597	549597	Return Filter
▲	5000913	5000441	Air
▲	550489	5000436	Fuel

Use GreensCare™ 68

5003103 - 5 Gallon Pail

5003102 - 55 Gallon Drum

Tri-King 1800G and 1900D Cutting Unit




TRIM MOWERS


Item	Part No.	Description
1	364147	Gasket, Cover
▲ 2	500596	Bearing, Cup and Cone
3	3000983	Seal, Grease
▲ 4	3003611	Adjusting Nut
▲ 5	3004189	Adjusting Screw
▲ 6	458039	External Snap Ring
7	122572	Bedknife Backing 26"
8	207477	Bedknife Backing 30"
▲ 9	4184653	Locknut
▲ 10	3007308	Screw
11	503684	Coupler
12	364148	Spring, Compression

Item	Part No.	Description
13	3001152	Washer
▲ 14	400264	Bolt, Reel 3/8-16 x 1-1/4"
▲ 15	3000983	Seal, Grease
16	5003650	Grass Shield 26"
▲ 17	5003648	Grass Shield 30"
18	3004189	Stud, Adjusting Screw
19	207473	Skid, RH
20	207474	Skid, LH
▲ 21	1002603	Reel Motor
22	364157	Springs, Lift Arm
23	3007908	Plug, Spring
▲ 24	3003517	Shoulder Bolt
25	503684	Coupler

Items 11–23 not illustrated




Reels




Part No.	Description
▲ 4119512	8 Blade Reel
▲ 4119513	11 Blade Reel

Bedknives



Part No.	Description
▲ 4118902	Bedknife
▲ 3009138	Bedknife Screws

Rollers



Part No.	Description
Front Rollers	
■ 68626	Solid Tube w/Scraper
■ 67926	3" Grooved Steel w/Scraper
■ 68616	2-3/16" Grooved Machine Steel
Rear Rollers	
4115860	18" Rear Roller Std.
4135083	18" Full Length Rear Roller

See Roller Section for service parts breakdown.

■ Order from whole goods

Use GreensCare™ 68
5003103 - 5 Gallon Pail
5003102 - 55 Gallon Drum

Filters

Part No.	Description
▲ 557759	Engine Oil
▲ 550489	Fuel Filter Element
▲ 5000919	Air Cleaner Element
▲ 5002892	Return Filter

500 Hour Service Kit

4199042 - SLF 1880

Other Parts

Part No.	Description
▲ 162723	Hourmeter
3005996	Fuel Gauge
162720	Water Temperature Gauge
162721	Volt Meter
▲ 366751	Indicator Light, Yellow
164194	Indicator Light, Red, Engine Oil
4123183	Head Light Bulb
▲ 1004290	Joystick
2812344	Switch, Joystick
▲ 2810269	Switch, Ignition
▲ 4140149	Switch, Proximity
3006449	Switch, PTO
3006436	Switch, 4wd
3006447	Switch, Horn
3006447	Switch, Backlap
▲ 554390	Switch, Seat
▲ 3006436	Switch, Light
2811376	4 Diode Card
366670	Horn
▲ 3001307	Relays
▲ 361439	Circuit Breaker
4108620	Front Tire
340486	Disc Brake
▲ 503660	Replacement Brake Pad set
360346	Rear Tire
1002858	Throttle Cable
4103038	Brake Cable LH
4103039	Brake Cable RH
3005936	Muffler
4182220	Muffler - Turbo Only
▲ 5001284	Engine Fan Belt


MAGSystem



Part No.	Description
4161022	Kit, MAGKnife™

MAGKnife™

Part No.	Description
4131373	Light Section Tournament Fairway
4131006	Medium Section



Item	Part No.	Description
▲ 1	4119513	Reel, 11 Blade
▲	4119512	Reel, 8 Blade
▲ 2	336962	Seal, Grease
▲ 3	500534	Bearing, Cup and Cone
▲ 4	5002151	Spring, Compression
▲ 5	304745	Washer
▲ 6	364900	Nut, Reel
▲ 7	163892	Seal, Grease
▲ 8	458013	Snap Ring
▲ 9	315298	Bolt, Wheel
10	2811055	Backing, Bedknife
▲ 11	4118902	Bedknife
▲ 12	337370	Coupler, Motor

Item	Part No.	Description
▲ 13	2810165	Clip, Motor
▲ 14	2810166	Clip, Motor
15	2811027	Shield, Reel
▲ 16	3005692	Knob, Front Roller Adjusting
▲ 17	3008438	Bracket, Roller
▲ 18	3008439	Bracket, Roller
▲ 19	343616	Stud, Front Roller Adjusting
▲ 20	352737	Set Screw, Special
▲ 21	441674	Carriage Bolt, 5/16-18 x 1-3/4"
▲ 22	443102	Nut, 1/4-20 Hex
▲ 23	1002224	Bolt, Zerk


Maintenance and Lubrication Charts

WARNING

Before you clean, adjust, or repair this equipment, disengage all drives, lower implements to the ground, engage parking brake, stop engine, and remove key from ignition switch to prevent injuries.

1. Always clean the grease fitting before and after lubricating.

2. Lubricate with grease that meets or exceeds NLGI Grade 2 LB specifications. Apply grease with a manual grease gun and fill slowly until grease begins to seep out. Do not use compressed air guns.
3. Periodically apply a small amount of lithium based grease to the seat runners.
4. For smooth operation of all levers, pivot points, and other friction points that are not shown on the lubrication chart apply several drops of SAE 30 oil every 40 hours or as required.
5. Grease fittings (**A - I**) every 50 hours, fittings (**J - M**) every 100 hours and (**N**) every 250 hours.



Maintenance and Lubrication Charts

Recommended Service and Lubrication Intervals

	Every 8-10 Hours	Every 50 Hours	Every 100 Hours	Every 200 Hours	Every 400 Hours	Every 500 Hours	Every 1000 Hours	Yearly	Notes
Air Filter	I		AR					R	
Battery Charge			I-C						
Belts	I-A*		I-A			R			
Brake		I-A*		A					
Cooling System	I-C-A							R**	
Electrical System	I			I					
Engine Oil	I	R*		R					
Engine Oil Filter		R*		R					
Fuel System		I							
Fuel Filter					R				
Grease Fittings - All		L	L			L			
Hydraulic Hoses and Tubes	I***			I					
Hydraulic Oil	I-A					R**			
Hydraulic Oil Filter	I	R*				R			
Muffler and Exhaust	I			I					
Radiator Screens	I-C/AR								
Tires	I	I-A							


A - Add or Adjust C - Clean I - Inspect L - Lubricate R - Replace AR - As Required

* Indicates initial service for new machines.

** Or every two years whichever comes first.

See Jacobsen Filters and Fluids Section for specific part number information

LF-100, LF 123 and LF 128



Other Parts

Part No.	Description
▲ 501150	Brake Shoe Set
▲ 5002503	Ignition Switch
▲ 162723	Hourmeter
162721	Voltmeter
162720	Water Temperature Gauge
130956	Throttle Control (LF-100)
3007599	Throttle Control (LF-123 & LF-128)
▲ 5002569	Swivel Housing
338246	Belt, Fan (LF-100)
3004374	Belt, Fan (LF-123 & LF-128)
▲ 2810043	Grass Shield, Reel
▲ 1002224	Zerk Bolt, Roller

Reels




Part No.	Description
▲ 5003053	22" – L.H. 7 Blade (2)
▲ 5003054	22" – R.H. 7 Blade (3)

Filters

LF-100	LF-123 & 128	Description
550556	557759	Engine Oil
556416	556416	Hydraulic Oil
549593	5000919	Air
▲ 550489	2500809	Fuel

Bedknives




Part No.	Description
▲ 503460	22" Standard

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. ▲5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

To reduce moisture/corrosion related problems with electrical connections, apply a liberal amount of Jacobsen Part No. 365422 non-hardening Electrical Compound to all electrical connections, i.e., connectors, plugs, switches, etc.

Rollers



Part No.	Description
▲ 123268	22" Grooved
▲ 1000770	Roller Assembly (Heavy Duty, Rear)
▲ 1004990	22" Solid Rear
2809643	Kit, Roller Bolt Service

See Roller Section for service parts breakdown.


MAGSystem



Part No.	Description
4165260	Kit, MAGKnife™

MAGKnife™

Part No.	Description
4131005	22" Medium Section
4131010	Heavy Section



Item	Part No.	Description
▲ 1	2000068	Bedknife Backing
▲ 2	315298	Bolt, 7/16 x 3/4"
▲ 3	3009138	Screw, 1/4-20 x 1/2 Flat Head
▲ 4	163892	Seal
▲ 5	364900	Nut, Reel
▲ 6	500534	Bearing, Cup & Cone**
▲ 7	336962	Seal, Grease**
▲ 8	458013	Snap Ring**
▲ 9	337370	Coupler
▲ 10	3004870	Cap, Swivel Housing
▲ 11	3005435	Pin, Lock
▲ 12	3005692	Knob, Adjusting

Items 10 and 11 and 22-24 not illustrated

Item	Part No.	Description
13	343616	Stud
▲ 14	3008438	Right Roller Bracket
▲ 15	3008439	Left Roller Bracket
▲ 16	352737	Screw, 1/4-20 x 7/8" Sq. Hd
▲ 17	443102	Nut, 1/4-20 Hex
▲ 18	441674	Bolt, 5/16-18 x 1-3/4" Carr.
▲ 19	2810165	Clip, Motor
▲ 20	2810166	Clip, Motor
▲ 21	3010296	Pin, Motor Mount
▲ 22	343616	Stud
▲ 23	3008438	Right Roller Bracket
▲ 24	3008439	Left Roller Bracket


** Included in Cutting Unit Repair Kit ▲5000593.

(364901 Reel Motor Gasket, Not Shown)

▲ Never Out Part




Reels



Part No.	Description
▲ 5003053	7 Blade Reel LH (3400/4675)
▲ 5003054	7 Blade Reel RH (3400/4675)
2810471	9 Blade Reel (3800/4677)
▲ 2810472	11 Blade Reel (3800/4677)


Bedknives



Part No.	Description
▲ 5003150	Bedknife, Medium Section - 3400 Only
▲ 503460	Bedknife, Heavy Section

See service knives section for additional bedknife option

Rollers



Part No.	Description
▲ 123268	Front Grooved Steel Roller
▲ 1000770	Rear Smooth Roller
1002446	Rear Smooth Roller
▲ 1003728	Rear Smooth Roller

See Roller Section for service parts breakdown.

Filters

Part No.	Description
▲ 557759	Engine Oil
▲ 2500809	Fuel Filter Element
▲ 5000919	Air Cleaner Element
▲ 2811255	Charge Filter Element
▲ 557772	Return Filter

500 Hour Service Kit

4199043 - All filters included in 500 Hour Service Kit

Other Parts

Part No.	Description
▲ 162723	Hourmeter (Old Style)
4129683	Hourmeter (New Style)
365943	Fuel Gauge
3005121	Water Temperature Gauge
▲ 366751	Indicator Light, Yellow
4123183	Head Light Bulb (New Style)
5000527	Head Light Bulb (Old Style)
1002679	Light Cluster (Old Style Only)
▲ 1004290	Joystick
2812344	Switch, Joystick
▲ 2811488	Switch, Ignition (Old Style LF 3400/3800)
▲ 4128888	Switch, Ignition (New Style LF 3400/3800)
▲ 4140149	Switch, Proximity (Old Style LF 3400/3800)
▲ 4125831	Switch, Proximity (New Style LF 3400/3800)
3006449	Switch, PTO (Old Style LF 3400/3800)
4174684	Switch, PTO (New Style LF 3400/3800)
▲ 3006436	Switch, 4wd (Old Style LF 3400/3800)
4130132	Switch, 4wd (New Style LF 3400/3800)
3006434	Switch, Light (Old Style LF 3400/3800)
4130132	Switch, Light (New Style LF 3400/3800)
3006434	Switch, Horn (Old Style LF 3400/3800)
4130133	Switch, Horn (New Style LF 3400/3800)
3006434	Switch, Backlap
▲ 554390	Switch, Seat
366670	Horn
▲ 3001307	Relays (Old Style LF 3400/3800)
4126082	Relays (New Style LF 3400/3800)
▲ 361439	Circuit Breaker
5002573	Front Tire
▲ 503296	Disc Brake Stud Plate w/Lining
▲ 503295	Disc Brake Rib Plate w/Lining
340486	Disc Brake
366790	Rear Tire (Old Style LF 3400/3800)
3006981	Rear Tire (New Style LF 3400/3800)
▲ 2822503	Reel Motor (LF 3400)
▲ 1002620	Reel Motor (LF 3800)
▲ 5001284	Engine Fan Belt
▲ 4174241	Throttle Cable
1003048	Brake Cable LH
1003047	Brake Cable RH
1004653	Muffler
1002931	Muffler - Turbo Only

Use GreensCare™ 68


5003103 - 5 Gallon Pail

5003102 - 55 Gallon Drum

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. ▲5002491. Lap as frequently as necessary to maintain a sharp cutting edge.


To reduce moisture/corrosion related problems with electrical connections, apply a liberal amount of Jacobsen Part No. 365422 non-hardening Electrical Compound to all electrical connections, i.e., connectors, plugs, switches, etc.



Item	Part No.	Description
▲ 1	5003053	7 Blade, Left Hand Reel
▲	5003054	7 Blade, Right Hand Reel
▲ 2	500534	Bearing, Cup and Cone
▲ 3	336962	Seal, Grease
▲ 4	458013	Snap Ring
▲ 5	2000068	Bedknife Backing
▲ 6	5003150	Bedknife, Medium Section
▲ 7	3009138	Screw, 1/4-20 x 1/2" Flat Head

Item	Part No.	Description
▲ 8	315298	Bolt, 7/16 x 3/4"
▲ 9	5002151	Spring, Compression
▲ 10	364900	Nut, Reel
▲ 11	163892	Seal
▲ 12	304745	Washer
▲ 13	337370	Coupler, Reel Motor
▲ 14	2810165	Clip, Motor
▲ 15	2810166	Clip, Motor
▲ 16	3010296	Pin, Motor Mount

LF 3400/4675 Cutting Unit



Item	Part No.	Description
▲ 17	1000770	Rear Roller
▲ 18	1002224	Zerk Bolt
▲ 19	2810043	Shield, Reel
▲ 20	443102	Nut, 1/4-20 Hex
▲ 21	343616	Stud
▲ 22	3005692	Knob, Front Roller Adjusting
▲ 23	441674	Carriage Bolt, 5/16-18 x 1-3/4"
▲ 24	352737	Screw, 1/4-20 x 7/8" Square Head

Item	Part No.	Description
▲ 25	3008438	Roller Bracket
▲ 26	3008439	Roller Bracket
▲ 27	338735	Scraper - Rear
▲ 28	123268	Front Roller - Grooved
29	391202	Scraper - Front

Maintenance and Lubrication Charts



WARNING

Before you clean, adjust, or repair this equipment, disengage all drives, lower implements to the ground, engage parking brake, stop engine, and remove key from ignition switch to prevent injuries.

1. Always clean grease fittings before and after lubrication.

2. Lubricate with grease that meets or exceeds NLGI Grade 2 LB specifications. Apply grease with a manual grease gun and fill slowly until grease begins to seep out. Do not use compressed air.
3. For smooth operation of pivot points and other friction points, apply several drops of SAE 30 oil every 50 hours or as required.
4. Remove wheels and repack bearings once a year.

Recommended Service and Lubrication Intervals

	Every 8-10 Hours	Every 50 Hours	Every 100 Hours	Every 250 Hours	Every 400 Hours	Every 500 Hours	Every 1000 Hours	Yearly	Notes
Air Cleaner			AR					R	
Battery Charge			I						
Belt	I-A*		I-A			R			
Brake		I-A*		A					
Cooling System	I-C-A							R	
Engine Oil	I	R*	R						
Engine Oil Filter		R*	R						
Fuel Lines and Clamps		I							
Fuel Filter					R				
Grease Fittings - F1		L							
Grease Fittings - F2			L						
Grease Fittings - F3				L					
Hydraulic Hoses and Tubes	I***			I					
Hydraulic Oil		I-A				R**			
Hydraulic Oil Filters		R*				R-AR			
Muffler and Exhaust				I					
Radiator Screens	I-C/AR								
Tires		I-A							
Steering System		I*		I-A					
Wheel Bearings								L	
Wiring		I*		I					

A - Add or Adjust C - Clean I - Inspect L - Lubricate R - Replace AR - As Required

* Indicates initial service for new machines.



** Or Yearly whichever comes first.

*** Inspect visible hoses and tubes for leaks or oil marks.

See Jacobsen Filters and Fluids Section for specific part number information

LF 3400/3800

Maintenance and Lubrication Charts



Grease Fittings

F1 - 50 Hours (Every Week)

- 1 Swivel Housing
- 2 Lift Arm
- 3 Lift Cylinders
- 4 Lift Arm Pivot
- 5 Brake Pedal Pivot
- 6 Traction Pedal Pivot
- 7 Ball Joint
- 8 Steering Pivot
- 9 Steering Cylinder
- 10 Axle Pivot

F2 - 100 Hours


- 11 Reel Bearing Cavity
- 12 Front Roller
- 13 Rear Roller
- 14 U-joint Driveshaft

F3 - 250 Hours

- 15 Motor Spline




Reels



Part No.	Description
▲ 5003053	7 Blade Reel LH (3400/4675)
▲ 5003054	7 Blade Reel RH (3400/4675)
2810471	9 Blade Reel (3800/4677)
▲ 2810472	11 Blade Reel (3800/4677)


Bedknives



Part No.	Description
▲ 5003150	Bedknife, Medium Section - 4675 Only
▲ 503460	Bedknife, High Profile

See Service Knives Section for additional bedknife options

Rollers



Part No.	Description
▲ 123268	Front Grooved Steel Roller
▲ 1000770	Rear Smooth Roller
1002446	Rear Smooth Roller
▲ 1003728	Rear Smooth Roller

See Roller Section for service parts breakdown.

Filters

Part No.	Description
▲ 557759	Engine Oil
▲ 2500809	Fuel Filter Element
▲ 5000919	Air Cleaner Element
▲ 2811255	Charge Filter Element
▲ 557772	Return Filter

500 Hour Service Kit

4199043 - All Filters included in 500 Hour Service Kit

Other Parts

Part No.	Description
▲ 162723	Hourmeter
365943	Fuel Gauge
3005121	Water Temperature Gauge
▲ 366751	Indicator Light, Yellow
4123183	Head Light Bulb
1002679	Light Cluster
2812344	Switch, Joystick
▲ 2811488	Switch, Ignition
▲ 4140149	Switch, Proximity
3006449	Switch, PTO
▲ 3006436	Switch, 4wd
3006434	Switch, Light, Horn, Backlap
▲ 554390	Switch, Seat
366670	Horn
▲ 3001307	Relays
▲ 361439	Circuit Breaker
▲ 503296	Disc Brake Stud Plate w/Lining
▲ 503295	Disc Brake Rib Plate w/Lining
340486	Disc Brake
▲ 2822503	Reel Motor - LF 4675
▲ 1002620	Reel Motor - LF 4677
5002573	Tire, Front
3006981	Tire, Rear
▲ 5001284	Engine Fan Belt
▲ 4174241	Throttle Cable
1003048	Brake Cable LH
1003047	Brake Cable RH
1004653	Muffler
1002931	Muffler - Turbo Only

Use GreensCare™ 68

5003103 - 5 Gallon Pail


5003102 - 55 Gallon Drum

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. ▲5002491. Lap as frequently as necessary to maintain a sharp cutting edge.


To reduce moisture/corrosion related problems with electrical connections, apply a liberal amount of Jacobsen Part No. 365422 non-hardening Electrical Compound to all electrical connections, i.e., connectors, plugs, switches, etc.

LF 3800/4677 Cutting Unit



Item	Part No.	Description
▲ 1	2810472	Reel, 11 Blade
1	2810471	Reel, 9 Blade
2	5002609	Frame, 7" Reel
3	361877	Decal, Danger
4	2811399	Bedknife Backing Assembly
▲ 5	503460	Bedknife
▲ 6	3009138	Screw, 1/4-20 x 1/2" Flat Head
▲ 7	1002811	Bearing Housing
▲ 8	5002477	Bearing Cup and Cone
▲ 9	3006030	Seal
▲ 10	471214	Grease Fitting
11	471242	Vent Fitting
12	2500759	Bushing
13	3004734	Spring, Compression
14	4166860	Coupler
	1002532	Bedknife Adjuster
▲ 15	2000125	Knob
▲ 16	3004795	Housing
▲ 17	3010470	Spring, Urethane
▲ 18	3009892	Spacer, Cup
▲ 19	3010472	Rod
▲ 20	3010471	Bolt, Special
▲ 21	461357	Roll Pin, 1/8 x 5/8"
22	422511	Set Screw, 5/16-18 x 3/8"

Item	Part No.	Description
23	3005210	Retaining Ring
▲ 24	365501	Bolt, Special
25	434049	Screw, 5/16-18 x 2" Socket Head
26	434003	Screw, 5/16-18 x 1" Socket Head
27	362643	Spacer
28	454017	Spring Washer
▲ 29	4130092	Block, Clamp
30	461416	Roll Pin, 1/8 x 5/8"
▲ 31	3006028	Pin
32	3008601	Bracket, Spring
▲ 33	445795	Nut, 5/16-18 Spirallock Flange
34	400184	Screw, 5/16-18 x 3/4" Hex Head
▲ 35	446136	Lockwasher, 5/16
36	434036	Screw, 5/16-18 x 1-1/4" Socket Head
37	455066	Washer
38	400182	Bolt, 5/16-18 x 5/8" Hex Head
▲ 39	443106	Nut, 5/16-18 Hex Head
40	3004800	Spacer, Reel



Item	Part No.	Description
▲ 1	1003728	Rear Roller, 22"
▲ 2	1002226	Zerk Bolt
▲ 3	3004738	Front Roller Adjuster
▲ 4	3005209	Shield
▲ 5	343616	Stud
▲ 6	352737	Screw, 1/4-20 x 7/8"

Item	Part No.	Description
▲ 7	3005692	Knob, Roller Adjusting
▲ 8	441674	Carriage Bolt, 5/16-18 x 1-3/4"
▲ 9	443102	Nut, 1/4-20 Hex
▲ 10	3006248	Deflector

LF-3810




Reels




Part No.	Description
5000040	26" – R.H. 5 Blade (3)
5000041	26" – L.H. 5 Blade (2)
503634	26" – R.H. 5 Blade (3)
503635	26" – L.H. 5 Blade (2)

Bedknives



Part No.	Description
503654	26" Standard

Rollers



Part No.	Description
123266	26" Grooved
132639	26" Solid
132874	26" Solid Rear

See Roller Section for service parts breakdown.

Other Parts

Part No.	Description
366790	Tire, 20 x 10-8 - 2 Ply
164082	Water Temperature Gauge
164081	Oil Pressure Gauge
162723	Hourmeter
365943	Fuel Gauge
162721	Voltmeter
5002503	Ignition Switch
4174241	Throttle Cable


Filters

LF-100	Description
557759	Engine Oil
557772	Hydraulic Oil - Return
2811255	Hydraulic Oil - Charge
549593	Air
2500809	Fuel

Preventative Maintenance Service Tip

For best cutting performance, use Jacobsen 120 grit lapping compound, Part No. ▲5002491. Lap as frequently as necessary to maintain a sharp cutting edge.

To reduce moisture/corrosion related problems with electrical connections, apply a liberal amount of Jacobsen Part No. 365422 non-hardening Electrical Compound to all electrical connections, i.e., connectors, plugs, switches, etc.




Item	Part No.	Description
● 1	364147	Bearing Housing Gasket
● 2	500596	Bearing Set, Cup and Cone
3	3000983	Seal
4	3001152	Washer
5	472519	Plug
6	3003611	Adjusting Hut

Item	Part No.	Description
7	3004189	Adjusting Screw
8	1001946	Bedknife Backing
9	3009138	Screw, Bedknife Mounting
● 10	360680	Nilos Ring
11	5001122	Mower Drive Belt

● Included in Cutting Unit Repair Kit 2810103

Hydraulic Ranger




Reels, Bedknife


Part No.	Description
503043	6 Blade, L.H. Wing & Rear
2500604	6 Blade, R.H. Front
2500647	6 Blade, R.H. Wing
2500606	10 Blade, R.H. Front
▲ 503550	Bedknife

Hydraulic Ranger Parts

Part No.	Description
122680	R.H. Front Arm Assembly
122681	L.H. Front Arm Assembly
131818	Front Lift Cylinder
503258	Seal Kit (Lift Cylinders)
131819	Wing Lift Cylinder
131607	Hub Assembly
363227	Spindle
500535	Inner Bearing
▲ 500534	Outer Bearing
4203422	Rear Center Cylinder
337389	Driver Gear




Reels




Part No.	Description
502673	30" – 5 Blade (Blitzer)
2500540	30" – 6 Blade (Fairway)
502676	30" – 5 Blade (Fairway)
2500542	30" – 10 Blade (Fairway)

Bedknives



Part No.	Description
▲ 325163	30" Single Edge

Rollers



Part No.	Description
▲ 132506	30" Solid (Fairway)

See Roller Section for service parts breakdown.

Wheel Accessories

18" Steel Wheel – Product 70093 (Used on Fairway and Blitzer Mowers)

Part No.	Description
203987	Rim, Wheel
315938	Disc, Wheel

4.00 x 17 Semi-Pneumatic – Product 70094 (Used on Fairway Mowers)

Part No.	Description
329120	Disc, Wheel
344137	Tire, 4.00 x 17


17" Steel Wheel - Product 70096 (Used on Fairway Mowers)

Part No.	Description
203992	Rim, Wheel
315939	Disc, Wheel

4.00 x 20 Semi-Pneumatic Wheel - Product 70097 (Used on Fairway and Blitzer Mowers)

Part No.	Description
336054	Disc, Wheel
316482	Tire, 4.00 x 2.00

Fairway & Blitzer Cutting Unit



Item	Part No.	Description
1	153215	Handle, Clutch
2	500236	Cylinder, Wheel (Incl. Items 3 and 4)
3	500533	Roller Bearing Cup, Cone and Ring
▲ 4	500534	Wheel Bearing, Cup & Cone
5	220275	Gear, Main
6	204119	Cap, Hub
7	203984	Hub, Ground Wheel
▲ 8	315967	Seal, Cover
9	352635	Cap, Cover
▲ 10	315876	Gasket
11	203986	Cover, Housing
▲ 12	315928	Gasket, Cover
13	3009548	Washer
14	331834	Gear, Intermediate
15	315978	Sleeve, Roller Bearing
▲ 16	315977	Bearing, Roller
▲ 17	367029	Locknut
18	315843	Pinion, Reel

Item	Part No.	Description
19	500711	Bearing, Cup and Cone
▲ 20	315872	Seal
▲ 21	315873	Washer, Seal
22	500763	Roller Bracket, L.H. (Fairway)
23	500764	Roller Bracket, R.H. (Fairway)
▲ 24	315877	Key, Pinion
▲ 25	500548	Handle, Adjusting
26	315964	Spring, Friction
27	315910	Spacer, R.H. Side Only
▲ 28	315965	Screw, Adjusting (Fairway)
28	332516	Screw, Adjusting (Blitzer)
▲ 29	3007308	Screw, 3/8-24 x 3/4 Flat Hd.
▲ 30	4184653	Nut, 3/8-24 Hex
▲ 31	315909	Stud-Bedknife Backing
32	545723	Bushing




Misc. Parts

Part No.	Description
1003711	Wheel
▲ 500534	Bearing
155517	Yoke
6114025	Shaft, Fan
81-B054.BUF	Belt (B-40 Plus)
347505	Bearing Pillowblock
▲ 347490	Drive Chain (Original B-40)

Sand Scorpion

Sand Scorpion Parts

Part No.	Description
558015	Ignition Key (Electric)
5000039	Key, Ignition (Gas)
▲ 1004316	Switch, Key (Electric)
▲ 5002503	Switch, Key (Gas)
3003954	Gauge, BBI (Electric)
▲ 3006436	Switch, Panel (Electric)
1003481	Switch, Toggle (Electric)
3006436	Switch, Rocker (Gas)
5002777	Tire
3005763	Chain
1003514	Section, Left Rake
1003515	Section, Right Rake
5002575	Head Light Bulb (Electric)
1003393	Lift Actuator Lift Kit



Filters (Gas)

Part Nos.	Description
▲ 5000440	Engine Oil
▲ 549597	Hydraulic Oil
▲ 5000441	Air
5000913	External Air
▲ 5000436	Fuel

Filters (Diesel)

Part Nos.	Description
▲ 554011	Engine Oil
▲ 549597	Hydraulic Oil
5000441	Air
▲ 5000913	External Air

GROOM MASTER II



GROOM MASTER (Gas)

Part No.	Description
▲ 108046	Filter, Hydraulic
148077	Filter, Air
842506	Filter, Pre-Cleaner
842507	Filter, Air
842511	Filter, Engine Oil
842512	Filter, In-Line Fuel
842515	Spark Plug

GROOM MASTER (Diesel)

Part No.	Description
108046	Filter, Hydraulic Fuel
148077	Element, Air Filter
550489	Element, Fuel Filter
2208168	Filter, In-Line Fuel
888921	Filter, Engine Oil

Part No.	Description
▲ 4128888	Switch, Ignition
4130132	Switch, Light
▲ 158135-01	Switch, Seat
▲ 4125831	Switch, Brake
▲ 4125831	Switch, Neutral
▲ 503660	Brake Pads
▲ 338289	Solenoid, Fuel (Diesel)
4126082	Relay
4136880	Circuit Breaker, 12V - 80A (Gas)
▲ 838007	Belt, Drive
4139604	Seal Kit for 4117884
4138512	Steering Cylinder
▲ 4137139	Seal Kit for 4138512 Steering Cylinder
891272	Cylinder, Rake Lift
891609	Seal Kit for 891272 Cylinder
552971	Oil Plug
2809951	Gasket

Filters (Gas)

Part No.	Description
▲ 5000440	Oil Filter
▲ 5000441	Air Filter
▲ 5000436	Fuel Filter
▲ 5000913	Air Filter

Filters (Diesel)

Part No.	Description
▲ 5002644	Oil Filter
5000913	Air Filter
▲ 550489	Fuel Filter
108046	Hydraulic Filter

Use GreensCare™ 68
5003103 - 5 Gallon Pail
5003102 - 55 Gallon Drum

Turfcat 400 Series



Mower Parts

Part No.	Description
550337	Tire, 16 x 7.50-8, 4 Ply (C417D, C420G, T436G, T422D, GW224, DW224, T423D, T428D & T445G)
360346	Tire, 18 x 9.5-8 Steering (DW220, GA200 & GA180)
551739	Tire, 18 x 8.5-8, Steering (T320G & T318G)
5000400	Tire, Drive 23 x 10.5-12 (T423D, T428D & T445G)
▲ 501150	Brake Shoe Set
131917	Throttle Control (C417D)
131919	Throttle Control (C420G)
131311	Throttle Control (T320G, GA200 & GA180)
132259	Throttle Control (C318G)
131476	Throttle Control (GW224)
130956	Throttle Control (DW224 & DW220)
3007602	Throttle Control (T423D & T428D)
3004432	Throttle Control (T445G)
▲ 5002503	Ignition Switch
3004374	Engine Fan Belt (T423D, T428G & T445G)
337442	Engine Fan Belt (T422D & DW224)
338521	Engine Fan Belt (T436G)
554119	Engine Fan Belt (C417D & C420G)

Cutter Bars

Part No.	Description
390514	Bar, Cutter, 60"
3001837	Bar, Cutter, 60" Mulcherizer
390515	Bar, Cutter, 72"
3001838	Bar, Cutter, 72" Mulcherizer

3 required per deck

Deck Parts

Part No.	Description
164037	Spindle Hub, 60"
163996	Spindle Hub, 60" Mulcherizer and 72"
▲ 350759	Bearing, Cutter Shaft
▲ 358671	Ring, Nilos, Cutter Shaft
337547	Shaft, Cutter, 60" Side Discharge
337341	Shaft, Cutter, 60" Rear Mulcherizer & 72"
▲ 220292	Adapter, Bar, 60" Side Discharge
390264	Drive Belt, 60"
3002509	Drive Belt, 60" Mulcherizer
390457	Drive Belt, 72"
500895	Screw & Lockwasher, Cutter Bar
▲ 400264	Screw, 3/8-16 x 1-1/4, Adapter
445796	Nut, 3/8-16 Spiralock, Adapter
335178	Roller, 60"
▲ 163425	Roller, 72"

Filters

C417D	C420G	T422D, 4WD	T423D & T428D	T445G	Description
▲554011	▲554011	550556	▲557759	5000598	Engine Oil
▲549597	▲549597	▲558022	▲549597	▲549597	Hydraulic Oil
▲502619	▲502619	549593	▲5000919	▲5000919	Air
▲550489	▲5001182	▲550489	▲2500809	5000599	Fuel



Mower Parts

Part No.	Description
162720	Gauge, Water Temp
2812294	Switch, Ignition (Diesel)
▲ 2811488	Switch, Ignition (Gas)
337713	Cable, Choke (Gas)
▲ 4140149	Switch, Proximity
5000400	Tire, Front
550337	Tire, Rear
▲ 346149	Steering, Bushing
1002858	Throttle Cable, (Diesel)
1003991	Throttle Cable, (Gas)
1003400	Left Brake Assembly
1003399	Right Brake Assembly

Filters

Diesel	Gas	Description
▲ 557759	5003069	Engine Oil
▲ 5002892	5002892	Hydraulic Oil (Return)
▲ 5000919	5000913	Air
550553	5003070	Fuel

Blades

Part No.	Description
▲ 3007759	Bar, Rotary Cutter, 60" Deck (3 required)
▲ 3007760	Bar, Rotary 72" Deck (3 required)
3001842	Bar, Rotary Mulcher (3 required)
5001085	Blade Kit, Flail

Deck Parts

Part No.	Description
▲ 163425	Roller - 60" Deck
400406	Screw, Cutter Bar
1003664	Pulley Assembly, 60" Deck
PL7540	Wheel, Roller 72" Deck
163302	Roller, 72" Deck
1003663	Pulley Assembly
338548	Belt Drive, Flail
4185640	Wheel and Tire
1003998	Wheel and Tire Solid, 60" Deck
1003999	Wheel and Tire, 60" Deck
1004000	Wheel and Tire, Solid 72" Deck
4185640	Wheel and Tire, Pneumatic Tire 72" Deck

Pneumatic Caster Wheel Accessory for 72" Deck

Part No.	Description
131529	Spindle
549635	Bushing, Wheel, White
553720	Bushing, Wheel, Gray
363233	Valve, Inflation
148049	Tire
4185641	Wheel & Bearing Assembly
▲ 3003207	Shaft, Caster Wheel
▲ 4185640	Wheel and Tire, Gray

Solid Caster Wheel Accessory for 72" Deck

Part No.	Description
131391	Spindle
2500684	Roller Bearing
553568	Bushing
▲ 1004000	Wheel & Tire, Gray
3003210	Shaft, Caster Wheel

Pneumatic Caster Wheel Accessory for 60" Deck

Part No.	Description
131799	Spindle (Rear Discharge)
2500197	Spindle (Side Discharge)
▲ 1003999	Wheel and Tire, Gray
360111	Valve Stem
▲ 551437	Stopwasher
551438	Roller Bearing
▲ 551439	Seal
▲ 551440	End Cap
551436	Tire, 9 x 3.5 x 4
2500643	Rim, White
3003209	Shaft, Caster Wheel

Solid Caster Wheel Accessory for 60" Deck

Part No.	Description
131177	Spindle (Rear Discharge)
130971	Spindle (Side Discharge)
1003998	Wheel and Tire, Gray
▲ 553720	Bushing
2500685	Roller Bearing
3003208	Shaft, Caster Wheel

Turfcut 500 Series Decks

Pneumatic Caster Wheel Accessory for 72" Deck

Part No.	Description
131529	Spindle
549635	Bushing, Wheel, White
▲ 553720	Bushing, Wheel, Gray
363233	Valve, Inflation
148049	Tire
4186641	Wheel & Bearing Assembly
▲ 3003207	Shaft, Caster Wheel
▲ 4185640	Wheel and Tire, Gray

Solid Caster Wheel Accessory for 72" Deck

Part No.	Description
131391	Spindle
2500684	Roller Bearing
553568	Bushing
▲ 1004000	Wheel & Tire, Gray
3003210	Shaft, Caster Wheel

Pneumatic Caster Wheel Accessory for 60" Deck

Part No.	Description
131799	Spindle (Rear Discharge)
2500197	Spindle (Side Discharge)
▲ 1003999	Wheel and Tire, Gray
360111	Valve Stem
▲ 551437	Stopwasher
551438	Roller Bearing
▲ 551439	Seal
▲ 551440	End Cap
551436	Tire, 9 x 3.5 x 4
2500643	Rim, White
3003209	Shaft, Caster Wheel

Solid Caster Wheel Accessory for 60" Deck

Part No.	Description
131177	Spindle (Rear Discharge)
130971	Spindle (Side Discharge)
1003998	Wheel and Tire, Gray
▲ 553720	Bushing
2500685	Roller Bearing
3003208	Shaft, Caster Wheel



Deck Parts

Part No.	Description
2196167.2	Caster Wheel Yoke
▲ 2722233	Caster Wheel
148049	Caster Wheel Tire
2722228-03	Caster Wheel Bearings
▲ 2722230-01	Caster Wheel Spacer Bushing
▲ 64163-22	Spacer 1/2", HOC
▲ 64163-07	Spacer 1/4", HOC
▲ 4131977	Blade Spindle Assembly
▲ 38348-01	Spindle Bearings
▲ 198027	Spindle Pulley, 6"
▲ 33049-05	Blade Bolt
▲ 64209-03	Blade Bolt Spring Washer
▲ 64025-16	Nut, Blade Bolt
2198121	Belt (Use on 60" decks)
198037	Belt (Use on 63" decks)
▲ 2720948	Belt (Use on 72" decks)

Blades

Part No.	Description
▲ 112243-03	60" Rear Discharge Deck 21"
▲ 112111-05	63" Side Discharge Deck 22"
▲ 112243-04	72" Side Discharge Deck 25"
▲ 112111-04	72" Side Discharge Deck 25" High Lift
▲ 2192502-01	60" Envirodeck - Upper Blade
112243-03	60" Envirodeck - Lower Blade
▲ 2192502-02	72" Envirodeck - Upper Blade
112243-04	72" Envirodeck - Lower Blade

3 required per deck

Filters

Part No.	Description
▲ 557759	Engine Oil
▲ 5000919	Engine Air
▲ 5001182	Engine Fuel - Inline
▲ 2721539-01	Engine Fuel
▲ 178025	Hydraulic (946713 & 714 Hydraulic Drive)
118017	Hydraulic (946718 & 719 Hydraulic Drive)

Other Parts

Part No.	Description
2721526	Air Cleaner Hose
2721511	Radiator Hose - Upper
2721519	Radiator Hose - Lower
4174684	Switch, PTO
2198209-01	Tire - Rear 4wd
2198231-01	Tire - Rear 2wd
2198156-02	Tire - Front
5003192	Shoe Repair Kit (946713 & 714 Hydraulic Drive)
824573	Brake Shoe Kit (946718 & 719 G.B. Drive)
▲ 2198158	Belt - Traction Drive (946718 & 719 G.B. Drive)
▲ 548942	Pulley - Traction Drive (946718 & 719 G.B. Drive)



WARNING


Before you clean, adjust, or repair this equipment disengage all drives, lower implements to the ground, engage parking brake, stop engine, and remove key from ignition switch to prevent injuries.

Turfcat 600 Series



Maintenance and Lubrication Charts

1. Always clean the grease fitting before and after lubricating.
2. Lubricate with grease that meets or exceeds NLGI Grade 2 LB specifications. Apply grease with a manual grease gun and fill slowly until grease begins to seep out. Do not use compressed air guns.
3. Periodically apply a small amount of lithium based grease to the seat runners.
4. For smooth operation of all levers, pivot points and other friction points that are not shown on the lubrication chart apply several drops of SAE 30 oil every 40 hours or as required.
5. Grease fittings every 40 hours.



Recommended Service and Lubrication Intervals

	Every 8-10 Hours	Every 50 Hours	Every 100 Hours	Every 250 Hours	Every 400 Hours	Every 500 Hours	Every 1000 Hours	Yearly	Notes
Air Filter	I				R**			R	
Battery Charge			I						
Belts (Alternator and Deck)	I-A*		I-A			R			
Brake		I-A*		A					
Cooling System	I-C-A							R	
Electrical System		I*		I					
Engine Oil (Diesel)	I	R*	R						
Engine Oil Filter		R*	R						
Fuel System		I						C****	
Fuel Filter					R				
Fuel Water Separator	I								
Grease Fittings - All		L							
Hydraulic Hoses and Tubes	I***			I					
Hydraulic Oil	I-A				R				
Hydraulic Oil Filter	I			R					
Interlock System	I-A								
Muffler and Exhaust	I			I					
Radiator Screens	I-C/AR								
Tires	I-A								

A - Add or Adjust C - Clean I - Inspect L - Lubricate R - Replace AR - As Required

* Indicates initial service for new machines.

** Sooner for dirty operating conditions.

*** Inspect visible hoses and tubes for leaks or oil marks.

**** Drain and clean fuel tank.

See Jacobsen Filters and Fluids Section for specific part number information.

HR 4600



Cutting Deck

Part No.	Description
1003403	Spindle, Caster Wheel, Swiveling
▲ 1003999	Caster Wheel Assembly, Swiveling
2811831	Caster Wheel Assembly, Non-Swiveling
▲ 5003763	Deck Motor Seal Kit
PL7540	Wheel, Anti Scalp
2811854	Spindle, Caster Wheel, Non-Swiveling
400410	Screw (Left Wing & Rear)
▲ 401237	Screw (Right Wing)
▲ 3007764	Washer, Blade

Filters

Part Nos.	Description
▲ 5000919	Air Filter
▲ 557759	Engine Oil Filter
▲ 2811255	Charge Hydraulic Filter
▲ 557772	Return Hydraulic Filter
▲ 2500809	Fuel Filter

Blades

Part No.	Description
▲ 3010550	Bar, Rotary Blade (LH & Rear) (4 required)
▲ 3010551	Bar, Rotary Blade (RH) (2 required)
3008388	Blade Adapter

Caster Wheel Assembly (1003999)

Part No.	Description
▲ 551440	Cap End
▲ 551439	Seal
551438	Bearings
▲ 551437	Stop Washers

Caster Wheel Assembly (2811831)

Part No.	Description
▲ 500534	Bearing Kit
▲ 346883	Side Bushing
5003197	Seal
2811850	Bushing

Other Parts

Part No.	Description
3006632	Radiator Hose - Upper
2810158	Radiator Hose - Lower
3006634	Air Cleaner Hose to Engine
1002954	Joystick
2809790	Handle, Replacement
366292	Front Tires
3006981	Rear Tires
▲ 4174241	Throttle Cable
365943	Gauge, Fuel
3005121	Water Temp.
▲ 2811488	Ignition Switch
4174684	Switch, PTO
4117230	Replacement Kit, PTO Switch
503308	Disk Brake, RH
2500722	Disk Brake, LH



Cutting Deck

Part No.	Description
▲ 1001885	Blade Adapter
400410	Screw, 1/2-13 x 1-3/4 (Blade to Motor)
▲ 446154	Lockwasher, 1/2 Hvy
▲ 400264	Screw, 3/8-16 x 1-1/4 (Blade to Adapter)
▲ 446142	Lockwasher, 3/8 Hvy
▲ 443110	Nut, 3/8-16
4113678	Deck Height Guide Repair Kit
▲ 5002583	Caster Wheel Bearing
▲ 553720	Caster Wheel Bearing Flanged
▲ 365772	HOC Spacers
▲ 366593	HOC Spacers
▲ 131717	Caster Wheel Yoke
▲ 366562	Anti-Scalp Wheel
▲ 163425	Anti-Scalp Roller Front Deck
▲ 557376	Motor Guard Disk - Nylon
▲ 5002714	Bottom Seal & O-Rings
503223	Top End Overhaul Kit
▲ 557519	Complete Overhaul Seal Kit

Filters

Part Nos.	Description
▲ 4113986	Engine Oil
▲ 555771	Hydraulic Oil - Return
▲ 2811255	Hydraulic Oil - Charge
▲ 549633	Air
▲ 557619	Fuel

Blades

Part No.	Description
▲ 391039	Cutter Blade, CW (4 required)
▲ 391040	Cutter Blade, CCW (3 required)
3009847	High Lift Cutter Blade, CW (4 required)
3009847	High Lift Cutter Blade, CCW (3 required)

Other Parts

Part No.	Description
148049	Tire, Caster Wheel
366310	Tire, 23 x 10.5-12, Steering
366292	Tire, 26 x 12-12, Drive
5002503	Switch, Ignition
5000039	Ignition Key
▲ 162723	Hourmeter
162721	Voltmeter
3005121	Water Temperature Gauge
557381	Belt, Fan
365943	Fuel Gauge
339027	Tachometer
4122175	Steering Arm Kit
▲ 366566	Cable, Transport Release
▲ 365963	Relay

Preventative Maintenance Service Tip

For optimum cutting quality and fuel economy, always maintain sharp, balanced cutting blades. Sharpen blades every 6-8 hours of operation or more frequently in sandy conditions.

To maximize engine life, thoroughly clean the radiator and add a 50/50 coolant/water mixture as required. Check oil daily. Change oil, oil filter and air filter every 250 hours.

R-311



Cutting Deck

Part No.	Description
▲ 1001885	Blade Adapter
400410	Screw, 1/2-13 x 1-3/4 (Blade to Motor)
▲ 446154	Lockwasher, 1/2 Hvy
▲ 400264	Screw, 3/8-16 x 1-1/4 (Blade to Adapter)
▲ 446142	Lockwasher, 3/8 Hvy
▲ 443110	Nut, 3/8-16
4187500	Caster Wheel Bearing & Bushing
▲ 365772	Spacer, Cutting Height
▲ 366593	Spacer, Caster Wheel
▲ 131717	Caster Wheel Yoke
4185640	Caster Wheel, 11 x 4 x 5
▲ 3004894	Pin, Klick Type
▲ 366562	Anti-Scalp Wheel
▲ 367140	Spacer, Wheel
▲ 163425	Anti Scalp Roller Front Deck

Filters

Part Nos.	Description
▲ 4113986	Engine Oil
▲ 555771	Hydraulic Oil - Return
▲ 2811255	Hydraulic Oil - Charge
▲ 549633	Air
▲ 557619	Fuel

Blades

Part No.	Description
▲ 4186582	Cutter Blade, CW (3 required)
▲ 4186581	Cutter Blade, CCW (4 required)

Other Parts

Part No.	Description
2811453	Care Free Tire Kit
4194160	Light Kit
148049	Tire, 11 x 4 - 5NHS 4 Ply
366310	Tire, 23 x 10.5-12, Steering
366292	Tire, 26 x 12-12, Drive
5002503	Switch, Ignition
5000039	Ignition Key
▲ 162723	Hourmeter
162721	Voltmeter
3005121	Water Temperature Gauge
3001372	Switch, PTO
4134323	Belt, Fan Used on engines with 3-7/8 in. (99 mm) fan pulley.
4202300	Belt, Fan Used on engines with 4-11/16 in. (119 mm) fan pulley.
500562	Cross Kit
4212820	Latch Overcenter
366566	Cable, Deck Latch
365963	Relay

Preventative Maintenance Service Tip

For optimum cutting quality and fuel economy, always maintain sharp, balanced cutting blades. Sharpen blades every 6-8 hours of operation or more frequently in sandy conditions.

To maximize engine life, thoroughly clean the radiator and add a 50/50 coolant/water mixture as required. Check oil daily. Change oil, oil filter and air filter every 250 hours.

Maintenance and Lubrication Charts




WARNING

Before you clean, adjust, or repair this equipment disengage all drives, lower implements to the ground, engage parking brake, stop engine, and remove key from ignition switch to prevent injuries.

1. Always clean the grease fitting before and after lubricating.

2. Lubricate with grease that meets or exceeds NLGI Grade 2 LB specifications. Apply grease with a manual grease gun and fill slowly until grease begins to seep out. Do not use compressed air guns.
3. Periodically apply a small amount of lithium based grease to the seat runners.
4. For smooth operation of all levers, pivot points and other friction points that are not shown on the lubrication chart apply several drops of SAE 30 oil every 40 hours or as required.
5. Grease fittings every 25 hours.



Description

- A** Front mower arm pivot
B Front lift cylinders
C Wing mower arm pivot
D Wing mower lift cylinders
E Caster Wheels
F Caster Arms
G Deck Pivot Housing

Fittings

- (2)
(4)
(2)
(4)
(10)
(8)
(8)

- H** Steering Axle Spindle Housing (2)
I Steering Axle Pivot (1)
J Steering Axle Ball Joints (4)
K Brake Pedal Pivot (1)
L Pump Drive Shaft Crosses (2)
M Pump Drive Shaft Spline (2)
N Axle Drive Shaft Crosses (2)
O Axle Drive Shaft Spline (1)

Recommended Service and Lubrication Intervals

	Every 8-10 Hours	Every 25 Hours	Every 100 Hours	Every 250 Hours	Every 400 Hours	Every 500 Hours	Every 1000 Hours	Yearly	Notes
Air Filter (Cab)	I			R					
Air Filter (Engine)	I							R****	
Battery Charge		I							
Belts	I-A*	I-A				R			
Brake		I-A	A						
Cooling System	I-C-A							R	
Electrical System		I*	I						
Engine Oil	I	R*	R						
Engine Oil Filter		R*	R						
Front Axle	I-A							R	
Fuel System		I							
Fuel Filter								R	
Grease Fittings - All	L	L	L			L			
Hydraulic Hoses and Tubes	I***			I					
Hydraulic Oil	I-A			R**					
Hydraulic Oil Filter (2)		R*		R****					
Muffler and Exhaust		I							
Radiator Screens	I-C/AR								
Tires	I-A	A							

A - Add or Adjust C - Clean I - Inspect L- Lubricate R - Replace AR - As Required

* Indicates initial service for new machines.

** Or every two years whichever comes first.

*** Inspect visible hoses and tubes for leaks or oil marks.

**** Or when service indicator light comes on.



Other Parts

Part No.	Description
008233156	Fuse, 5 Amp
008233164	Fuse, 10 Amp
008233180	Fuse, 20 Amp
008233370	Fuse, Strip Link
▲ 178013	Brake Bands
2218067	Air Intake Hose to Engine
2218044	Radiator Hose - Upper
2218045	Radiator Hose - Lower
148057-06	Throttle Cable
▲ 2208036	Switch, Proximity

Cutting Deck Parts

Part No.	Description
148070	Spindle Bearings
008162670	Caster Wheels - Wing Deck
008162700	Caster Wheels - Front Deck
002090590	Caster Wheel Service Kit - Front Deck
002090600	Caster Wheel Service Kit - Wing Deck
▲ 2198153	Anti-Scalp Rollers - Front Deck
▲ 178145	Belt - Wing Deck
▲ 178121	Belt - Front Deck
001009770	Blade Bolts
▲ 64209-03	Blade Bolt Spring Washer
2218152-02	Motor Spindle Assembly


Filters

Part No.	Description
2208174	Engine Oil
▲ 5000919	Engine Air
▲ 825619	Engine Fuel
2198290	Engine Fuel
4132247	Engine Fuel
▲ 178025	Hydraulic Suction Filters

Blades

Part No.	Description
▲ 112243-03	Blades (7 required)

HR-6010



Cutting Deck Parts

Part No.	Description
148070	Spindle Bearings
4127120	Caster Wheels - Wing Deck
4138579	Caster Wheels - Front Deck
002090590	Caster Wheel Service Kit - Front Deck
002090600	Caster Wheel Service Kit - Wing Deck
▲ 2198153	Anti-Scalp Rollers - Front Deck
▲ 178145	Belt - Wing Deck
▲ 178121	Belt - Front Deck
001009770	Blade Bolts
▲ 64209-03	Blade Bolt Spring Washer
2218152-02	Motor Spindle Assembly

Blades

Part No.	Description
▲ 112243-03	Blades (7 required)

Part No. LMAC 135 -- Light Kit

Filters

Part No.	Description
2208174	Engine Oil
▲ 4133820	Engine Air
▲ 5001182	Engine Fuel - Inline
▲ 178025	Hydraulic Suction Filter
008089620	Hydraulic Charge Filter
26560017	Fuel Filter (order from Perkins)


Other Parts

Part No.	Description
008233164	Fuse, 10 Amp
008233180	Fuse, 20 Amp
008233370	Fusible Link
008296040	Water Temperature Switch
4124743	Air Intake Hose to Engine
4131343	Air Cleaner Hose - Pipes
4124737	Air Cleaner Hose - Elbow
2218044	Radiator Hose - Upper
2218045	Radiator Hose - Lower
148057-06	Throttle Cable

Maintenance and Lubrication Charts

Black bullet points are operator checks and white bullet points are workshop maintenance procedures							
	First 50 hours	Daily	Every 50 hours	Every 250 hours	Every 400 hours	Every 600 hours	End of Season
ENGINE (Service As Per Engine Manual)							
Check/Top-up Oil Level		●					
Change Oil	●			●			●
Clean Air Filter Element & Particle Collector			●				
Change Air Filter Element					●		●
Change Oil Filter Cartridge	●			●			●
Replace Fuel Filters					●		●
MACHINE							
Check transmission pedal movement for free operation		●					
Check Interlock System		●					
Check/Top-up Coolant Level		●					
Check Tyre Pressure		●					
Check/Top-up Hydraulic Fluid		●					
Check/Clean & Remove Grass from Engine Compartment, Pump Compartment, Bug Screen & Radiator		●					
Check Nuts & Bolts For Tightness			●				
Check Hydraulic Fittings For Tightness			●				
Check Rear Wheel Toe-in					●		
Check Battery Condition			●				
Check Fan Belt Tension	●		●				
Change Hydraulic Oil & Filter							●
Drain & Clean Fuel Tank						●	●
Drain & Flush Cooling System						●	
*Service more often in dirty conditions							
Lubricate the Grease Fittings with Shell Darina R2 grease weekly (SEE CHART)							

HR-6010



● Lubricate every 40 working hours at arrows

1. Caster Pivot.
2. Wheel Bearing.
3. Lift Arm.
4. Rear Axle Pivot.
5. Stub Axle Pivot.
6. Steering Ball Joints.
7. Deck Pulley's.

FLUID REQUIREMENTS		
	QUANTITY	TYPE
ENGINE OIL (with filter)	22.4 US pints	10W 30 (SE/SF/SG)
HYDRAULIC OIL (with filter)	9.77 US gals	Shell Tellus 46
RADIATOR COOLANT	11.62 US pints	50% ANTI-FREEZE



Cutting Deck

Part No.	Description
▲ 3003939	Deck Wheel (Front)
163302	Deck Roller (Front)
552824	Roller Bushing (Front)
▲ 1004023	Wheel & Tire (Wing Decks)
▲ 1004024	Wheel & Tire (Front Decks)
4175101	Motor Spindle Assembly (70524 & 70525)
4214320	Motor Spindle Assembly (70524 & 70525)
▲ 5003197	Caster Wheel Seal
▲ 500534	Castor Wheel Bearing
▲ 346883	Castor Wheel Spacer
▲ 5003199	Caster Wheel Yoke Spacer (1004023)
5003202	Caster Wheel Yoke Spacer (1004024)

Blades

Part No.	Description
3008388	Adapter, Blade
▲ 3007759	Blade, High Lift (11 required)
▲ 2810030	Blade Standard (11 required)

Engine Parts (Detroit D704LTE.13A) (70522, 70523, 7052401811 & Below, 7052502070 & Below)

Part No.	Description
5003207	Engine Oil Filter
5003212	Fuel Filter
3008626	Radiator Hose - Upper
3008625	Radiator Hose - Lower
3009271	Air Cleaner Hose
5003211	Fan Belt
5003689	Alternator Belt

Engine Conversion Kit

Part No.	Description
4139134	Conversion from Detroit Engine to Kubota Engine

Engine Parts (Detroit D704LTE2.13A) (7052401812 & Up, 7052502071 & Up)

Part No.	Description
41152002A	Engine Oil Filter (order from Detroit Diesel)
5003212	Fuel Filter
4135791	Radiator Hose - Upper
3008625	Radiator Hose - Lower
3009271	Air Cleaner Hose
46510638F	Fan Belt (order from Detroit Diesel)

Engine Parts (Kubota V3300DI-T-E2B) (70528, 70529 & 70530)

Part No.	Description
4137894	Engine Oil Filter
▲ 557619	Engine Fuel Filter
4132168	Radiator Hose - Upper
4132169	Radiator Hose - Lower
4132211	Air Cleaner Hose
4138120	Fan Belt

Filters

Part No.	Description
▲ 5003370	Air Cleaner
▲ 5003691	Hydraulic Charge Filter
▲ 5002693	Hydraulic Return Filter

Other Parts

Part No.	Description
1004252	Throttle Cable (Detroit)
4136191	Throttle Cable (Kubota)
▲ 5002503	Ignition Switch (Detroit)
▲ 2810269	Ignition Switch (Kubota)
3005121	Gauge, Water Temp.
365943	Gauge, Fuel Level
▲ 162723	Hour Meter
5003522	Tie Rod
5003641	Front Brake Shoe Kit
5003419	Tire, Rear
5003421	Tire, Front
▲ 3000359	Breaker, 50 Amp
▲ 3001307	Relay
4140149	Switch, Proximity
5003281	Fuse, 15 Amp
5003278	Fuse, 5 Amp
4103163	Brake Cable-Right
4103161	Brake Cable-Left
▲ 554663	Drive Shaft Cross Kit (Kubota)
5003157	Drive Shaft Cross Kit (Detroit)

HR 9016



Maintenance and Lubrication Charts

- For smooth operation of pivot points and other friction points, apply several drops of SAE 30 oil every 50 hours or as required.

- Remove wheels and repack bearings once a year

Recommended Service and Lubrication Intervals

	Daily Before Starting	Every 25 Hours	Every 50 Hours	Every 100 Hours	Every 250 Hours	Every Year	Notes
Air Cleaner Indicator	I						
Air Cleaner Element	R-AR	R-AR	R-AR	R-AR	R-AR	R	
Battery				I-C		I-C	
Caster Wheel Bearings		A*		L		I-A	
Engine Fan Belt		I*		I-A			
Engine Oil	I-A	R*			R		
Engine Oil Filter		R*			R		
Fuel Filter						R	
Drain Water from Fuel Filter				C			
Grease Fittings - F1			L				
Grease Fittings - F2				L			
Hydraulic Fluid	I-A					R	
Hydraulic Fluid Filters	R-AR	R-AR	R-AR	R-AR	R-AR	R	
Oil Cooler	I-C***						
Parking Brake			I-A*		A		
Radiator Screen	I-C						
Radiator Coolant	I-A					R	
Steering Assist Brakes			I-A*		A		
Tires	I****					I-A	

A - Add or Adjust C - Clean I - Inspect L - Lubricate R - Replace AR - As Required

* Indicates initial service for new machines


** See Engine Manual

*** Clean as Required

**** Check lug bolt torque daily for first 100 hours of operation

See Jacobsen Filters and Fluids Section for specific part number information

Maintenance and Lubrication Charts



HR014

Grease Fitting Locations

F1 - 50 Hours (Every Week)		Qty	F2 - 150 Hours		Qty
1	Caster Spindles	(10)	13	Drive Shaft U-Joint	(2)
2	Caster Wheel Axles	(10)	14	Drive Shaft Slip Joint	(1)
3	Gauge Wheel Axles	(2)	15	Return Canister Pivot	(6)
4	Lift Cylinder - Front Deck	(4)			
5	Lift Arm - Front Deck	(2)			
6	Side Deck Pivots	(6)			
7	Steering Cylinder	(2)			
8	Tie Rod	(2)			
9	Axle Pivot	(1)			
10	Wheel Pivot	(2)			
11	Lift Arm - Side Deck	(2)			
12	Lift Cylinder - Side Deck	(4)			

AR-3



Cutting Deck

Part No.	Description
▲ 4124066	Caster Wheel Yokes
4173922	Caster Wheels
▲ 4134967	Caster Wheel Bearings (For Caster Wheel 4131904)
4134968	Caster Wheel Bushing (For Caster Wheel 4131904)
4173923	Caster Wheel Bearing (For Caster Wheel 4173922)
4129639	Blades, Mulching
▲ 4127296	Caster Wheel Spacer
▲ PJH1054	HOC Spacer
4117807	HOC Spacer
365948	HOC Pin
▲ 3004894	Caster Yoke Pin
▲ 4124076	Caster Yoke Washer
4153038	Roller Assembly 4"
4163083	Roller Assembly 3"
3008388	Adapter Blade
557523	Key
3007764	Washer, Blade
▲ 401237	Screw
503378	Roller Bearings
3010210	Roller Seals
367029	Roller Locknut
461339	Roller Pin
361723	Bumper Stop
4137534	Roller Sleeve
2198153	Roller
400410	Screw
4175100	Deck Motor - CW Rotation
4138728	Deck Motor - CCW Rotation

Filters

Part No.	Description
▲ 557759	Engine Oil
▲ 5000919	Engine Air
4136009	Engine Fuel
▲ 5001182	Engine Fuel - Inline
008089620	Filter Element

Blades New Deck Design CCW Rotation

Part No.	Description
4163101	Standard
4138725	Low Lift (Warm Season Grasses)
4139103	High Lift (Cool Season Grasses)

Blades Previous CW Rotation

Part No.	Description
▲ 4129639	Blade

Other Parts

Part No.	Description
4132751	Throttle Cable
008233370	Fusable Link, 40 amp
4133915	Coolant Tank Hose to Radiator
4133916	Coolant Tank Hose to Radiator
▲ 1004290	Joystick
4135850	Switch, Park Brake
4135851	Switch, PTO
4135852	Switch, Weight Transfer
4132119	Radiator Hose - Lower
4132109	Radiator Hose - Upper
4135927	Air Cleaner Hose to Engine
3003474	Grip - Pedal, Traction
3003475	Grip - Pedal, Traction

Use GreensCare™ 46
 5003104 - 5 Gallon Pail
 5003105 - 55 Gallon Drum

	Purpose	Part Number	Discharge Mode	Mulch Mode	Comments
Combo Blade		▲ 4163101	OEM Blade. Best cut quality	Best hiding of clippings for cool season grasses. Sometimes best blade for Bermuda	Standard blade shipped on product
Low Lift Blade	Downdraft blade for better processing of material	▲ 4138725	Generally best blade for Bermuda for clipping distribution	Generally best blade for Bermuda	Best blade to try if customer has complaint of patterns in grass or distribution
High Lift Blade		4139103	Use for very heavy conditions. Helps with distribution in cool season grass	Not Recommended	



Deck Parts

Part No.	Description
▲ 4121111	Caster Wheel
2722004	Caster Wheel Bearings
▲ 2203097	Caster Wheel Spacer
4136871	Caster Wheel Yoke
2722006	Caster Tire
2198192	Blade, Saddle - Envirodeck
4115430	Smooth Roller Assembly
▲ 338763	Seal, Roller - Inner
▲ 500534	Bearing
▲ 64209-06	Spring Washer, Roller
▲ 2203022	Sleeve, Roller
▲ 2208011-03	Seal, Roller - Outer
▲ 2202010	Shield, Roller
64123-211	Blade Bolt
▲ 64209-03	Blade Spring Washer
▲ 361723	Rubber Bumper

Filters

Part No.	Description
▲ 557759	Engine Oil
▲ 5000919	Engine Air
▲ 178078	Engine Fuel
4113531	Engine Fuel
▲ 5001182	Engine Fuel - Inline
▲ 178025	Hydraulic

Blades

Part No.	Description
▲ 2192502-03	Blade, Envirodeck - Upper
▲ 112243-05	Blade, Envirodeck - Lower
▲ 112111-05	Blade, Side Discharge Deck

Other Parts

Part No.	Description
5002573	Front Tire
▲ 178013	Brake Bands
2720725	Hose, Air Cleaner
178032-01	Rear Tire
2720594	Radiator Hose - Upper
2720702	Radiator Hose - Lower
148057-03	Throttle Cable
178092-21	Switch, PTO
2308094	Switch, Traction Control
▲ 108208	Switch, Parking Brake
▲ 158135-01	Switch, Seat
48524	Breaker, 40 Amp
64187-03	Wheel Nut 1/2-20
148082-05	Fuse, 5 Amp
836892	Fuse, 10 Amp
826000	Fuse, 20 Amp
833038	Fuse, 30 Amp
463027	Key for 148141-07
▲ 4134530	Coil on 4135586 Jumper
178105-01	Fuel Cap Key
▲ 2208018-01	Cable Scraper 656 LG
64220-01	Wheel Bolt
178105	Fuel Cap, Lockable

AR-5



Cutting Decks

Part No.	Description
▲ 4137659	Discharge Chute
4173922	Caster Wheels
▲ 4134967	Caster Wheel Bearings (For Caster Wheel 4131904)
▲ 4134968	Caster Wheel Bushing (For Caster Wheel 4131904)
▲ 4173923	Caster Wheel Bearing (For Caster Wheel 4173922)
▲ 4151882	Greasable Roller 4"
▲ 4124066	Caster Wheel Yoke
4117807	Spacer - HOC
▲ PJH1054	Spacer - HOC
400410	Blade Bolt
▲ 3007764	Blade Washer
▲ 3004894	Pin, Wheel Yoke
365948	Pin, HOC
▲ 503378	Roller Bearings
▲ 3010210	Roller Seals
▲ 367029	Roller Locknuts
▲ 2198153	Anti-Scalp Roller
▲ 4137534	Anti-Scalp Roller Sleeve
▲ 523126	Rear Deck Bumpers

Filters

Part No.	Description
▲ 4113986	Engine Oil
▲ 4133820	Engine Air - Primary
▲ 4133821	Engine Air - Safety
▲ 557619	Engine Fuel
▲ 555771	Hydraulic

Blades

Part No.	Description
▲ 4124087	Blades - Low Lift (5 required)
▲ 4137186	Blades - High Lift (5 required)
4163106	Blades - Standard, Combination (5 required)

Other Parts

Part No.	Description
4134323	Fan Belt
▲ 4174240	Throttle Cable
▲ 361439	Circuit Breaker, 50 Amp
4122840	Headlight
4123183	Headlight Bulb
5003282	Fuse, 20 Amp
4126082	Relay
▲ 4125831	Switch, Proximity
4120925	Radiator Hose - Upper
4120932	Radiator Hose - Lower
4118985	Brake Pads
4174684	Switch, PTO
▲ 1004290	Joystick
4120976	Air Cleaner Hose to Engine
836892	Fuse, 10 Amp

Use GreensCare™ 68

5003103 - 5 Gallon Pail

5003102 - 55 Gallon Drum



Other Parts

Part No.	Description
4134323	Fan Belt
▲ 4174240	Throttle Cable
▲ 361439	Circuit Breaker, 50 Amp
4122840	Headlight
4123183	Headlight Bulb
5003282	Fuse, 20 Amp
4126082	Relay
▲ 4125831	Switch, Neutral Proximity
4120925	Radiator Hose - Upper
4120932	Radiator Hose - Lower
4118985	Brake Pads
4174684	Switch, PTO
1004290	Joystick

Cutting Decks

Part No.	Description
4173922	Caster Wheels
▲ 4173923	Caster Wheel Bearing
4163121	Roller (3")
▲ 4124066	Caster Wheel Yoke
▲ PJH1054	Spacer - HOC
400410	Blade Bolt
▲ 3007764	Blade Washer
▲ 3004894	Pin, Wheel Yoke
365948	Pin, HOC
▲ 503378	Roller Bearings
▲ 3010210	Roller Seals
▲ 367029	Roller Locknuts
▲ 2198153	Anti-Scalp Roller
▲ 4137534	Anti-Scalp Roller Sleeve
523126	Rear Deck Bumpers
▲ 4163121	Greasable Roller

Use GreensCare™ 68
5003103 - 5 Gallon Pail
5003102 - 55 Gallon Drum

GreensCare™ Bio-Flush
4114701 - 5 Gallon Pail

Filters

Part No.	Description
▲ 4113986	Engine Oil
▲ 4133820	Engine Air - Primary
▲ 4133821	Engine Air - Safety
▲ 557619	Fuel Filter Element
▲ 555771	Hydraulic

Blades

Part No.	Description
4163106	Blades - Standard, Combination
▲ 4137186	Blades - High Lift, Optional (5 required)
▲ 4124087	Blades - Low Lift, Optional (5 required)

AR-522



Maintenance and Lubrication Charts



WARNING

Before you clean, adjust, or repair this equipment, disengage all drives, lower implements to the ground, engage parking brake, stop engine and remove key from ignition switch to prevent injuries.

1. Always clean grease fittings before and after lubrication.

- Lubricate with grease that meets or exceeds NLGI Grade 2 LB specifications. Apply grease with a manual grease gun and fill slowly until grease begins to seep out. Do not use compressed air.
- For smooth operation of pivot points and other friction points, apply several drops of SAE 30 oil every 50 hours or as required.
- Remove wheels and repack bearings once a year.

Recommended Service and Lubrication Intervals

	Every 8-10 Hours	Every 50 Hours	Every 100 Hours	Every 250 Hours	Every 400 Hours	Every 500 Hours	Every 1000 Hours	Yearly	Notes
Air Cleaner			AR					R	
Battery Charge			I****						
Belt	I-A*		I-A			R			
Brake		I-A*		A					
Cooling System	I-C-A							R	
Engine Oil	I	R*	R						
Engine Oil Filter		R*	R						
Fuel Lines and Clamps		I							
Fuel Filter					R				
Grease Fittings - F1		L							
Grease Fittings - F2			L						
Hydraulic Hoses and Tubes	I***			I					
Hydraulic Oil		I-A				R**			
Hydraulic Oil Filters		R*				R-AR			
Muffler and Exhaust				I					
Radiator Screens	I-C/AR								
Tires		I-A							
Steering System		I*		I-A					
Wheel Bearings								L	
Wiring		I*		I					

A - Add or Adjust C - Clean I - Inspect L- Lubricate R - Replace AR - As Required


* Indicates initial service for new machines.

** Or yearly, whichever comes first.

*** Inspect visible hoses and tubes for leaks or oil marks.

**** Inspect electrolyte level.

Maintenance and Lubrication Charts



Grease Fittings

F1 - 50 Hours (Every Week)

- 1 Mower Pivot (5)
- 2 Lift Arm Pivot (5)
- 3 Lift Cylinders (10)
- 4 Caster Pivot and Wheels (10)
- 5 Mower Rear Roller (10)
- 6 Brake Pedal Pivot
- 7 Traction Pedal Pivot
- 8 Ball Joint (2)
- 9 Steering Pivot (2)
- 10 Steering Cylinder (2)
- 11 Axle Pivot

F2 - 100 Hours

- 12 U-joint Driveshaft (3)



DuraTines (Premium)

Part No.	Description
4180561	1/4" Coring Tine, Side Eject, 1/2" O.D. (XLT)
4180562	1/4" Solid Tine, 1/2" O.D. (XL)
4180563	1/4" Solid Tine, 5/8" O.D. (XL)
4180564	3/8" Solid Tine, 5/8" O.D. (XL)
4180566	1/2" Top Eject Tine, 5/8" O.D. (XL)
4180567	1/2" Top Eject Tine, 5/8" O.D. (XLT)
4180571	5/8" Top Eject Tine, 3/4" O.D. (XL)
4180572	5/8" Top Eject Tine, 3/4" O.D. (XLT)
4180573	5/8" Solid Tine, 3/4" O.D. (XL)

Belts

Part No.	Description
4113435	Belt, 3V - Transport
4113436	Belt, 3V - Mechanism
▲ 4113437	Belt, 3V, 2 Rib - Mechanism

Aerator Parts OPC

Part No.	Description
▲ 521050	Boot
4113515	Throttle Cable Assembly
▲ 522639	Seal, Slide
▲ 2703133	Seal, Push Rod
4115939.7	Turf Guard (Standard)
4115972.7	Turf Guard (Optional Quad Tine)
▲ 545104	Core Deflector

Tine Holders Assembly

Part No.	Description
▲ 547860	Tine Holder 5/8" O.D. Tine (Standard)
▲ 547861	Tine Holder 3/4" O.D. Tine (Optional)
▲ 547849	Tine Holder 1/2" O.D. Tine

Original Tines

Part No.	Description
▲ 523864	1/4" Coring Tine 1/2" O.D. (Quint- Side Eject)
517486	1/4" Coring Tine 5/8" O.D.
517487	3/8" Coring Tine 5/8" O.D.
▲ 517488	1/2" Coring Tine 5/8" O.D.
▲ 517489	5/8" Coring Tine 3/4" O.D.
2702060	VenTine 5/8" O.D.

Accessories

Model	Description
■ 4116987	Coring - Quad Tine Kit
■ 4116986	Solid - Quad Tine Kit
■ 0544918	Windrow Attachment Accessory
■ 4116989	Turf Guard Less Tines

■ Order from whole goods

Aerator Parts

Part No.	Description
521859	Throttle Control
521050	Boot
522639	Seal, Slide
4115939.7	Turf Guard (Standard)
4115958.7	Turf Guard (Optional Quad Tine)
545104	Core Deflector

Tine Holders

Part No.	Description
523826.7	Holder, Tine 5/8"
523907.7	Holder, Tine 3/4"
■ 058231	Quad Tine Holder Kit for 1/2" Coring Tines

■ Order from whole goods

Use GreensCare™ 68

5003103 - 5 Gallon Pail

5003102 - 55 Gallon Drum

GreensCare™ Bio-Flush

4114701 - 5 Gallon Pail



Aerator Parts

Part No.	Description
830139	Switch, Traction Control
829754	Switch
▲ 158135-01	Switch, Seat
▲ 843167	Relay
547613	Brake Lining Kit
▲ 522887	Belt, 2V, Aerator Drive
360346	Tires
523126	Rubber Bumpers, Tine Arms
4116290.7	Three Finger Turf Guard (Standard)
4116292.7	Four Finger Turf Guard (Standard)
4117003.7	Five Finger Turf Guard (Optional Quint)
4117005.7	Seven Finger Turf Guard (Optional Quint)

Tine Holders

Part No.	Description
▲ 4116625.7	Tine Holder 7/8" O.D. Tine
▲ 4116255.7	Tine Holder 3/4" O.D. Tine (Standard)
4117122.7	Tine Holder 5/8" O.D. Tine
4116982.7	Tine Holder 1/2" O.D. Tine (Quint)

Use GreensCare™ 68
5003103 - 5 Gallon Pail
5003102 - 55 Gallon Drum

DuraTines (Premium)

Part No.	Description
4180561	1/4" Coring Tine, Side Eject, 1/2" O.D. (XLT)
4180562	1/4" Solid Tine, 1/2" O.D. (XL)
4180563	1/4" Solid Tine, 5/8" O.D. (XL)
4180564	3/8" Solid Tine, 5/8" O.D. (XL)
4180565	1/2" Side Eject Tine, 5/8" O.D. (XLT)
4180566	1/2" Top Eject Tine, 5/8" O.D. (XL)
4180567	1/2" Top Eject Tine, 5/8" O.D. (XLT)
4181740	1/2" Coring Tine, Top Eject, 3/4" O.D. (XL)
4180568	1/2" Solid Tine, 3/4" O.D. (XL)
4180569	5/8" Side Eject Tine, 3/4" O.D. (XL)
4180570	5/8" Side Eject Tine, 3/4" O.D. (XLT)
4180571	5/8" Top Eject Tine, 3/4" O.D., 4.28" long (XL)
4180572	5/8" Top Eject Tine, 3/4" O.D., 4.28" long (XLT)
4180574	5/8" Top Eject Tine, 3/4" O.D., 5.53" long (XL)
4180575	5/8" Top Eject Tine, 3/4" O.D., 5.53" long (XLT)
4180573	5/8" Solid Tine, 3/4" O.D. (XL)
4180576	3/4" Solid Tine, 3/4" O.D. (XL)


Original Tines

Part No.	Description
▲ 523864	1/4" Coring Tine 1/2" O.D. (Quint- Side Eject)
517486	1/4" Coring Tine 5/8" O.D.
517487	3/8" Coring Tine 5/8" O.D.
▲ 517488	1/2" Coring Tine 5/8" O.D.
523421	3/8" Coring Tine 3/4" O.D.
▲ 523472	1/2" Coring Tine 3/4" O.D.
▲ 517489	5/8" Coring Tine 3/4" O.D.
▲ 523028	5/8" Coring Tine 3/4" O.D. (Standard)
523273	3/4" Coring Tine 3/4" O.D.
▲ 834973	3/4" Coring Tine 3/4" O.D. (Side Eject)
2703529	VenTine 3/4" O.D.

Filters

Part No.	Description
842513	Engine -Air
842502	Engine - Oil
▲ 108046	Hydraulic
842504	Fuel
821814	Fuel

GreensAire 60 (544913 - Engine Model) (544914 - PTO Model)



PTO Model Shown





AERATORS

Aerator Parts

Part No.	Description
821814	Fuel Filter (Engine Model 544913)
▲ 5000913	Air Filter (Engine Model 544913)
▲ 833438	Oil Filter (Engine Model 544913)
835825	Spark Plug (Engine Model 544913)
888587	Points, Ignition (Engine Model 544913)
▲ 888588	Rotor, Ignition (Engine Model 544913)
835063	Drive Belt (Engine Model 544913)
▲ 888348	Release Bearing, Clutch (Engine Model 544913)
888564	Pressure Plate, Clutch (Engine Model 544913)
522973	Idler Pulley (Engine Model 544913)
836975	Thermostat (Engine Model 544913)
835062	Fan Belt (Engine Model 544913)
893288	Governor (Engine Model 544913)
2701420	Drive Belt (PTO Model 544914)

Parts Common to Both Models

Part No.	Description
891956	Chain, #50 Sealed 69 Links
522123	Chain Connector #50 Sealed
523248	Chain Lubricant
523126	Rubber Bumpers
835567	Rubber Bumpers
▲ 4116507.7	Turf Guard (Standard)
4116983.7	Turf Guard (Quint Tine 21 Finger)
836729	Disc, Slip Clutch
836820	Wear Plates, Slip Clutch
818020	Springs, Slip Clutch




Tine Holders

Part No.	Description
4116625.7	Tine Holder 7/8" O.D. Tine (Standard)
4116255.7	Tine Holder 3/4" O.D. Tine
4117122.7	Tine Holder 5/8" O.D. Tine
4116982.7	Tine Holder 1/2" O.D. Tine (Quint)



GreensAire 60 Tines



523863
(1/2" o.d.)



523995
(5/8" o.d.)



523864
(1/2" o.d.)



523421
(3/4" o.d.)



834973
(7/8" o.d.)



838323
(3/4" o.d.)



2703529
(3/4" o.d.)


Original Tines

Part No.	Description
▲ 523863	1/4" Solid Tine 1/2" O.D (Quint)
▲ 523864	1/4" Coring Tine 1/2" O.D. (Quint- Side Eject)
523995	1/2" Coring Tine 5/8" O.D. (H.D.)
517486	1/4" Coring Tine 5/8" O.D.
517487	3/8" Coring Tine 5/8" O.D.
▲ 517488	1/2" Coring Tine 5/8" O.D.
547132	1/2" Coring Tine 5/8" O.D. (Carbide Tip)
523421	3/8" Coring Tine 3/4" O.D.
838323	1/2" Solid Tine 3/4" O.D.
▲ 523472	1/2" Coring Tine 3/4" O.D.
▲ 517489	5/8" Coring Tine 3/4" O.D.
▲ 523028	5/8" Coring Tine 3/4" O.D.
523273	3/4" Coring Tine 3/4" O.D.
▲ 834973	3/4" Coring Tine 7/8" O.D. (Standard Side Eject)
2703529	VenTine 3/4" O.D. x 6.00"
2702060	VenTine 3/4" O.D. x 6.00"

DuraTines (Premium)

Part No.	Description
4180561	1/4" Coring Tine, Side Eject, 1/2" O.D. (XLT)
4180562	1/4" Solid Tine, 1/2" O.D. (XL)
4180563	1/4" Solid Tine, 5/8" O.D. (XL)
4180564	3/8" Solid Tine, 5/8" O.D. (XL)
4181740	1/2" Coring Tine, Top Eject, 3/4" O.D. (XL)
4180568	1/2" Solid Tine, 3/4" O.D. (XL)
4180573	5/8" Solid Tine, 3/4" O.D. (XL)
4180576	3/4" Solid Tine, 3/4" O.D. (XL)

Tines & Blade PerformAire 60 & 80



Aerator Parts

Part No.	Description
4162069	Spring Assembly
4162071	Camber Bracket Assembly
4162098	Dowel Pin Bullets, 1/2"
4162061	Wrist Pin Short
4162066	Tine Bolt Large
4162068	Spring Wire, Tine End
4162074	Spring Wire, Hinge End
4162065	Front Spring Holder
4162053	Rear Spring Post
4162073	Bumper Pad

Part No.	Description
4162302	Solid Tine 5/16 x 8-1/2"
4162303	Solid Tine 5/16 x 10"
4162306	Solid Tine 1/2 x 10"
4162307	Solid Tine 1/2 x 14-1/4"
4162308	Solid Tine 1/2 x 16-1/4"
4162309	Solid Tine 3/4 x 12-9/16"
4162310	Solid Tine 3/4 x 14-1/2"
4162311	Solid Tine 3/4 x 16-1/2"
4162312	Solid Tine 7/8 x 13-3/4"
4162314	Solid Tine 5/16 x 8-1/2"
4162317	Coring Shank, 18mm x 1-7/8" for 1-1/4"
4162319	Coring Shank, 18mm x 2" for 1" Tube"
4162320	Coring Shank, 12mm x 1-7/8" for 3/4"
4162321	Coring Shank, 12mm x 2" for 3/4" Tube
4162323	Coring Shank, 12mm x 2" for 5/8" Tube
4162327	Coring Tine Asm. 5/8 x 7"
4162329	Coring Tine Asm. 3/4 x 7"
4162330	Coring Tine Asm. 1-1/4 x 8"
4162333	Coring Tine Asm. 3/4 x 10"
4162334	Coring Tine Asm. 3/4 x 10"
4162335	Coring Tine Asm. 1 x 10"
4162336	Coring Tine Asm. 1 x 10"
4162337	Coring Tine Asm. 1-1/4 x 12"
4164080	Coring Tine Asm. 3/4 x 10" Heavy Wall
4164095	Slicer Blade
4165189	Coring Tine Tube 5/8 x 7"
4165190	Coring Tine Tube 3/4 x 7"
4165191	Coring Tine Tube 1-1/4 x 8"
4165192	Coring Tine Tube 3/4 x 10"
4165193	Coring Tine Tube 1 x 10" Standard Wall
4165194	Coring Tine Tube 1 x 10" Heavy Wall
4165195	Coring Tine Tube 1-1/4 x 12"
4165196	Coring Tine Roll Pin 1"
4165197	Coring Tine Roll Pin 1-1/4"
4165198	Coring Tine Roll Pin - 5/8"
4165199	Coring Tine Roll Pin - 3/4"

Turf-Truckster



Turf-Truckster Suzuki Engine

Part No.	Description
▲ 4115404	Belt, Power Steering
4115407	Belt, Governor/Hydraulic Pump
▲ 2701908	Oil Filter
▲ 4120026	Belt, Water Pump/Alternator
2198280	Air Filter
▲ 2701898	Fuel Filter
4119606	Spark Plug, NGK
2701832	Spark Plug, Denso
885249	Filter Element
4115406	Belt, Hyd. Pump and Governor
5000913	Air Filter Element
● 4139265	Belt, Alternator/Power Steering
● 4139351	Belt, Governor/Hydraulic Pump
4139726	Tool, Suzuki K6 Valve Adjustment

● For Models 84056, 84057, and 84061

Turf-Truckster Kubota Engine

Part No.	Description
4117092	Belt, Hydraulic Pump
▲ 5000919	Element, Air Cleaner
▲ 550489	Element, Fuel Filter
▲ 557759	Filter, Oil
4175560	Belt, Alternator/Power Steering
4177260	Plug, Drain
2500811	Gasket, Drain Plug

Turf-Truckster 327 Engine

Part No.	Description
▲ 522200	Filter, Hydraulic Oil
821814	Element, Filter Fuel
826000	Fuse, 20 AMP
▲ 5000919	Element, Air Filter
▲ 841027	Belt, Hyd Pump & Alternator
▲ 833438	Element, Oil Filter
835825	Spark Plug
888587	Points, Ignition
▲ 888588	Rotor, Ignition

Turf-Truckster Perkins Engine

Part No.	Description
600997	Belt, Alternator/Power Steering
▲ 841966	Belt, Hydraulic Pump
▲ 5000913	Element, Air Cleaner
▲ 2208175	Fuel Filter
2198280	Oil Filter
885249	Filter Element

Maintenance and Lubrication Charts




WARNING

Before you clean, adjust, or repair this equipment, disengage all drives, lower implements to the ground, engage parking brake, stop engine and remove key from ignition switch to prevent injuries

1. Always clean the grease fitting before and after lubricating.

2. Lubricate with grease that meets or exceeds NLGI Grade 2 LB specifications. Apply grease with a manual grease gun and fill slowly until grease begins to seep out. *Do not use compressed air guns.*
3. For smooth operation of all levers, pivot points and other friction points that are not shown on the lubrication chart apply several drops of SAE 30 oil every 40 hours or as necessary.
4. Grease fittings every 100 hours. Do not over grease drive shaft fittings **(A)**. Too much grease will damage the seals.

Fitting	Description	Qty
A	Drive Shaft	2
B	Upper Ball Joints	2
C	Lower Ball Joints	2
D	Tie Rod Ends	4



Recommended Service and Lubrication Intervals

	Daily	First 35 Hours	Every 75 Hours or 2 Months	Every 100 Hours or 3 Months	Every 200 Hours or 6 Months	Every 400 Hours or 9 Months	Every 600 Hours or 12 Months	Notes
Air Filter					R**			
Alternator							I	
Battery			I				C	
Belts	I-A*			I-A			I-A	
Brake Fluid				I-A				
Brake Linings		I-A*		I-A			I-A	
Clutch				I-A				
Cooling System	I-C-A				I	R		
Differential Fluid				I-R*			R	
Electrical System		I*		I				
Engine Glow Plugs							I	
Engine Idle Speed		I*					I	
Engine Noise / Vibration	I							
Engine Oil (Suzuki)	I	R*****		R**				
Engine Oil Filter (Suzuki)	I	R*****		R**				
Engine Oil (Kubota)	I	R*	R**					
Engine Oil Filter (Kubota)	I	R*	R**					
Engine Valve Clearance		I****				I****		
Fluid Leaks	I-R							
Fuel System		I*					I	
Fuel Filter				R				
Fuel Water Separator (Diesel Only)	I-C							
Governor Fluid				I-A				
Hydraulic Filter							R	
Hydraulic Fluid				I-A			R	
Injection Pump / Timing							I	
Lubricate Chassis				L			L	
Muffler and Exhaust	I			I				
Radiator Screens	I-C/AR							
Power Steering Fluid		I*		I				
Spark Plugs (Gas only)							C-A-R	
Starter Motor Brushes							I	
Tires	I	I-A						
Transmission Fluid (Manual Transmission)				I			R	
Transmission Fluid (Automatic Transmission)				I			R	
Wheel Bearings							Repack	

A - Add or Adjust C - Clean I - Inspect L - Lubricate R - Repair or Replace AR - As Required

Notes:

- * Indicates initial service for new machines.
- ** Engine oil, oil filter and air filter may require more frequent replacement depending on operating conditions.

- *** Inspect visible hoses and tubes for leaks or oil marks.
- **** Must be done at Authorized Dealer.
- ***** Change oil and filter on Suzuki Engines after first fifty hours.

SprayTek DS300 & DS175 Sprayer

Part No.	Description
▲ 837295	Switch, Key
843581	Switch, Light
830366	Switch, Horn
894308	Switch, Brake/Clutch
▲ 826284	Cross and Bearing Kit - DS300
837303	Head Light
893602	Tail Light
822049	Tail Light Bulb
▲ 2701253	Brake Shoe Kit
22400-85141	Clutch Disc - DS300
22100-85200	Clutch Pressure Plate - DS300
23265-85200	Throwout Bearing - DS300
▲ 2700867	Preheat Relay
▲ 843167	Relay, 12V 15 Amp



DS 300 SprayTek Filters & Belts

Part No.	Description
▲ 5000913	Element, Air Cleaner
600997	Belt, Alternator/Power Steering
▲ 2208175	Fuel Filter, Perkins
▲ 2198280	Oil Filter, Perkins
600653	Belt, Sprayer Pump

DS 175 SprayTek Filters & Belts Suzuki K6


Part No.	Description
2701908	Oil Filter
2701898	Fuel Filter
5000913	Element, Air Cleaner
4139265	Belt, Alternator/Power Steering
4139427	Governor Pump Idler Belt
4117092	Belt, Sprayer Pump

Note: Order SprayTek parts from
SprayTek SDI.
www.sprayingdevices.com
800-564-7548

Kubota Engine


Part No.	Description
4175863	Belt, Sprayer Pump
▲ 5000919	Element, Air Cleaner
▲ 550489	Element, Fuel Filter
▲ 557759	Filter, Oil
4175560	Belt, Alternator/Power Steering

Grass Catchers



Catcher No.	Product
■ 67891	Greens King IV, V, VI, Electric
■ 68122	Greens King 418, 518, & 118 Fixed Head
■ 68123	Greens King 422, 522 & 122 Fixed Head
■ 68124	Greens King 426, 526, & 126 Eclipse Fixed Head
■ 68121	Greens Mower 19", 22" and PGM 22"
■ 67891	LF-100, LF-123, LF-128, LF-135, LF-3400, LF 3407, & LF-3800
■ 69150 (3) – 3007843 (Catcher Only)	Tri-King (30" Mower)
4132125	TC-22
■ 67919 (Right Hand Catcher)	LF-3800/LF 3407/LF 4677 Catcher Mounting Kit (Required to mount grass catcher)
■ 67920 (Left Hand Catcher)	Eclipse, 22" Floating Head
4114788	TR3
■ LMAC182 (Set of 3)	Tri-King 26"
■ 69151 (Set of 3)	Eclipse, 18" Floating Head
4203300	G-Plex III & E-Plex II
■ 4114835	Super LF 1880
■ 67930	


■ Order from whole goods



18" Machined Grooved Steel - 68616

(Used on Greens King 418 & 518, SLF 1880, & Eclipse)


Item	Part No.	Description
1	3009724	Shaft, Roller
2	5002816	Roller, Grooved
▲ 3	503378	Bearing Cup and Cone
▲ 4	367029	Locknut, 3/4-16 UNF
▲ 5	3010210	Seal, Grease



18" Solid Tube - 68626

(Used on Greens King 418 & 518, SLF 1880, & Eclipse)

Item	Part No.	Description
1	3009724	Shaft, Roller
2	5002818	Roller, Solid
▲ 3	503378	Bearing Cup and Cone
▲ 4	367029	Locknut, 3/4-16 UNF
▲ 5	3010210	Seal, Grease
6	1000599	Scraper Assembly (Includes Items 7 & 8)
7	352214	Clip
8	407586	1/4-20 Pan Hd Screw




18" Solid Tube Roller- 68674

SLF 1880

Item	Part No.	Description
1	4135081	Shaft, Roller
2	4115558	Roller, Solid
▲ 3	5000625	Bearing Assembly
▲ 4	367029	Locknut, 3/4-16 UNF
▲ 5	3001656	Seal, Grease
6	4135859	Scraper
7	441614	Bolt, 5/16-18 x 1" Carriage■
▲ 8	452006	Flat Washer■
▲ 9	446136	Washer, Lock 5/16 Hvy.■
▲ 10	443106	Nut, 5/16-18 Hex■

■ Items 7-10 are not shown, but are included with the roller kit.


18" Rollers



18" Smooth Std.- 4115860

(Used on LF 1880)


Item	Part No.	Description
1	2811039	Shaft
2	4115559	Tube, Roller
▲ 3	445801	Nut, 5/8-18 Hex Jam Nylon Insert
4	4115523	Spacer
5	4115557	Washer
6	3001762	Sleeve, Wear
▲ 7	3000983	Oil Seal
▲ 8	5000625	Bearing Assembly
▲ 9	3001656	Seal, Grease



18" Full Length Rear Roller - 4135083

(Used on LF 1880)


Item	Part No.	Description
1	4135081	Shaft, Roller
2	4115558	Roller, Solid
▲ 3	445801	Nut, 5/8-18 Hex Jam Nylon Insert
4	4115523	Spacer
5	4115557	Washer
▲ 6	3001762	Sleeve, Wear
7	3000983	Oil Seal
▲ 8	5000625	Bearing Assembly
9	3001656	Seal, Grease



18" Front Roller Assembly - 4108920

(Used on LF 1880, 518, & Eclipse)


Item	Part No.	Description
2	4108924	Shaft
▲ 3	3010712	Bearing
▲ 4	3010286	Seal
▲ 5	471214	Fitting, Grease



18" Rear Roller Assembly - 4175221

(Used on Eclipse 118F)


Item	Part No.	Description
1	4108922	Roller Tube
2	4175220	Shaft
▲ 3	3010712	Bearing, Ball
▲ 5	3010286	Seal



22" Grooved - 68527

(Used on Greens King, Greens King 422, 522 & Greens Mower)

Item	Part No.	Description
▲ 1	3010621	Shaft
▲ 2	471214	Grease Fitting
▲ 3	3010712	Roller Bearing
▲ 4	3010286	Seal
5	129806	Grooved Roller Assembly




22" Machined Grooved Steel - 68613

22" Machined Grooved Aluminum - 68614

(Used on Greens King, Greens King 422, 522 & Greens Mower)

Item	Part No.	Description
▲ 1	3009725	Shaft, Roller
2	5002815	Roller, Grooved (Used on 68613)
2	3000394	Roller, Grooved (Used on 68614)
▲ 3	503378	Bearing Cup and Cone
▲ 4	367029	Locknut, 3/4-16 UNF
▲ 5	3010210	Adapter, Seal




22" Segmented Grooved Roller - 68673

(Used on Greens King, Greens King 422, 522, & Greens Mower)

Item	Part No.	Description
1	2810708	Shaft
2	4130417	Spacer, Roller Segment
3	4130418	Spacer, Bearing
4	4130419	Segment, Roller
▲ 5	366707	Ball Bearing
▲ 6	338773	Seal, Grease
7	4130428	Spacer, Bearing
▲ 8	445801	Nut, 5/8-18 Hex Jam Nylon Insert

22" Rollers



22" Grooved - 123268

(Used on LF 100, LF 123, LF-128, LF 3400 & LF 3800)


Item	Part No.	Description
▲ 1	3003416	Shaft
2	5002837	Tube
▲ 3	500534	Bearing Cup and Cone*
▲ 4	471214	Grease Fitting
▲ 5	338647	Seal, Grease*
▲ 6	3005156	Wear Sleeve
▲ 7	3004882	Seal, Grease*
▲ 8	367029	Locknut, 3/4-16 UNF*
▲ 9	241838	Bearing Housing
10	365016	Spring

* - For Rebuild Kit order 5000097. (Kit includes items 3, 5, 7, 9 and roller discs and spacer.
For Disc and Spacer Kit order 5000471.

22" Solid - Rear - 1004990

(Used on Greens King, LF 100, LF 123 & LF 128)


Item	Part No.	Description
1	5002814	Roller Tube
▲ 2	3010422	Shaft
3	3010712	Bearing
▲ 4	3010286	Seal




22" Solid-Front - 1004991

(Used on Greens King, Greens Mower, Greens King 422 & 522)

Item	Part No.	Description
▲ 1	5002814	Roller Tube
▲ 2	3010621	Shaft
▲ 3	3010712	Bearing
4	3010286	Seal
▲ 5	471214	Fitting, Grease





22" Solid - 1000770

(Used on Greens King V, Greens King Electric, LF 100, LF 123, LF 128, LF 3400 & LF 3800)


Item	Part No.	Description
▲ 1	3001654	Shaft
▲ 2	3001656	Seal, Grease
▲ 3	5000625	Bearing Assembly
▲ 4	3001762	Wear Sleeve
▲ 5	3000983	Seal, Oil
▲ 6	3000698	Washer
▲ 7	445801	Nut 5/8-18 Hex Jam Nylon Inset
8	5002836	Tube Roller

22" Solid-Rear - 1002446

(Used on LF-135, LF 3400 & LF 3800)

22" Solid-Rear - 1003728

(Used on LF 3400 & LF 3800)




Item	Part No.	Description
1	5002833	Tube (Used on 1002446)
	1003728	Tube
2	3005318	Shaft (Used on 1002446)
▲	3008027	Shaft (Used on 1003728)
▲ 3	500534	Bearing, Cup and Cone
▲ 4	3004882	Grease Seal
▲ 5	3005156	Wear Sleeve
▲ 6	445798	Nut, Stover Lock


22" Solid-62294

(Used on Tournament Cut 22)

Item	Part No.	Description
1	3010286	Oil Seal
2	3010712	Bearing, Ball




26" Rollers



26" Machined Grooved Aluminum - 68617

(Used on Greens King 426, 526, & Eclipse)


Item	Part No.	Description
1	3009726	Shaft, Roller
2	3000546	Roller, Grooved
▲ 3	503378	Bearing, Cup and Cone
▲ 4	367029	Locknut, 3/4-16 UNF
▲ 5	3010210	Seal, Grease



26" Solid - 68627

(Used on Greens King 426, 526, & Eclipse)


Item	Part No.	Description
1	3009726	Shaft, Roller
2	5002819	Roller, Solid
▲ 3	503378	Bearing, Cup and Cone
▲ 4	367029	Locknut, 3/4-16 UNF
▲ 5	3010210	Seal, Grease
6	1000600	Scraper Assembly (Includes Items 8, 9 and 10)
7	352214	Clip
8	407586	1/4-20 Pan Hd Screw



26" Machined Grooved Steel - 68628

(Used on Greens King 426, 526, & Eclipse)

Item	Part No.	Description
1	3009726	Shaft, Roller
2	5002817	Roller, Grooved
▲ 3	503378	Bearing, Cup and Cone
▲ 4	367029	Locknut, 3/4-16 UNF
▲ 5	3010210	Seal, Grease




26" Grooved - 123266

(Used on Tri-King & LF 3810)

Item	Part No.	Description
▲ 1	3003415	Shaft
▲ 2	500534	Bearing Cup and Cone*
▲ 3	471214	Grease Fitting
▲ 4	338647	Seal, Grease*
▲ 5	3005156	Wear Sleeve
▲ 6	3004882	Seal, Grease*
▲ 7	367029	Locknut, 3/4-16 UNF*
▲ 8	241838	Bearing Housing
▲ 9	365039	Spring

* - For Rebuild Kit order 5000097. (Kit includes items 3, 5, 7, 9 and roller discs and spacers.
For Disc and Spacer Kit order 5000471.




26" Solid - 132639

(Used on Tri-King & LF 3810 (10 blade))

Item	Part No.	Description
▲ 1	3003415	Shaft
2	5002831	Tube Assembly
3	500534	Bearing Cup and Cone
▲ 4	471214	Grease Fitting
▲ 5	338647	Seal, Grease
6	3005156	Wear Sleeve
7	3004882	Seal, Grease
▲ 8	367029	Locknut, 3/4-16 UNF


26" Rollers



26" Solid - 132874

(Used on LF 3810 (5 blade))

Item	Part No.	Description
▲ 1	3003415	Roller Shaft
2	5002834	Tube Assembly
▲ 3	500534	Cup and Cone Bearing Assembly
▲ 4	471214	Grease Fitting
▲ 5	338647	Seal, Grease
▲ 6	3005156	Wear Sleeve
▲ 7	3004882	Seal, Grease
▲ 8	367029	Locknut, 3/4-16 UNF




30" Grooved - 123265

(Used on Tri-King)

Item	Part No.	Description
▲ 1	3003414	Shaft
2	5002839	Tube
▲ 3	500534	Bearing Cup and Cone*
▲ 4	471214	Grease Fitting
▲ 5	338647	Seal, Grease*
▲ 6	3005156	Wear Sleeve
▲ 7	3004882	Seal, Grease*
▲ 8	367029	Locknut, 3/4-16 UNF*
9	241838	Bearing Housing
10	365016	Spring

* - For Rebuild Kit order ▲5000097. (Kit includes items 3, 5, 7, 9 and roller discs and spacers.
For Disc and Spacer Kit order 5000471.




30" Grooved - 123267

(Used on ST 5111, 5 Gang, & Hydraulic Rangers)

Item	Part No.	Description
1	3003413	Shaft
2	5002839	Tube
3	500534	Bearing Cup and Cone*
▲ 4	471214	Grease Fitting
5	338647	Seal, Grease*
6	3005156	Seal, Grease
▲ 7	3004882	Seal, Grease*
▲ 8	367029	Locknut, 3/4-16 UNF*
9	241838	Bearing Housing
10	365016	Spring

* - For Rebuild Kit order 5000097. (Kit includes items 3, 5, 7, 9 and roller discs and spacers.
For Disc and Spacer Kit order 5000471.




30" Solid - 132506

(Used on Fairway, Hydraulic Rangers, & ST 5111)

Item	Part No.	Description
1	3003413	Shaft
2	5002835	Tube Assembly
3	500534	Bearing Cup and Cone
▲ 4	471214	Grease Fitting
▲ 5	338647	Seal, Grease
▲ 6	3005156	Wear Sleeve
▲ 7	3004882	Seal, Grease
▲ 8	367029	Locknut, 3/4-16 UNF

30" Rollers




30" Solid - 132640


(Used on Tri-King)

Item	Part No.	Description
▲ 1	3003414	Shaft
2	5002832	Tube Assembly
▲ 3	500534	Bearing Cup and Cone
▲ 4	471214	Grease Fitting
▲ 5	338647	Seal, Grease
▲ 6	3005156	Wear Sleeve
▲ 7	3004882	Seal, Grease
▲ 8	367029	Locknut, 3/4-16 UNF

Turf Groomer Roller




Item	Part No.	Qty.	Description
1	390899	1	22" Roller Tube, 1/4" Spacing
1	390900	1	22" Roller Tube, 1/2" Spacing
1	3000784	1	18" Roller Tube, 1/4" Spacing
1	4116738	1	18" Roller Tube, 1/2" Spacing
2	443816	2	Nut, 7/16-20 Hex Jam
3	446148	2	Lockwasher, 7/16 Heavy
4	452008	2	Flat Washer, 7/16
5	365330	2	Bearing, Ball
6	365345	2	Nylor Ring
7	338773	2	Grease Seal
8	458113	2	Snap Ring
9	471214	2	Grease Fitting, 1/4-28
10	4169260	1	Shaft
11	4157260	4	Nut, 7/8-14 HH. Spec.
12	415525	4	Screw, Set 5/16-18 x 1/4




Item	Part No.	Description
1	1002560	Mower Assembly
2	131161	Shaft and Collar Assembly
3	335449	Blade
4	352221	Spacer, Blade
5	352437	Nut, Blade Clamp
6	412017	Set Screw, 5/16-18 x 3/4" Sq Hd
7	443106	Nut, 5/16-18 Hex

Vertical Mowers

© 2014 Jacobsen



Item	Part No.	Description
1	1003366	Vertical Reel Assembly
2	3007135	Shaft, Blade
3	3007138	Blade
4	3007137	Spacer, Blade
5	443842	Nut, 1-1/8-12 Hex Jam
6	3008429	Washer, Flat



PGM 19" & 22"

Item	Part No.	Description
1	363809	Spacer (88 required)
2	363808	Blade (85 required)
▲ 3	364040	Shim
▲ 4	365467	Belt, Drive

Greens King Walk Behind 18", 22", & 26"

Item	Part No.	Description
1	4192802	Spacer, 1/4" Blade Spacing (70 required) Used on 68605
1	4195520	Spacer, 1/2" Blade Spacing (39 required) Used on 67935
1	4192802	Spacer, 1/4" Blade Spacing (57 required) Used on 68624
1	4195520	Spacer, 1/2" Blade Spacing (48 required) Used on 68625
2	365230	Blade, 71 required for use on 68605 40 required for use on 67935 58 required for use on 68624 49 required for use on 68625
▲ 3	364040	Shim
▲ 4	365235	Belt, Drive

7" Reels

(Used on LF 3407, LF 3800, & LF 4677 mowers)

Item	Part No.	Description
1	4195520	Spacer (41 required)
2	365230	Blade (40 required)
▲ 3	364040	Shim
▲ 4	4156936	Belt, Drive

Current Model Turf Groomer 18", 22", & 26" Reel

(Used on all 5" (127 mm) diameter cutting units)

Item	Part No.	Description
1	4192802	Spacer, 22" x 1/4" Blade Spacing (70 required) Used on 67966 & 67967
1	4195520	Spacer, 22" x 1/2" Blade Spacing (39 required) Used on 67968 & 67969
1	4192802	Spacer, 18" x 1/4" Blade Spacing (57 required) Used on 67970
1	4195520	Spacer, 18" x 1/2" Blade Spacing (31 required) Used on 67974
1	4195520	Spacer, 26" x 1/2" Blade Spacing (48 required) Used on 67975
2	365230	Blade, 71 required, used on 67966 & 67967 40 required, used on 67968 & 67969 58 required, used on 67970 49 required, used on 67975
▲ 3	364040	Shim
▲ 4	365235	Belt, Drive

Earlier Model Turf Groomer

(Used on Greens King IV & V, G-Plex, & Fairway mowers)

Item	Part No.	Description
1	4192802	Spacer, 1/4" Blade Spacing (70 required) Used on 67911 & 67912
1	4195520	Spacer, 1/2" Blade Spacing (39 required) Used on 67913 & 67914
1	4195520	Spacer, 1/2" Blade Spacing (31 required) Used on 67926
2	365230	Blade, 70 required, used on 67911 & 67912 39 required, used on 67913 & 67914 31 required, used on 67926
▲ 3	364040	Shim
▲ 4	365235	Belt, Drive

▲ See page 81 for 18" and 22" rollers and assemblies.

Special Service Tools

Part No.	Description	Application
JAC5000	LF100 Hydro Flow Lock	LF 100
JAC5001-1	Blocking Disc Set	Hydraulic Systems
JAC5001-2	Blocking Disc, #6 (Included in JAC5001-1)	Hydraulic Systems
JAC5001-3	Blocking Disc, #8 (Included in JAC5001-1)	Hydraulic Systems
JAC5001-4	Blocking Disc, #10 (Included in JAC5001-1)	Hydraulic Systems
JAC5001-5	Blocking Disc, #12 (Included in JAC5001-1)	Hydraulic Systems
JAC5001-6	Blocking Disc, #16 (Included in JAC5001-1)	Hydraulic Systems
JAC5001A	Hydraulic Test Fitting Kit	LF 100, GK IV, Tri-King, ST5111, HR5111, Turfcut
JAC5005	Oil Seal Puller	General
JAC5008	Flywheel Puller	General
JAC5009	Gasket Seal Cutter	General
JAC5012	Deluxe Feeler Gauge	General
JAC5015	Vacuum & Pressure Gauge	General
JAC5016	Blade Balancing Tool	Blades
JAC5021	Diesel Engine Compression Tester	Kubota, All Diesel Engines
JAC5024	Gear & Pulley Puller	General
JAC5026	Flange Type Puller	General
JAC5027	Nozzle Tester	All Diesel Engines
JAC5030	Fuel Line Wrench	D950B, D1102BC, D1402B
JAC5031	Delivery Valve Wrench	D950B, D1102BC, D1402B
JAC5050	Traction Motor Shaft Seal Tool	GK IV
JAC5051	Eccentric Bushing Tool	Walking Greens Mower
JAC5052	Bearing Installer	GK IV, LF 100 (Front Traction Motor)
JAC5053	Bearing Installer	GK IV, LF 100 (Rear Traction Motor)
JAC5059	Fairway Tool Kit	Fairway, Blitzter
JAC5061	Reel Shaft Seal Protector	Fairway, Blitzter
JAC5062	Reel Shaft Seal Driver	Fairway, Blitzter
JAC5066	Fairway/Blitzter Work Bench	Fairway, Blitzter
JAC5067	Reel Pinion Pry Bar	Fairway, Blitzter
JAC5068	Clutch Sprint Bar	Fairway, Blitzter
JAC5070	Adjusting Handle Removing Bar	Fairway, Blitzter
JAC5076	GK IV Stack Valve Seal Installer	GK IV
JAC5077	Roller Seal/Bearing Installer	GK IV, GK422
JAC5079	LF-3810 Flow Lock Tool	LF 3810, Fairway
JAC5081	Reel Gauge Set	All Reels
JAC5084	Bearing Assembly Tool	GK Reels, TF60, TF100, TF123, TF128
JAC5085	Reel Bearing Housing Puller	GK Reels, TF60, TF100, TF123, TF128
JAC5091	Granite Surface Plate without Stand	Universal and All Reels
JAC5093	Special Feeler Gauge Set	All Jacobsen Reels
JAC5095	Hydraulic System Analyzer with Load Valve	Hydraulic Systems
JAC5095-1	Hydraulic System Analyzer Packaging	JAC5095-1
JAC5097	Portable In-Line Filter	Jacobsen Hydraulic Systems
JAC5097-1	Ind. Replacement Filter	JAC5097
JAC5097-2	Ind. Replacement Filter - 6 Pack	
JAC5097-3	Ind. Replacement Filter - 12 Pack	
JAC5099	7" Reel Coupler Puller	
JAC5100	7" Reel Grinding Adapter	
JAC5101	W.G. Mower Clutch Alignment Tool	
JAC5102	HR-9016 Flow Lock Tool	
JAC5103	Turfcut 500 Flow Lock Tool	
JAC5104	LF3400/3800 Flow Lock Tool	
JACCU40012	Rear Hub Knockoff	

Contact your area Jacobsen Dealer for more information on how to order tools.

Product	Reel		Bedknife	
PGM 19"	503206 2810444	9 blade 11 blade	503475 503476 2810984	Low Profile Tournament Super Tournament
PGM 22"	▲ 2500575 5002605	9 blade 11 blade	▲ 503477 ▲ 503478 ▲ 503479 5002887	High Profile Low Profile Tournament Super Tournament
Eclipse 118F/118	4170202	11 blade	5000098 5002888	Low Profile Super Tournament
Eclipse 126	4170203	7 blade	5000141	Heavy Section
Eclipse 122F/122/E-Walk	▲ 5001101 (Floating Reel) 4172945 (Fixed Reel)	11 blade 11 blade	▲ 5002887 ▲ 503477 ▲ 503478 503479	Super Tournament High Profile Low Profile Tournament
Blitzer	502673 2500540 502676 2500542	5 blade blitzer 6 blade FY 5 blade FY 10 blade FY	▲ 325163	Single Edge Heavy Section
GK500-18"	5000095	11 blade	▲ 5000098 5002888	Low Profile Super Tournament
GK500-22"	▲ 5000148	11 blade	▲ 503477 ▲ 503478 ▲ 503479 5002887	High Profile Low Profile Tournament Super Tournament
GK500-26"	5000416 5003652	11 blade 7 blade	5000414 5000413	High Profile Low Profile
GK4 (+)	▲ 5001099 ▲ 5001100 ▲ 5001101 ▲ 5001102	9 blade L 9 blade R 11 blade L 11 blade R	▲ 503477 ▲ 503478 ▲ 503479 5002887	High Profile Low Profile Tournament Super Tournament
GK5 & 6 Electric	▲ 5001100 ▲ 5001102 ▲ 5003054	9 blade 11 blade 7 blade	▲ 503477 ▲ 503478 ▲ 503479 5002887 503460	High Profile Low Profile Tournament Super Tournament Heavy Section (7 blade)
G-Plex & E-Plex	▲ 5003053 ▲ 5001099 ▲ 5001101	7 blade 9 blade 11 blade	▲ 5003150 ▲ 503477 ▲ 503478 ▲ 503479	Medium Section High Profile Low Profile Tournament
TR3	2500712 2500713 5002087 5002088 2500714 2500715	5 blade L 5 blade R 7 blade L 7 blade R 10 blade L 10 blade R	▲ 554284	Heavy Section
Tri King 26"	2500712 2500713 5002087 5002088 2500714 2500715	5 blade L 5 blade R 7 blade L 7 blade R 10 blade L 10 blade R	▲ 554284	Heavy Section
Tri King 30"	503359 503360 5002089 5002090 503361 503362	5 blade L 5 blade R 7 blade L 7 blade R 10 blade L 10 blade R	▲ 503550	Heavy Section
SLF 1880	▲ 4119512 ▲ 4119513	8 blade 11 blade	▲ 4118902	Medium Section
LF 128/3400/4675	▲ 5003053 ▲ 5003054	7 blade L 7 blade R	▲ 503460 ▲ 5003150	Heavy Section Medium Section
LF 135/3800/4677	▲ 2810471 2810472	9 blade 11 blade	▲ 503460	Heavy Section
LF 3810	5000040 5000041 503634 503635	5 blade L 5 blade R 10 blade L 10 blade R	503654	Heavy Section
Ranger	2500605 503043 2500604 2500647 2500606	6 blade L Front 6 blade L Wing/Rr 6 blade R Front 6 blade R Wing/Rr 10 blade R Front	▲ 503550	Heavy Section
ST 5111	503522 503523 503524 503525	5 blade L 5 blade R 10 blade L 10 blade R	▲ 503550	Heavy Section

MAGSystem

Legendary Knife	MAGKnife™ Part No.	Description	Where Used
▲ 503478	▲ 4131001	22" Light Sect., Low Profile	Riding Greens, Walkers
▲ 503477	4131369	22" Light Sect., High Profile	Riding Greens, Walkers
▲ 503479	▲ 4131370	22" Light Sect., Tournament	Riding Greens, Walkers
▲ 5002887	▲ 4131003	22" Light Sect., Super Tour.	Riding Greens, Walkers
▲ 5003150	4131005	22" Medium Section	Riding Greens, LF, Walkers
▲ 503460	4131010	22" Heavy Section	LF 3400/LF3800/LF4677
5000098	▲ 4131371	18" Light Sect., Low Profile	518 Walker
5002888	4131004	18" Light Sect., Super Tour.	518 Walker
	4131373	18" Light Sect., Tour Fairway	SLF1880
▲ 4118902	4131006	18" Medium Section	SLF1880
5000413	N/A		
5000414	4131374	26.5" Light Sect., High Profile	526 Walker
▲ 554284	4131009	26" Heavy Section	Tri-King
5000141	4131008	26.5" Heavy Section	526 Walker
▲ 503550	4131007	30" Heavy Section	Tri-King

Accessories & Replacement Parts

Part No.	Description
4133648	Magnet
4134115	Magnet
4131219	Birt Tool Kit
4136736	Zinc Spray
4166903	Short Dowel Pins 4 pack
4166902	Tall Dowel Pins 4 pack

MAGSystem

The newest MAGSystem allows the sharpest cut no matter what the condition at hand. Changing the blade to meet course demands is easier than ever thanks to a stronger, more consistent hold on the blade and improved alignment of the MAGKnife™.

Key Features:

- Increased Rust resistance - New tri-valent coating offers increased resistance against the elements.
- Stronger Magnet Hold – Increased number of more powerful magnets provides a consistent hold.
- Easy Magnet Maintenance – Holes in the magnet pocket provide for easy magnet removal and replacement.
- Improved Blade Alignment – Newly added dowel pins promise a secure, even alignment of the MAGKnife.
- Secondary Use of Bedknives – Easily and quickly install used bedknives for topdressing, post topdressing, post aeration, cleanup, and other severe conditions.
- Enhanced Reel Protection – Damage to the reels is minimized, even if a sprinkler head or other object is hit.
- Easy Reel Maintenance – No screws means significantly reduced maintenance time. When Turf Groomers are attached, they do not need to be removed for maintenance.

Standard Features and Optional Accessories

All kits include a backing, bedknife, ground knife, and instruction sheet. B.I.R.T.s (Bedknife Installation and Removal Tools) are sold separately and are needed for proper installation and removal of the MAGKnife™. A zinc spray that helps prevent corrosion is specifically recommended in high-corrosive environments but is also good practice in all environments.


MAGSystem™

Part No.	Description
4158083	Eclipse 122F, Riding Greens Mowers: Greens King IV, V, and VI, G-Plex III and E-Plex II. Includes Tournament Magknife™
4165260	Fairway Mowers with 5" x 22" reels: LF 3400, LF 4675 and LF 128
4161022	Super LF 1880 Light-Weight Fairway Mower
4158082	Eclipse 122, E-Walk, and GK522 – Includes Super Tournament MAGKnife™
4161082	LF 3800 and LF 4677
4188500	Eclipse 122F, Riding Greens Mowers: Greens King IV, V, and VI, G-Plex III and E-Plex II. Includes Super Tournament MAGKnife™



Product	Vertical Blade Part No.	Cutter Bar Part No.	Description	Required/Unit
Greens King IV, Greens King V, LF-3400, G-Plex II, G-Plex III	335449			26
LF 3800, LF 4677	3007138			19
Turf Cat 400 Series		390514	60" Rotary Cutter Bar	3
		3001837	60" Mulcherizer Deck Cutter Bar	3
		390515	72" Rotary Cutter Bar	3
		3001838	72" Mulcherizer Deck Cutter Bar	3
Turf Cat 500 Series		3007759	60" Rotary Cutter Bar	3
		3007760	72" Rotary Cutter Bar	3
		3001842	72" Mulcher Deck Cutter Bar	3
		5001085	Flail Blade Kit	1
Turf Cat 600 Series		112243-03	60" Rotary Cutter Bar	3
		112111-05	63" Rotary Cutter Bar	3
		112243-04	72" Rotary Cutter Bar	3
		2192502-01	60" Envirodeck Upper Blade	3
		112243-03	60" Envirodeck Lower Blade	3
		2192502-02	72" Envirodeck Upper Blade	3
		112243-04	72" Envirodeck Lower Blade	3
HR-4600		3010550	LH & Rear Rotary Blade	4
		3010551	RH Rotary Blade	2
HR-5111		391039	CW Cutter Bar	4
		391040	CCW Cutter Bar	3
R-311		4186581	CCW Cutter Bar	4
		4186582	CW Cutter Bar	3
HR-9510, HR-6010		112243-03	Cutter Bar	7
HR-9016		3007759	High Left Blade	11
		2810030	Cutter Bar Standard	11
AR-3 Newer Deck Design CCW Rotation		4163101	Cutter Bar Standard	3
		4138725	Low Lift Blade	3
		4139103	High Lift Blade	3
AR-3 Previous CW Rotation		4129636	Cutter Bar	3
AR-2500		2192502-03	Envirodeck Upper Blade	3
		112243-05	Envirodeck Lower Blade	3
		112111-05	SD Cutter Bar	3
AR-5 & AR-522		4163106	Cutter Bar Standard	5
		4124087	Low Lift Blade	5
		4137186	High Lift Blade	5

O-Ring Seal Kits



SAE Boss O-Ring Kit Kit Part Number 5002452			
Qty.	O-Ring Size	Tube O.D.	Jac P/N
10	3-901-N90	3/32"	N/A
10	3-902-N90	1/8"	459290
10	3-903-N90	3/16"	459291
10	3-904-N90	1/4"	339896
10	3-905-N90	5/16"	459293
10	3-906-N90	3/8"	339897
10	3-907-N90	7/16"	N/A
10	3-908-N90	1/2"	339898
10	3-909-N90	9/16"	N/A
10	3-910-N90	5/8"	339899
10	3-911-N90	11/16"	N/A
10	3-912-N90	3/4"	339900
10	3-913-N90	13/16"	N/A
10	3-914-N90	7/8"	459296
10	3-916-N90	1"	339901
10	3-918-N90	1-1/8"	N/A
5	3-920-N90	1-1/4"	339902
5	3-924-N90	1-1/2"	339903
5	3-928-N90	1-3/4"	N/A
5	3-932-N90	2"	459300

180 total O-Rings
All SAE 900 series O-Rings for all O-Ring boss
type adaptors
90 durometer Buna-N seal material

O-Ring Face Seal (ORS) O-Ring Kit Kit Part Number 5002454			
Qty.	O-Ring Size	ORS Tube Size	Jac P/N
20	2-011-N90	-4	339908
20	2-012-N90	-6	▲339909
20	2-014-N90	-8	▲339910
20	2-016-N90	-10	▲339911
20	2-018-N90	-12	339912
20	2-021-N90	-16	339913
10	2-025-N90	-20	N/A
10	2-029-N90	-24	N/A

140 total O-Rings
All 8 sizes of O-Ring face seal
couplers, fittings, and tube seals
90 durometer Buna-N seal material

Common O-Ring sizes Kit Part Number 5002453 <i>Jacobsen part numbers not available for these seals</i>				
Qty.	O-Ring Size	I.D.	O.D.	Width
20	2-006	1/8"	1/4"	1/16"
20	2-007	5/32"	9/32"	1/16"
20	2-008	3/16"	5/16"	1/16"
20	2-009	7/32"	11/32"	1/16"
20	2-010	1/4"	3/8"	1/16"
20	2-011	5/16"	7/16"	1/16"
20	2-012	3/8"	1/2"	1/16"
12	2-110	3/8"	9/16"	3/32"
12	2-111	7/16"	5/8"	3/32"
12	2-112	1/2"	11/16"	3/32"
12	2-113	9/16"	3/4"	3/32"
12	2-114	5/8"	13/16"	3/32"
12	2-115	11/32"	7/8"	3/32"
12	2-116	3/4"	15/16"	3/32"
10	2-210	3/4"	1"	1/8"
10	2-211	13/16"	1-1/16"	1/8"
10	2-212	7/8"	1-1/8"	1/8"
10	2-213	15/16"	1-3/16"	1/8"
10	2-214	1"	1-1/4"	1/8"
10	2-215	1-1/16"	1-5/16"	1/8"
10	2-216	1-1/8"	1-3/8"	1/8"
10	2-217	1-3/16"	1-7/16"	1/8"
10	2-218	1-1/4"	1-1/2"	1/8"
10	2-219	1-5/16"	1-9/16"	1/8"
10	2-220	1-3/8"	1-5/8"	1/8"
10	2-221	1-7/16"	1-11/16"	1/8"
10	2-222	1-1/2"	1-3/4"	1/8"
7	2-325	1-1/2"	1-7/8"	3/16"
7	2-326	1-5/8"	2"	3/16"
7	2-327	1-3/4"	2-1/8"	3/16"

375 total O-Rings
30 common sizes
Commonly used on cartridge valves and internal
seal found in hydraulic components
90 durometer Buna-N seal material



Hydraulic Fluid

Part No.	Description
5001405	2-1/2 Gal. container, VG-68
▲ 5001404	5 Gal. Pail, VG-68
2500548	2-1/2 Gal. container, 10W30 oil
▲ 2500546	5 Gal. Pail, 10W30 oil
503409	2-1/2 Gal. container, ATF fluid
503407	5 Gal. Pail, ATF fluid

Hydraulic Fluid (Bio-Degradable)

Part number	Product Name
▲ 4115977	GreensCare 32 (5 Gal. Pail)
5003105	GreensCare 46 (55 Gal. Drum)
▲ 5003104	GreensCare 46 (5 Gal. Pail)
5003102	GreensCare 68 (55 Gal. Drum)
▲ 5003103	GreensCare 68 (5 Gal. Pail)
4114701	GC Bio-Flush

2-Cycle Oil

Part No.	Description
554599	8 oz. Plastic containers

Grease

Part No.	Description
5000067	5 Gal. Pail 00-grease
5000068	8 oz. Tube 00-grease (24 per case)

Paint

Part No.	Description
▲ 4184140	12 oz. Orange aerosol can
2500789	Quart Orange
546409	Gallon Orange
5002631	Hunter Green aerosol can
▲ 838140	Ransomes Green aerosol - 16 oz. Spray
4112764	Ransomes Green - 1 qt. Air Dry

Compound - Lapping

Part No.	Description
5002488	10 Pound pail, 80 - grit
▲ 5002490	25 Pound pail, 80 - grit
▲ 5002489	10 Pound pail, 120 - grit
▲ 5002491	25 Pound pail, 120 - grit
4111913	25 Pound pail, 220 - grit
4111911	25 Pound pail, 180 - grit

Special Items

Part No.	Description
365422	5.3 oz., Electrical Insulating Gel
5001581	14 oz. can, Lubriplate multi-lube "A"
523248	Lubricant, Chain
4136736	Zinc Spray Corrosion Protection

Recommended Hydraulic Fluid By Product

Product	Description	Jacobsen P/N		
		55 Gal. Drum	5 Gal. Pail	2.5 Gal. Pail
Greens King IV	Greens Care 46	5003105	▲ 5003104	2500548
Greens King V	Greens Care 46	5003105	▲ 5003104	
Greens King VI	Greens Care 32	NA	▲ 4115977	
GreensPlex 160	Greens Care 46	5003105	▲ 5003104	
GreensPlex II	Greens Care 46	5003105	▲ 5003104	
GreensPlex III	Greens Care 46	5003105	▲ 5003104	
LF 1880	Greens Care 68	5003102	▲ 5003103	
LF 1880 4wd	Greens Care 68	5003102	▲ 5003103	
LF 1880 Turbo	Greens Care 68	5003102	▲ 5003103	
LF 128	10W30 Hydraulic		▲ 2500546	
LF 3400, 3407	Greens Care 68	5003102	▲ 5003103	
LF 3800	Greens Care 68	5003102	▲ 5003103	
LF 4675	Greens Care 68	5003102	▲ 5003103	
LF 4677	Greens Care 68	5003102	▲ 5003103	
Tri-King Diesel	Greens Care 68	5003102	▲ 5003103	
Tri-King Gas	Greens Care 68	5003102	▲ 5003103	
TR 3	Greens Care 46	5003105	▲ 5003104	
AR 3	Greens Care 46	5003105	▲ 5003104	
AR 5	Greens Care 68	5003102	▲ 5003103	
AR522	Greens Care 68	5003102	▲ 5003103	
AR 250	Greens Care 46	5003105	▲ 5003104	5001405
AR 2500	Greens Care 46	5003105	▲ 5003104	
Turfcats 500	ISO VG 68		▲ 5001404	
Turfcats 628	10W30 Hydraulic		▲ 2500546	
Turfcats 728	10W30 Hydraulic		▲ 2500546	
HR 4600 2wd	10W30 Hydraulic		▲ 2500546	
HR 4600 4wd	10W30 Hydraulic		▲ 2500546	
HR 5111	10W30 Hydraulic		▲ 2500546	
HR 9016	ISO VG 68		▲ 5001404	
HR 6010	Shell Tellis 46	N/A	N/A	

Bio Flush is used when converting units from mineral based oils to Greens Care. Order part number 4114701.

GK 500

Part No.	Description
▲ 2811071	Belt, Service Poly Chain GT 80
2811363	Belt, Service 112 Tooth
▲ 5002915	Belt, Polychain
2811648	Kit, Service Reel Belt

Eclipse 122, 122F, 118, 118F, 126,

E-Walk InCommand

Part No.	Description
▲ 2811071	Belt, Service Poly Chain GT 80
2811106	Belt, Service 130 Tooth

GK 500A

(GK518A, GK522A, GK522TA, GK526)

Part No.	Description
▲ 2810713	Belt, Micro V Service
▲ 2811071	Belt, Service Poly Chain GT 80
▲ 2811363	Belt, Service 112 Tooth

GKIV

Part No.	Description
▲ 5001951	Belt, V

GKV & GKVI

Part No.	Description
2811450	Belt, V (Service Only)
▲ 3009565	Belt, V

G-Plex III

Part No.	Description
▲ 4132996	Belt, Rear Roller Brush
▲ 365235	Belt
▲ 5001951	Belt, V

G-Plex II

Part No.	Description
▲ 4132996	Belt, Rear Roller Brush
839466	Belt, 32 Tooth
▲ 5001951	Belt, V

LF 1880

Part No.	Description
▲ 5001284	Belt, V

Tri-King (1900D & 1800G)

Part No.	Description
▲ 3001950	Belt, V
2811450	Belt, V (Service Only)

LF 3400/LF 3800 (V1305E/V1505E - TE)

Part No.	Description
▲ 5001284	Belt, V

LF 128

Part No.	Description
3004374	Belt, Fan Drive

LF 3810

Part No.	Description
▲ 5001122	Belt, 80 Tooth
340585	Belt, Reel Pump
557945	Belt, V

AR 5 & AR 522

Part No.	Description
4134323	Belt, V

AR 250

Part No.	Description
▲ 5001284	Belt, V

TC 600

Part No.	Description
▲ 2720948	Belt, 72" Deck
2198121	Belt, 60" Deck
198037	Belt, 63" Deck
338548	Belt, Flail

HR 9016

Part No.	Description
4138120	Belt, V (Kubota)
5003211	Belt, V (Detriot Diesel)
5003689	Belt, V (Detriot Diesel)
46510638F	Belt, V (Detriot Diesel)

HR 4600

Part No.	Description
▲ 5001284	Belt, V

HR 5111

Part No.	Description
557381	Belt, V

HR 6010

Part No.	Description
▲ 178007	Belt, Cutter Deck
▲ 178145	Belt, Cutter Deck
W178121	Belt
80109080	Belt, Fan (Order from Perkins)

AR 3 / TR 3

Part No.	Description
4176550	Belt, Engine Alternator

Common Belts

GA 24 (544907)

Part No.	Description
4113435	Belt, 3V Transport
4113436	Belt, 3V Mechanism
▲ 4113437	Belt, 3V, 2 Rib Mechanism

GA 30

Part No.	Description
▲ 522887	Belt, 2V

GA 60 & GA 60PT

Part No.	Description
835062	Belt, Fan
835063	Belt, 4 GRV/GA 60
2701420	Belt, 3C 56"/GA 60PT

Sand Scorpion Diesel

Part No.	Description
▲ 5001951	Belt, V

Groom Master & Groom Master II

Part No.	Description
▲ 5001951	Belt, V

DS175 (Suzuki K-6 Engine Model 898625)

Part No.	Description
4115405	Belt, V .440 SAE x 52.88
▲ 4115404	Belt, V .440 SAE x 25.00
▲ 4120026	Belt, Water Pump
4117092	Belt, V .440 SAE x 28.00

DS300 (Perkins Engine)

Part No.	Description
600997	Belt, Alternator/Power Steering
600653	Belt, Sprayer Pump

Turf-Truckster (Perkins 403C Engine)

Part No.	Description
600997	Belt, Alternator/Power Steering
▲ 841966	Belt, Hydraulic Pump

Turf-Truckster

Part No.	Description
▲ 841966	Belt, V .440 SAE/Hydraulic Pump

Turf-Truckster (Suzuki K-6 Engine)

Part No.	Description
▲ 4115404	Belt, V .440 SAE x 25"/Power Steering
4120026	Belt, Water Pump
▲ 4115406	Belt, V .440 SAE x 54"/Hydraulic Pump

Turf-Truckster (Suzuki K-6A Engine)

Part No.	Description
▲ 4139265	Belt, Alternator/Power Steering
4139351	Belt, Hydraulic Pump (84056 & 84057)
4144006	Belt, Hydraulic Pump (84061)
4140919	Belt, Alternator/Water Pump

Turf-Truckster (Kubota D1105 Engine)

Part No.	Description
▲ 4175560	Belt, Alternator/Power Steering
4117092	Belt, Hydraulic Pump

DS 300 (Kubota D1105 Engine)

Part No.	Description
▲ 4175560	Belt, Alternator/Power Steering
4175863	Belt, Sprayer Pump

DS 175 (Suzuki K-6A Engine)

Part No.	Description
▲ 4139265	Belt, Alternator/Power Steering
4139427	Belt, Sprayer Pump

Preventive Maintenance Service Tip

Over time belts can get brittle, cracked and stretched. Inspect belts at every lubrication cycle and replace as necessary to avoid downtime.

Common Fuses

Part No.	Description
5003276	3 Amp
5003278	5 Amp
5003280	10 Amp
5003281	15 Amp
5003282	20 Amp
5003283	25 Amp
5003284	30 Amp
5003279	7.5 Amp
4169341	25 Amp Circuit Breaker
4105800	50 Amp Fuse Main
842983	15 Amp

Jacobsen Filters & Fluids

Model	Desc.	Hyd. Oil Filter	Hyd. Oil Type	Hyd. Oil Cap.	Engine Type	Engine Oil Filter	Engine Oil Type	Engine Oil Cap.	Air Filter	Fuel Filter
62279	19" PGM	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62280	22" PGM	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62281	18" GK-518A	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62282	22" GK-522A	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62283	22" GK-522A T-Handle	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62284	26" GK-526A 11 Blade	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62285	26" GK-526A 7 Blade	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62290	E-Walk	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
62291	TC22	N/A	N/A	N/A	Honda GX-120 K1QJG2 4 HP	N/A	SAE 10W-30	.63 US quart 0.6 litre	Honda 17210-ZE0-505	N/A
62287	GK IV	▲558022	▲5003104 Greens Care46	5 gal 19 litres	B&S16HP Model303447 Type 1186-A1	▲5000440	SAE 30W	3.5 pints 1.7 litres	▲5000441	▲5000436
62288	GK IV-Plus	▲558022	▲5003104 Greens Care46	5 gal 19 litres	B&S18HP Model350447 Type 1173-A1	▲5000440	SAE 30W	3.5 pints 1.7 litres	▲5000441	▲5000436
62289	GK IV-Diesel	▲558022	▲5003104 Greens Care46	5 gal 19 litres	Kubota D 662-EB 19 HP	▲ 554011	SAE 10W-30	1 gal 3.8 litres	▲5000913	▲550489
62246 62267	GK V Gas	▲5000078	▲5003104 Greens Care46	5 gal 19 litres	B&S18HP Model350447 Type 1274-E1	▲5000440	SAE 30W	3.5 pints 1.7 litres	▲5000441	▲5000436
62247 62268	GK V Diesel	▲5000078	▲5003104 Greens Care46	5 gal 19 litres	Kubota D 662-EB 19 HP	▲ 554011	SAE 10W-30	3.4 quarts 3.2 litres	▲5000913	554596 ▲550489
62275 / 62375	GK VI 1862	▲5000078	▲4115977 Greens Care 32	5 gal 19 litres	B&S18HP Model350447 Type 1173-A1	▲5000440	SAE 30W	3.5 pints 1.7 litres	▲5000441	▲5000436

Preventative Maintenance Service Tip

Do not use compressed air to clean air filters. Replace filter when restriction indicator is red.

Model	Desc.	Hyd. Oil Filter	Hyd. Oil Type	Hyd. Oil Cap.	Engine Type	Engine Oil Filter	Engine Oil Type	Engine Oil Cap.	Air Filter	Fuel Filter
62276 / 62376	GKVI1862 3WD	▲5000078	▲4115977 Greens Care 32	5gal 19 litres	B&S18HP Model350447 Type 1173-A1	▲5000440	SAE 30W	3.5 pints 1.7 litres	▲5000441	▲5000436
62277 / 62377	GK VI 1962	▲5000078	▲4115977 Greens Care 32	5gal 19 litres	Kubota D 662-EB 19 HP	▲554011	SAE 10W-30	3.4quarts 3.2 litres	▲5000913	554596 ▲550489
62278 / 62378	GKVI1962 3WD	▲5000078	▲4115977 Greens Care 32	5gal 19 litres	Kubota D 662-EB 19 HP	▲554011	SAE 10W-30	3.4quarts 3.2 litres	▲5000913	554596 ▲550489
62700	GPlexIII Gas	▲108046	▲5003104 Greens Care46	6.8 Gallon 25.7 litres	Briggs & Stratton 18 HP Vanguard 350447 Type 1294	▲5000440	SAE 10W-30	3.4 Quarts 3.2 litres	▲5000441	▲5000436
62701	GPlexIII Diesel	▲108046	▲5003104 Greens Care46	6.8 Gallon 25.7 litres	Kubota 20.7 HP D722E	840160	SAE 10W-30	2.1 Quarts 2 litres	▲5000913	▲5001182 & 550489
67818	LF-128 2WD	▲5002722	2500548 10W-30	7gal 26.5 litres	Kubota D1105-EB 26 HP	▲557759	SAE 10W-30	3.5quarts 3.3 litres	▲5000919	▲2500809
67819	LF-128 4WD	▲5002722	2500548 10W-30	7gal 26.5 litres	Kubota D1105-EB 26 HP	▲557759	SAE 10W-30	3.5quarts 3.3 litres	▲5000919	▲2500809
67868 & 67945	LF-3400 2WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305E 31 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67869 & 67946	LF-3400 4WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305E 31 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67949	LF-3400 Turbo 4WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305T 44 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67866 & 67947	LF-3800 2WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305T 36 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67867 & 67948	LF-3800 4WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litre	Kubota V-1305T 36 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809

Preventative Maintenance Service Tip

The single greatest factor extending a products life is regular oil changes as recommended in your owner's/ operator's manual.

Jacobsen Filters & Fluids

Model	Desc.	Hyd. Oil Filter	Hyd. Oil Type	Hyd. Oil Cap.	Engine Type	Engine Oil Filter	Engine Oil Type	Engine Oil Cap.	Air Filter	Fuel Filter
67950	LF-3800 Turbo 4WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305T 44 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67951	LF3407 2WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305E 31 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67952	LF3407 4WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305E 31 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67915	LF-4675 Turbo - 4WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305T 44 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67916	LF-4677 Turbo - 4WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-1305T 44 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2500809
67827	LF-3810 2WD	Charge - ▲2811255 Return - ▲557772	▲5003103 Greens Care 68	13gal 49 litres	Kubota V-1305T 44 HP	2810346	SAE 10W-30	4.9quarts 4.6 litres	549593	▲2500809
67828	LF-3810 4WD	Charge - ▲2811255 Return - ▲557772	2500548 10W-30	13gal 49 litres	Kubota V-1505B 35.5 HP	2810346	SAE 10W-30	4.9quarts 4.6 litres	549593	▲2500809
67923	SLF1880 2WD	▲5002892	▲5003103 Greens Care 68	8gal 30 litres	KubotaD1105 26 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲550489
67924	SLF1880 4WD	▲5002892	▲5003103 Greens Care 68	8gal 30 litres	KubotaD1105 26 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲550489
67938	SLF1880 4WD - Turbo	▲5002892	▲5003103 Greens Care 68	8gal 30 litres	Kubota D1105 Turbo 33 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲550489
67042	Tri-King 1800 G	Charge - ▲549597 Return - ▲549597	▲5003103 Greens Care 68	5.5gal 21 litres	B&S18HP Model350447 Type 1169-A1	▲5000440	SAE 30W	3.5pints 1.7 litres	▲5000441	▲5000436
67043	Tri-King 1900 D	Charge - ▲549597 Return - ▲549597	▲5003103 Greens Care 68	5.5gal 21 litres	Kubota D-662-EB 18.5 HP	5002644	SAE 10W-30	3.1quarts 3 litres	▲5000913	▲550489

Model	Desc.	Hyd. Oil Filter	Hyd. Oil Type	Hyd. Oil Cap.	Engine Type	Engine Oil Filter	Engine Oil Type	Engine Oil Cap.	Air Filter	Fuel Filter
945010	AR-250	▲178025	▲5003104 Greens Care46	10gal 38 litres	Kubota V-1505E 38 HP	▲557759	SAE 10W-30	6.4 quarts 6 litres	▲5000919	▲5001182 ▲2500809 ▲178078
945025	AR-2500	▲178025	▲5003104 Greens Care46	10.3gal 39 litres	Kubota V-1505TE Turbocharged 44.2 HP	▲557759	SAE 10W-30	6.4 quarts 6 litres	▲5000919	▲5001182 ▲178078
AR30001	AR-3	008089620	▲5003104 Greens Care46	6.6gal 25 litres	Kubota D1105TE Turbocharged 33 HP	▲557759	SAE 10W-30	7.1 quarts 6.7 litres	▲5000919	2500809 ▲5001182
68080	AR-5	▲555771	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-2003 60HP	4113986	SAE 10W-30	5.5 quarts 5.2 litres	▲4133820 & ▲4133821	▲557619
LHAK002	HR-9510	▲178025	2500548 10W-30	9.5gal 18.8 litres	Perkins 104.22 50 HP	2208174	SAE 10W-30	8.7 quarts 8.2 litres	▲5000919	▲825619 2198290 4132247
LHAK003	HR-6010	Suction - ▲178025 Charge 008089620	2500548 10W-30	9.5gal 18.8 litres	Perkins 404C-22T 60 HP	2208174	SAE 10W-30	11.2 quarts 10.6 litres	▲4133820	▲5001182 Order Perkins 26560017
69116/ 69158	HR-5111	Charge - ▲2811255 Return - ▲557772	2500548 10W-30	17gal 64 litres	Kubota V2203-B 51 HP	4113986	SAE 10W-30	10quarts 9.5 litres	▲549633	▲557619
69166/ 69167	R-311	Charge - ▲2811255 Return - ▲557772	2500548 10W-30	17gal 64 litres	Kubota V2203-M-E3B 45 HP	4113986	SAE 10W-30	10quarts 9.5 litres	▲549633	▲557619
70524/ 70525	HR-9016	Charge - ▲5003691 Return - 5002693	▲5001404 ISO VG68	55gal 208 litres	Detroit Diesel D704LTE.13A Turbocharged 87 HP	5003207	SAE 15W-40	7 quarts 6.6 litres	▲5003370	5003212
70524/ 70525	HR-9016	Charge - ▲5003691 Return - 5002693	▲5001404 ISO VG68	55gal 208 litres	Detroit Diesel D704TE2.13A Turbocharged 87 HP	41152006F Order Detroit	SAE 15W-40	7 quarts 6.6 litres	▲5003370	5003212
70528/ 70529	HR-9016	Charge - ▲5003691 Return - 5002693	▲5001404 ISO VG68	55gal 208 litres	Kubota V3300 DI-T-E2B 90 HP	▲4137894	SAE 15W-40	14 quarts 13.25 litres	▲5003370	▲557619
67862	HR-4600 2WD	Charge - ▲2811255 Return - ▲557772	2500548 10W-30	14gal 53 litres	Kubota V-1505TE Turbocharged 44.2 HP	▲557759	SAE 10W-30	5.5 quarts 5.2 litres	▲5000919	▲2500809
67863	HR-4600 4WD	Charge - ▲2811255 Return - ▲557772	2500548 10W-30	14gal 53 litres	Kubota V-1505TE Turbocharged 44.2 HP	▲557759	SAE 10W-30	5.5 quarts 5.2 litres	▲5000919	▲2500809
68082	AR 522	▲555771	▲5003103 Greens Care 68	14gal 53 litres	Kubota V-2003-M-T 60 HP	4113986	SAE 10W-30	10 quarts 9.5 litres	▲4133820 & ▲4133821	▲557619


Jacobsen Filters & Fluids

Model	Desc.	Hyd. Oil Filter	Hyd. Oil Type	Hyd. Oil Cap.	Engine Type	Engine Oil Filter	Engine Oil Type	Engine Oil Cap.	Air Filter	Fuel Filter
66146	TurfcatT523D 2WD	▲5002892	▲5001404 ISO VG68	8gal 30 litres	KubotaD905E 22.5 HP	▲557759	SAE 10W-30	5.4 quarts 5.1 litres	▲5000919	▲550489
66148	TurfcatT528D 2WD	▲5002892	▲5001404 ISO VG68	8gal 30 litres	Kubota D1105E 28 HP	▲557759	SAE 10W-30	5.4 quarts 5.1 litres	▲5000919	▲550489
66149	TurfcatT528D 4WD	▲5002892	▲5001404 ISO VG68	8gal 30 litres	Kubota D1105E 28 HP	▲557759	SAE 10W-30	5.4 quarts 5.1 litres	▲5000919	▲550489
66150	Turfcat T535D Turbo 4WD	▲5002892	▲5001404 ISO VG68	8gal 30 litres	Kubota D1105TB Turbocharged 33 HP	▲557759	SAE 10W-30	5.4 quarts 5.1 litres	▲5000919	▲550489
66151	TurfcatT531G 2WD	▲5002892	▲5001404 ISO VG68	8gal 30 litres	B&S/Daihatsu 31 HP Model:580447 Type:0115-E2	5003069	SAE 10W-30	3.5quarts 3.3 litres	▲5000913	5003070
946713	TurfCat628 2WD	▲178025	2500548 10W-30	6.8gal 25.7 litres	Kubota D1105EB 26 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2721539-01 ▲5001182
946714	TurfCat628 4WD	▲178025	2500548 10W-30	6.8gal 25.7 litres	Kubota D1105EB 26 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2721539-01 ▲5001182
946718	TurfCat623 2WD	118017	2500548 10W-30	5gal 19 litres	Kubota D905EB 22.5 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2721539-01 ▲5001182
946719	TurfCat628 2WD	118017	2500548 10W-30	5gal 19 litres	Kubota D1105EB 26 HP	▲557759	SAE 10W-30	5.5quarts 5.2 litres	▲5000919	▲2721539-01 ▲5001182
74687	5 Gang Hydraulic Ranger	N/A	SAE 10W-40	21gal 80 litres	N/A	N/A	N/A	N/A	N/A	N/A
74684	7 Gang Hydraulic Ranger	N/A	SAE 10W-40	21gal 80 litres	N/A	N/A	N/A	N/A	N/A	N/A
84023 84024	1110 Hauler	N/A	N/A	N/A	Fuji 11 HP OHC 2-Cylinder	5002319 Screen	SAE 10W-30	1.5 quarts 1.4 litres	5002275	5002227
84019 84032	SV 3422 Truck	▲549597	2500548 10W-30	8gal 30 litres	FordVSG-411 45 HP	5000598	SAE 10W-30	3.5 quarts 3.3 litres	▲502619	5000599
544907	GA 24 OPC	N/A	▲5003103 Greens Care 68	2gal 7.6 litres	B&S 8HP Model Intek ProOHV Type 1225-A1	N/A	SAE 30W	1 quart .95 litres	Briggs	Briggs
544915	GA 30	▲108046	▲5003103 Greens Care 68	8gal 30 litres	KohlerCH18S 18 HP	842502	SAE 10W-30	2.1 Quarts 2 litres	842513	842504 821814
84018 84031	SV 2322 Truck	▲549597	2500548 10W-30	8 gal 30 litres	Kubota D905B 23 HP	▲557759	SAE 10W-30	3.5 quarts 3.3 litres	▲502619	▲550489
84063 84064	Cushman Turf Truckster Diesel	885249	▲5003103 Greens Care 68		Kubota D1105-E3B 24.8 HP	▲557759	SAE 10W-30 SAE 10W-40	5.4 quarts 5.1 litres	▲5000919	▲550489
84056 84057 84061	Cushman Turf Truckster Gas	885249	▲5003103 Greens Care 68		Suzuki K6 26.1 HP	▲2701908	SAE 10W-30 SAE 10W-40 (Above 86°F 30° C)	3.3 quarts 3.0 litres	▲5000919	▲2701898
84055	Spraytek DS-175 Gas	NA	NA	NA	Suzuki K6 26.1 HP	▲2701908	SAE 10W-30 SAE 10W-40 (Above 86°F 30° C)	3.3 quarts 3.0 litres	▲5000919	▲2701898
84062	Spraytek DS-300 Diesel	NA	NA	NA	Kubota D1105-E3B 24.8 HP	▲557759	SAE 10W-30 SAE 10W-40	5.4 quarts 5.1 litres	▲5000919	▲550489

Model	Desc.	Hyd. Oil Filter	Hyd. Oil Type	Hyd. Oil Cap.	Engine Type	Engine Oil Filter	Engine Oil Type	Engine Oil Cap.	Air Filter	Fuel Filter
544913	GA 60	N/A	N/A	N/A	Cushman327 33 HP	▲833438	SAE 10W-30	2.8 Quarts 2.7 litres	▲5000913	821814
82561	Aero King 30	N/A	▲5001405 ISO VG68	1 quart 0.95 litres	B&S 18HP Model350447 Type 1225-A1	▲5000440	SAE 30W	3.5 pints 1.7 litres	▲5000441	▲5000436
82120	1321 Aero King	N/A	N/A	N/A	HondaGX390 13 HP	N/A	SAE 10W-30	1.6 quarts 1.5 litres	Honda 17210-ZE3-505 or 08170-ZE3-000	N/A
81725	720E Sweeper	N/A	N/A	N/A	Kohler Command 14 HP Model:CH14S Type: PA1828	Kohler 52-050-02	SAE 10W-30	1.75 quarts 1.7 litres	Kohler 47-083-02	N/A
32024	20" Rotary 2 cycle	N/A	N/A	N/A	Jacobsen EC13V 4.2 HP	N/A	554599 2-cycle oil	N/A	5000942	N/A
32036	20" Rotary 4 cycle	N/A	N/A	N/A	B & S 5 HP Quantum Model:12G802 Type:0847	N/A	SAE 30W	1.25 pints 0.6 litres	Briggs 491588	N/A
88005	Sand Scorpion Gas	▲549597	▲5001404 ISO VG68	2.5 gal 9.5 litres	B&S 16HP Model303447 Type 1269-A1	▲5000440	SAE 30W	1.75 quarts 1.7 litres	▲5000441	▲5000436
88007	Sand Scorpion Diesel	▲549597	▲5001404 ISO VG68	2.5 gal 9.5 litres	Kubota D 662-EB 19 HP	▲554011	SAE 10W-30	3.1 quarts 2.9 litres	▲5000913	▲550489
88008	GroommasterII Diesel	▲108046	▲5003103 Greens Care 68	2.5 gal 9.5 litres	Kubota D 662-EB 19 HP	▲554011	SAE 10W-30	3.1 quarts 2.9 litres	▲5000913	▲550489
88009	GroommasterII Gas	▲108046	▲5003103 Greens Care 68	2.5 gal 9.5 litres	B&S 16HP Model303447 Type 1269-A1	▲5000440	SAE 30W	1.75 quarts 1.7 litres	▲5000441	▲5000436

Notes:

- All engine oils must be rated as SAE with the proper weight and service classification.
- Refer to Equipment Operator's Manual for proper application of GreensCare oil.
- All system capacities include oil for filter were applicable.



Part Number	Page(s)	Part Number	Page(s)
Numerics		1003663	46
001009770	56, 57	1003664	46
002036057	17	1003711	42
002036070	17	1003728	29, 34, 36, 84
002090590	56, 57	1003991	46
002090600	56, 57	1003998	46, 47
008089620	20, 57, 63, 106	1003999	46, 47, 51
008162670	56	1004000	46, 47
008162700	56	1004023	60
008233156	56	1004024	60
008233164	56, 57	1004252	60
008233180	56, 57	1004290	20, 23, 29, 63, 65, 66
008233370	20, 56, 57, 63	1004316	15, 43
008244630	17	1004653	29, 34
008244680	17	1004756	17, 18
008245135	17	1004944	1
008245151	17	1004990	11, 15, 17, 19, 27, 83
008289120	17	1004991	1, 4, 7, 9, 11, 15, 17, 19, 83
008289260	17	106790	1
008296040	57	107917	11
0544918	69	108046	44, 70, 104, 107, 108
058231	69	108208	64
068614	17	112111-04	48
1000373	15	112111-05	48, 64, 96
1000374	15	112243-03	48, 56, 57, 96
1000480	17	112243-04	48, 96
1000514	11	112243-05	64, 96
1000599	80	118017	48, 107
1000600	85	122572	22
1000770	15, 27, 29, 31, 34, 84	122680	39
1001010	21	122681	39
1001014	15	123265	21, 88
1001885	52, 53	123266	20, 21, 37, 86
1001946	38	123267	88
1002224	15, 24, 27, 31	123268	27, 29, 31, 34, 83
1002226	15, 36	129806	82
1002446	29, 34, 84	130956	27, 45
1002532	35	130971	46, 47
1002560	90	131161	90
1002603	22	131177	46, 47
1002620	29, 34	131311	45
1002679	29, 34	131391	46, 47
1002692	21	131434	11
1002811	35	131476	45
1002858	23, 46	131529	46, 47
1002931	29, 34	131607	39
1002954	51	131717	52, 53
1003047	29, 34	131791	11
1003048	29, 34	131799	46, 47
1003366	91	131805	11
1003393	43	131818	39
1003399	46	131819	39
1003400	46	131905	11, 15, 21
1003403	51	131917	45
1003467	17	131919	45
1003481	43	132259	45
1003514	43	132506	40, 88
1003515	43	132639	20, 21, 37, 86

Part Number	Page(s)	Part Number	Page(s)
132640	21, 89	2198280	75, 78
132874	37, 87	2198290	56, 106
148049	46, 47, 48, 52, 53	2202010	64
148057-03.....	64	220275	41
148057-06.....	56, 57	220292	45
148070	56, 57	2203022	64
148077	44	2203097	64
148082-05.....	64	2208011-03... ..	64
153215	41	2208018-01... ..	64
155517	42	2208036	56
158135-01.....	17, 44, 64, 70	2208168	44
160040	11	2208174	56, 57, 106
162720	15, 21, 23, 27, 46	2208175	75, 78
162721	11, 15, 21, 23, 27, 37, 52, 53	22100-85200	78
162723	11, 15, 21, 23, 27, 29, 34, 37, 52, 53, 60	2218044	56, 57
163302	46, 60	2218045	56, 57
163425	45, 46, 52, 53	2218067	56
163441	11	2218152-02... ..	56, 57
163892	12, 16, 17, 24, 28, 30	22400-85141	78
163996	45	2308094	64
164037	45	23265-85200	78
164056	1, 7, 10	241807	17
164081	37	241808	17
164082	37	241838	83, 86, 88
164194	21, 23	2500020	1
178007	100	2500024	1
178013	56, 64	2500197	46, 47
178025	48, 56, 57, 64, 106, 107	2500540	40, 94
178032-01.....	64	2500542	40, 94
178078	64, 106	2500546	98, 99
178092-21.....	64	2500548	98, 99, 104, 105, 106, 107
178105	64	2500575	1, 94
178105-01.....	64	2500604	39, 94
178121	56, 57	2500606	39, 94
178145	56, 57, 100	2500643	46, 47
198027	48	2500647	39, 94
198037	48, 100	2500684	46, 47
2000068.....	12, 16, 17, 19, 28, 30	2500685	46, 47
2000125.....	35	2500712	20, 21, 94
202947	1	2500713	20, 21, 94
203984	41	2500714	20, 21, 94
203986	41	2500715	20, 21, 94
203987	40	2500722	51
203992	40	2500759	8, 35
204119	41	2500789	98
207473	22	2500809	20, 27, 29, 34, 37, 45, 51, 104, 105, 106
207474	22	2500811	75
207477	22	2501151	2, 6, 7
2192502-01... ..	48, 96	26560017.....	57, 106
2192502-02... ..	48, 96	2700867	78
2192502-03... ..	64, 96	2701253	78
2196167.2.....	48	2701420	71, 101
2198121.....	48, 100	2701832	75
2198153.....	56, 57, 63, 65, 66	2701898	75, 78, 107
2198156-02... ..	48	2701908	75, 78, 107
2198158.....	48	2702060	69, 73
2198192.....	64	2702185	19
2198209-01... ..	48	2703133	69
2198231-01... ..	48		

Part Number	Page(s)	Part Number	Page(s)
2703529.....	70, 73	3000394	17, 19, 82
2720594.....	64	3000546	85
2720702.....	64	3000698	84
2720725.....	64	3000784	89
2720948.....	48, 100	3000983	22, 38, 81, 84
2721511.....	48	3001079	21
2721519.....	48	3001152	22, 38
2721526.....	48	3001307	21, 23, 29, 34, 60
2721539-01.....	48, 107	3001372	53
2722004.....	64	3001654	84
2722006.....	64	3001656	17, 80, 81, 84
2722228-03.....	48	3001762	81, 84
2722230-01.....	48	3001780	21
2722233.....	48	3001837	45, 96
2809643.....	27	3001838	45, 96
2809790.....	51	3001842	46, 96
2809908.....	11	3001950	21, 100
2809951.....	44	3002509	45
2810030.....	60, 96	3002627	21
2810043.....	11, 15, 27, 31	3002628	21
2810103.....	24	3003207	46, 47
2810158.....	51	3003208	46, 47
2810165.....	24, 28, 30	3003209	46, 47
2810166.....	24, 28, 30	3003210	46, 47
2810269.....	15, 23, 60	3003413	88
2810346.....	105	3003414	88, 89
2810444.....	1, 94	3003415	86, 87
2810471.....	29, 34, 35, 94	3003416	83
2810472.....	29, 34, 35, 94	3003474	20, 63
2810708.....	82	3003475	20, 63
2810713.....	100	3003517	22
2810984.....	1, 94	3003611	22, 38
2811027.....	24	3003939	60
2811039.....	81	3003954	43
2811055.....	24	3004043	20
2811071.....	3, 4, 5, 7, 9, 10, 100	3004189	22, 38
2811106.....	3, 4, 5, 9, 10, 100	3004368	8
2811226.....	20	3004369	8
2811255.....	29, 34, 37, 51, 52, 53, 104, 105, 106	3004374	27, 45, 100
2811363.....	7, 100	3004432	45
2811376.....	23	3004555	10
2811399.....	35	3004611	2
2811450.....	100	3004734	35
2811453.....	53	3004738	36
2811488.....	29, 34, 46, 51	3004795	35
2811648.....	100	3004800	35
2811669.....	9	3004870	11, 16, 28
2811676.....	10	3004882	83, 84, 86, 87, 88, 89
2811690.....	10	3004894	53, 63, 65, 66
2811831.....	51	3005121	29, 34, 51, 52, 53, 60
2811850.....	51	3005156	83, 84, 86, 87, 88, 89
2811854.....	51	3005209	36
2811909.....	11	3005210	35
2811910.....	11	3005318	84
2812294.....	46	3005380	1
2812344.....	23, 29, 34	3005435	16, 28
2822503.....	29, 34	3005692	2, 12, 16, 24, 28, 31, 36
2822505.....	16	3005763	43
3000359.....	21, 60	3005936	23

Part Number	Page(s)	Part Number	Page(s)
3005996.....	23	315843	41
3006028.....	35	315872	41
3006030.....	35	315873	41
3006061.....	8	315876	41
3006248.....	36	315877	41
3006434.....	29, 34	315909	41
3006436.....	23, 29, 34, 43	315910	41
3006447.....	23	315928	41
3006449.....	23, 29, 34	315938	40
3006511.....	1	315939	40
3006632.....	51	315964	41
3006634.....	51	315965	41
3006858.....	7	315967	41
3006981.....	29, 34, 51	315977	41
3007135.....	91	315978	41
3007137.....	91	316482	40
3007138.....	91, 96	325163	40, 94
3007308.....	22, 41	329037	2
3007599.....	27	329120	40
3007602.....	45	33049-05	48
3007759.....	46, 60, 96	331834	41
3007760.....	46, 96	332516	41
3007764.....	51, 63, 65, 66	335178	45
3007843.....	79	335449	17, 90, 96
3007908.....	22	336054	40
3008027.....	84	336481	15
3008388.....	51, 60, 63	336962	2, 12, 16, 18, 24, 28, 30
3008429.....	91	337341	45
3008438.....	2, 12, 16, 17, 19, 24, 28, 31	337370	12, 16, 24, 28, 30
3008439.....	2, 12, 16, 17, 19, 24, 28, 31	337389	39
3008601.....	35	337442	45
3008625.....	60	337547	45
3008626.....	60	337677	1
3009138	2, 3, 4, 5, 7, 11, 12, 16, 18, 23, 28, 30, 35, 38	337713	46
3009271.....	60	338246	27
3009548.....	41	338289	15, 21, 44
3009565.....	15, 100	338521	45
3009724.....	80	338548	46, 100
3009725.....	82	338601	21
3009726.....	85, 86	338647	83, 86, 87, 88, 89
3009892.....	35	338735	31
3010210.....	63, 65, 66, 80, 82, 85, 86	338763	17, 64
3010286.....	81, 82, 83, 84	338773	82, 89
3010296.....	28, 30	339027	52
3010422.....	83	339896	97
3010470.....	35	339897	97
3010471.....	35	339898	97
3010472.....	35	339899	97
3010550.....	51, 96	339900	97
3010551.....	51, 96	339901	97
3010621.....	82, 83	339902	97
3010712.....	81, 82, 83, 84	339903	97
302711	12	339908	97
302712	12	339909	97
303558	17	339910	97
304390	1	339911	97
304745	18, 24, 30	339912	97
305115	17	339913	97
315298	16, 18, 24, 28, 30	340486	23, 29, 34
		340585	100

Part Number	Page(s)	Part Number	Page(s)
340752	9	366649	8
343616	2, 12, 16, 24, 28, 31, 36	366650	8
344137	40	366652	8
345331	11	366670	23, 29, 34
346149	46	366707	82
346883	51, 60	366743	7
347490	42	366751	21, 23, 29, 34
347505	42	366790	21, 29, 37
350759	45	367029	41, 63, 65, 66, 80, 82, 83, 85, 86, 87, 88, 89
352214	80, 85	367140	53
352221	17, 90	38348-01	48
352437	90	38382	6
352635	41	38383	17
352737	2, 12, 16, 24, 28, 31, 36	390264	45
353844	11	390457	45
357958	1	390514	45, 96
358671	45	390515	45, 96
360111	46, 47	390899	17, 19, 89
360346	23, 45, 70	390900	17, 19, 89
360680	38	391039	52, 96
361406	21	391040	52, 96
361439	23, 29, 34, 65, 66	391202	31
361723	63, 64	400182	35
361877	35	400184	18, 35
362643	35	400264	22, 45, 52, 53
363227	39	400294	18
363233	46, 47	400406	46
363275	7	400410	51, 52, 53, 63, 65, 66
363808	92	401237	51, 63
363809	92	403782	11, 15
363961	21	407586	80, 85
364040	92	4103038	23
364147	22, 38	4103039	23
364148	22	4103161	60
364157	22	4103163	60
364900	8, 12, 16, 18, 24, 28, 30	4103540	10
364901	12	4105800	9, 10, 102
365016	83, 88	4108620	23
365039	86	4108920	3, 81
365229	8, 17	4108922	81
365230	17, 92	4108924	81
365235	92, 100	4111911	98
365246	18	4111913	98
365330	17, 89	4112764	98
365345	89	4113435	69, 101
365422	27, 29, 34, 37, 98	4113436	69, 101
365467	92	4113437	69, 101
365501	35	4113515	69
365772	52, 53	4113531	64
365943	29, 34, 37, 51, 52, 60	4113678	52
365948	63, 65, 66	4113986	52, 53, 65, 66, 106
365963	52, 53	4114701	98
366292	51, 52, 53	4114788	79
366310	52, 53	4114835	79
366562	52, 53	41152002A	60
366566	52, 53	41152006F	106
366593	52, 53	4115404	75, 101
366648	1, 8, 9, 10		

Part Number	Page(s)	Part Number	Page(s)
4133916.....	20, 63	4158083	4, 95
4134115.....	95	4158280	11, 12
4134323.....	53, 65, 66, 100	4161022	95
4134530.....	64	4161082	95
4134967.....	63, 65	4162053	74
4134968.....	63, 65	4162061	74
4135081.....	80, 81	4162065	74
4135083.....	23, 81	4162066	74
4135791.....	60	4162068	74
4135850.....	20, 63	4162069	74
4135851.....	20, 63	4162071	74
4135852.....	20, 63	4162073	74
4135859.....	80	4162074	74
4135927.....	63	4162098	74
4136009.....	20, 63	4162302	74
4136191.....	60	4162303	74
4136324.....	3, 4, 5, 9	4162306	74
4136736.....	95, 98	4162307	74
4136871.....	64	4162308	74
4136880.....	44	4162309	74
4137139.....	11, 44	4162310	74
4137186.....	65, 66, 96	4162311	74
4137534.....	63, 65, 66	4162312	74
4137659.....	65	4162314	74
4137894.....	60, 106	4162317	74
4138120.....	60, 100	4162319	74
4138500.....	11	4162320	74
4138512.....	44	4162321	74
4138520.....	11	4162323	74
4138579.....	57	4162327	74
4138591.....	11	4162329	74
4138725.....	63, 96	4162330	74
4138728.....	63	4162333	74
4139005.....	1, 6, 7	4162334	74
4139103.....	63, 96	4162335	74
4139134.....	60	4162336	74
4139265.....	75, 78, 101	4162337	74
4139351.....	75, 101	4163101	63, 96
4139427.....	78, 101	4163106	65, 66, 96
4139604.....	44	4163121	66
4139726.....	75	4163760	4
4140021.....	10	4164080	74
4140022.....	10	4164095	74
4140023.....	10	4165020	3, 4, 5
4140144.....	3, 4, 5	4165062	3, 4, 5
4140149.....	21, 23, 29, 34, 46, 60	4165189	74
4140919.....	101	4165190	74
4141266.....	21	4165191	74
4143249.....	11, 12	4165192	74
4144006.....	101	4165193	74
4145428.....	3, 4, 5, 9	4165194	74
4148877.....	17	4165195	74
4151882.....	65, 66	4165196	74
4153038.....	63	4165197	74
415525.....	89	4165198	74
4156936.....	92	4165199	74
4157260.....	89	4165260	27, 95
4158082.....	4, 7, 9, 10, 95	4166860	35
		4166902	95

Part Number	Page(s)	Part Number	Page(s)
4133916.....	20, 63	4158083	4, 95
4134115.....	95	4158280	11, 12
4134323.....	53, 65, 66, 100	4161022	95
4134530.....	64	4161082	95
4134967.....	63, 65	4162053	74
4134968.....	63, 65	4162061	74
4135081.....	80, 81	4162065	74
4135083.....	23, 81	4162066	74
4135791.....	60	4162068	74
4135850.....	20, 63	4162069	74
4135851.....	20, 63	4162071	74
4135852.....	20, 63	4162073	74
4135859.....	80	4162074	74
4135927.....	63	4162098	74
4136009.....	20, 63	4162302	74
4136191.....	60	4162303	74
4136324.....	3, 4, 5, 9	4162306	74
4136736.....	95, 98	4162307	74
4136871.....	64	4162308	74
4136880.....	44	4162309	74
4137139.....	11, 44	4162310	74
4137186.....	65, 66, 96	4162311	74
4137534.....	63, 65, 66	4162312	74
4137659.....	65	4162314	74
4137894.....	60, 106	4162317	74
4138120.....	60, 100	4162319	74
4138500.....	11	4162320	74
4138512.....	44	4162321	74
4138520.....	11	4162323	74
4138579.....	57	4162327	74
4138591.....	11	4162329	74
4138725.....	63, 96	4162330	74
4138728.....	63	4162333	74
4139005.....	1, 6, 7	4162334	74
4139103.....	63, 96	4162335	74
4139134.....	60	4162336	74
4139265.....	75, 78, 101	4162337	74
4139351.....	75, 101	4163101	63, 96
4139427.....	78, 101	4163106	65, 66, 96
4139604.....	44	4163121	66
4139726.....	75	4163760	4
4140021.....	10	4164080	74
4140022.....	10	4164095	74
4140023.....	10	4165020	3, 4, 5
4140144.....	3, 4, 5	4165062	3, 4, 5
4140149.....	21, 23, 29, 34, 46, 60	4165189	74
4140919.....	101	4165190	74
4141266.....	21	4165191	74
4143249.....	11, 12	4165192	74
4144006.....	101	4165193	74
4145428.....	3, 4, 5, 9	4165194	74
4148877.....	17	4165195	74
4151882.....	65, 66	4165196	74
4153038.....	63	4165197	74
415525	89	4165198	74
4156936.....	92	4165199	74
4157260.....	89	4165260	27, 95
4158082.....	4, 7, 9, 10, 95	4166860	35
		4166902	95


Part Number	Page(s)	Part Number	Page(s)
4166903.....	95	434003.....	35
4169260.....	89	434036.....	35
4169341.....	3, 4, 5, 9, 102	434049.....	35
4170202.....	3, 94	441614.....	80
4170203.....	5, 94	441674.....	12, 16, 24, 28, 31, 36
4171680.....	3, 4, 5	441677.....	2
4172945.....	4, 9, 10, 94	443102.....	2, 12, 16, 24, 28, 31, 36
4173922.....	63, 65, 66	443106.....	18, 35, 80, 90
4173923.....	63, 65, 66	443110.....	52, 53
4174240.....	65, 66	443816.....	89
4174241.....	29, 34, 37, 51	443842.....	91
4174684.....	29, 48, 51, 65, 66	445795.....	18, 35
4175101.....	60	445796.....	45
4175220.....	81	445798.....	84
4175221.....	3, 81	445801.....	81, 82, 84
4175560.....	75, 78, 101	446136.....	18, 35, 80
4175863.....	78, 101	446142.....	18, 52, 53
4176550.....	100	446148.....	89
4177260.....	75	446154.....	52, 53
4179180.....	9, 10	452006.....	80
4180561.....	69, 70, 73	452008.....	89
4180562.....	69, 70, 73	453009.....	18
4180563.....	69, 70, 73	453011.....	18
4180564.....	69, 70, 73	454017.....	35
4180565.....	70	455066.....	35
4180566.....	69, 70	458013.....	12, 16, 18, 24, 28, 30
4180567.....	69, 70	458039.....	22
4180568.....	70, 73	458113.....	89
4180569.....	70	458461.....	8
4180570.....	70	459290.....	97
4180571.....	69, 70	459291.....	97
4180572.....	69, 70	459293.....	97
4180573.....	69, 70, 73	459296.....	97
4180574.....	70	459300.....	97
4180575.....	70	461339.....	63
4180576.....	70, 73	461357.....	35
4181740.....	70, 73	461416.....	35
4182220.....	23	461460.....	2
4184140.....	98	463027.....	64
4184653.....	22, 41	46510638F.....	60, 100
4185640.....	46, 47, 53	471214.....	35, 81, 82, 83, 86, 87, 88, 89
4185641.....	46, 47	471217.....	8
4186581.....	53, 96	471242.....	35
4186582.....	53, 96	472519.....	38
4187500.....	53	48524.....	64
4188500.....	4, 95	5000039.....	43, 52, 53
4192802.....	92	5000040.....	37, 94
4194160.....	53	5000041.....	37, 94
4195520.....	92	5000067.....	98
4196420.....	3, 4, 5	5000068.....	98
4199040.....	11	5000078.....	15, 103, 104, 105, 106
4199041.....	11	5000095.....	7, 94
4199042.....	23	5000097.....	86, 88
4199043.....	29, 34	5000098.....	3, 7, 94, 95
4202300.....	53	5000141.....	5, 7, 94, 95
4203300.....	79	5000148.....	7, 94
4203321.....	3, 4, 5	5000400.....	45, 46
4203422.....	39	5000413.....	7, 94, 95
4212820.....	53	5000414.....	7, 94, 95
4214320.....	60	5000416.....	7, 94
400192.....	18	5000436.....	11, 21, 43, 44, 103, 104, 105, 108
422511.....	35	5000440.....	11, 15, 21, 43, 44, 103, 104, 105, 108


Part Number	Page(s)	Part Number	Page(s)
5000441.....	11, 15, 21, 43, 44, 103, 104, 105, 108	5002814	17, 19, 83
5000471.....	86, 88	5002815	17, 19, 82
5000527.....	11, 15, 21, 29	5002816	80
5000593.....	12, 16, 28	5002817	86
5000598.....	45, 107	5002818	80
5000599.....	45, 107	5002819	85
5000625.....	17, 80, 81, 84	5002831	86
5000913.....	11, 15, 17, 21, 43, 44, 46, 71, 75, 78, 103, 104, 105, 107, 108	5002832	89
5000919.....	23, 27, 29, 34, 45, 46, 48, 51, 56, 63, 64, 75, 78, 104, 105, 106, 107	5002833	84
5000942.....	108	5002834	87
5001066.....	11, 12	5002835	88
5001085.....	46, 96	5002836	84
5001099.....	11, 17, 19, 94	5002837	83
5001100.....	11, 94	5002839	88
5001101.....	4, 11, 17, 19, 94	5002841	1
5001102.....	11, 15, 94	5002887	1, 4, 7, 9, 10, 11, 15, 94, 95
5001122.....	38, 100	5002888	3, 7, 94, 95
5001182.....	17, 20, 45, 48, 57, 63, 64, 104, 106, 107	5002892	23, 46, 105, 107
5001284.....	23, 29, 34, 100	5002915	7, 100
5001348.....	21	5002962	1, 7
5001404.....	98, 99, 106, 107, 108	5003051	27
5001405.....	98, 99, 108	5003053	11, 17, 19, 27, 29, 30, 34, 94
5001581.....	98	5003054	11, 15, 17, 29, 30, 34, 94
5001951.....	15, 100, 101	5003069	46, 107
5002087.....	20, 21, 94	5003070	46, 107
5002088.....	20, 21, 94	5003102	98, 99
5002089.....	21, 94	5003103	98, 99, 104, 105, 106, 107, 108
5002090.....	21, 94	5003104	15, 98, 99, 103, 104, 106
5002151.....	24, 30	5003105	98, 99
5002227.....	107	5003150	17, 19, 29, 30, 34, 94, 95
5002275.....	107	5003157	60
5002319.....	107	5003197	51, 60
500236	41	5003199	60
5002452.....	97	5003202	60
5002453.....	97	5003207	60, 106
5002454.....	97	5003211	60, 100
5002477.....	35	5003212	60, 106
5002488.....	98	5003249	21
5002489.....	98	5003250	21
5002490.....	98	5003276	102
5002491.....	15, 27, 29, 34, 37, 98	5003278	60, 102
5002503.....	21, 27, 37, 43, 45, 52, 53, 60	5003279	102
5002569.....	11, 15, 27	5003280	102
5002573.....	29, 34, 64	5003281	60, 102
5002575.....	43	5003282	65, 66, 102
5002576.....	3, 4, 5	5003283	102
5002583.....	52	5003284	102
5002605.....	1, 94	5003370	60, 106
5002609.....	35	5003419	60
5002631.....	98	5003421	60
5002644.....	21, 44, 105	5003522	60
5002651.....	15, 16	5003641	60
5002693.....	60, 106	5003648	22
5002714.....	52	5003650	22
5002722.....	104	5003652	7, 94
5002727.....	8	5003688	15
5002777.....	43	5003689	60, 100
		5003691	60, 106

Part Number	Page(s)	Part Number	Page(s)
5003763.....	51	523126	65, 66, 70, 71
500533	41	523248	71, 98
500534	2, 8, 12, 16, 17, 19, 24, 28, 30, 39, 41, 42, 51, 60, 64, 83, 84, 86, 87, 88, 89	523273	70, 73
500535	39	523421	70, 73
500548	41	523472	70, 73
500562	53	523826.7.....	69
500596	22, 38	523863	73
500671	1	523864	69, 70, 73
500711	41	523907.7.....	69
500763	41	523995	73
500764	41	545104	69
500895	45	545723	41
501150	11, 27, 45	546409	98
502619	45, 107	547132	73
502673	40, 94	547613	70
502676	40, 94	547818	17
503043	39, 94	547849	69
503206	1, 94	547860	69
503223	52	547861	69
503258	39	548942	48
503295	29, 34	549593	27, 37, 45, 105
503296	29, 34	549597	21, 43, 45, 105, 107, 108
503308	51	549633	52, 53, 106
503359	21, 94	549635	46, 47
503360	21, 94	550337	45, 46
503361	21, 94	550489	11, 15, 21, 23, 27, 44, 45, 75, 78, 103, 104, 105, 107, 108
503362	21, 94	550553	17, 46
503365	11, 12	550556	27, 45
503378	17, 63, 65, 66, 80, 82, 85, 86	551436	46, 47
503407	98	551437	46, 47, 51
503409	98	551438	46, 47, 51
503460	15, 27, 29, 34, 35, 94, 95	551439	46, 47, 51
503475	1, 94	551440	46, 47, 51
503476	1, 94	551739	45
503477	1, 4, 7, 9, 10, 11, 15, 17, 19, 94, 95	552824	60
503478	1, 4, 7, 9, 10, 11, 15, 17, 19, 94, 95	552971	44
503479	1, 4, 7, 9, 10, 11, 15, 17, 19, 94, 95	553568	46, 47
503522	94	553720	46, 47, 52
503523	94	554011	11, 15, 43, 45, 103, 104, 108
503550	21, 39, 94, 95	554119	11, 45
503634	37, 94	554284	20, 21, 94, 95
503635	37, 94	554390	21, 23, 29, 34
503654	37, 94	554596	15, 103, 104
503660	15, 21, 23, 44	554599	98, 108
503684	22	554663	60
517486	69, 70, 73	555771	52, 53, 65, 66, 106
517487	69, 70, 73	555846	10
517488	69, 70, 73	556416	27
517489	69, 70, 73	557376	52
521050	69	557381	52, 100
521859	69	557519	52
522123	71	557523	63
522200	75	557619	52, 53, 60, 65, 66, 106
522639	69	557759	20, 23, 27, 29, 34, 37, 45, 46, 48, 51, 63, 64, 75, 78, 104, 105, 106, 107
522887	70, 101	557772	29, 34, 37, 51, 104, 105, 106
522973	71	557775	12
523028	70, 73	557945	100

Part Number	Page(s)	Part Number	Page(s)
558015	43	833038	17, 64
558022	11, 45, 103	833438	71, 75, 108
590623	1	833851	17
590628	1	834702	17
590667	1	834973	70, 73
600653	78, 101	835062	71, 101
600997	75, 78, 101	835063	71, 101
6114025	42	835567	71
63318	3	835825	71, 75
63320	3, 4, 5	836621	17
64025-16	48	836729	71
64123-211	64	836820	71
64163-07	48	836892	64, 65
64163-22	48	836975	71
64187-03	64	837295	17, 78
64209-03	48, 56, 57, 64	837303	78
64209-06	64	838007	44
64220-01	64	838140	98
67891	79	838323	73
67919	79	839063	17, 19
67920	79	839064	19
67926	23	839065	19
67930	79	839373	19
68121	79	839406	17
68122	79	839466	100
68123	79	839502	19
68124	79	839780	19
68527	1, 4, 7, 9, 10, 11, 15, 82	840002	17
68530	4, 9, 10	840160	104
68613	1, 4, 7, 9, 10, 11, 15, 19, 82	840769	19
68614	1, 4, 7, 9, 10, 11, 15, 19	841027	75
68616	3, 7, 23, 80	841379	19
68617	5, 7, 85	841538	19
68626	3, 7, 23, 80	841966	75, 101
68627	5, 7, 85	842502	70, 107
68628	5, 86	842504	70, 107
68641	1	842506	44
68673	1, 4, 7, 9, 10, 11, 15, 82	842507	44
69150	79	842511	44
69151	79	842512	44
70093	40	842513	70, 107
70094	40	842515	44
70096	40	842983	102
70097	40	843167	70, 78
800813	19	843401	17
80109080	100	843581	78
818020	71	843816	17
81-B054.BUF	42	845000	19
821814	70, 71, 75, 107, 108	845279	17
822049	78	845280	17
824573	48	885249	75, 107
825619	56, 106	888348	71
826000	17, 64, 75	888564	71
826284	78	888587	71, 75
829754	70	888588	71, 75
830139	70	888921	44
830366	78		

Part Number	Page(s)	Part Number	Page(s)
891272	44	JAC5097-3	93
891609	44	JAC5099	93
891956	71	JAC5100	93
892677	19	JAC5101	93
892868	19	JAC5102	93
893055	19	JAC5103	93
893060	19	JAC5104	93
893182	17	JACCU40012	93
893288	71	L	
893378	19	LMAC135.....	57
893419	19	LMAC182	79
893602	78	P	
894308	78	PJH1054	63, 65, 66
894521	17	PL7540	46, 51
897180	19	W	
J		W178121	100
JAC5000	93		
JAC5001-1	93		
JAC5001-2	93		
JAC5001-3	93		
JAC5001-4	93		
JAC5001-5	93		
JAC5001-6	93		
JAC5001A.....	93		
JAC5005.....	93		
JAC5008.....	93		
JAC5009.....	93		
JAC5012.....	93		
JAC5015.....	93		
JAC5016.....	93		
JAC5021.....	93		
JAC5024.....	93		
JAC5026.....	93		
JAC5027.....	93		
JAC5030.....	93		
JAC5031.....	93		
JAC5050.....	93		
JAC5051.....	93		
JAC5052.....	93		
JAC5053.....	93		
JAC5059.....	93		
JAC5061.....	93		
JAC5062.....	93		
JAC5066.....	93		
JAC5067.....	93		
JAC5068.....	93		
JAC5070.....	93		
JAC5076.....	93		
JAC5077.....	93		
JAC5079.....	93		
JAC5081.....	93		
JAC5084.....	93		
JAC5085.....	93		
JAC5091.....	93		
JAC5093.....	93		
JAC5095.....	93		
JAC5095-1	93		
JAC5097.....	93		
JAC5097-1	93		
JAC5097-2	93		






Jacobsen® Classic XP™ Reels

Experience the Advanced Relief Technology Difference.

- ✓ Improved Angles
- ✓ Increased Durability
- ✓ Tighter Tolerance



45° Relief Angle: Users get up to 3 times more spin grinds with this aggressive new blade design.

Advanced Relief Technology™ will backlap faster and cause less wear to the cutting system.



15° Face Angle: Eliminates the need for grinding before installation. This new angle also allows the reel blade to stay sharp significantly longer.

Each blade is individually ground for better process control and consistency in quality of cut.

High quality of cut is maintained for longer periods of time due to superior run-out.

Jacobsen reels are flat to the bedknife to less than .001 inch.

Dark spots on the aftermarket blade indicate overheating during the grinding process. With overheating, the metal is prone to "flake off," resulting in early failure. Advanced Relief Technology™ prevents overheating, which extends blade life.



For more information about Jacobsen reels, call 1.888.922.turf or visit www.jacobsen.com

JACOBSEN®
A Textron Company

When Performance Matters,TM The NEW AR-522TM is the Rough Mower of Choice!



TRIMTEKTM CUTTING SYSTEM

The bar has been raised. Today's golfers expect all mowed areas, including the rough, to look exceptional. The New AR-522TM, with its superior climbing ability and highest quality of cut, delivers the finest rough conditions. It has the highest horsepower per width-of-cut than any mower in its class. Coupled with the new Jacobsen[®] TrimTekTM cutting system and superior traction, the AR-522 leads the category in climbing and cutting performance.

Call your local Jacobsen dealer today to see for yourself how the AR-522 outperforms the competition.



Revolutionary new TrimTekTM deck with exclusive down-draft blade keep clippings suspended longer for exceptional mulching results.



Exclusive three-tiered discharge opening distributes clippings more evenly for a superior after-cut appearance.



1.888.922.TURF • www.jacobsen.com

The Official Turf Equipment Supplier to The PGA of America and
The Exclusive Turf Equipment Supplier to PGA Golf Properties.
©2009 Jacobsen, A Textron Company. All rights reserved.

JACOBSEN[®]
A Textron Company

When Performance Matters.TM